



**P Sudre**

**Contact**

P Sudre

## Publications (5)

Boubaker K, Francioli P, Rickenbach M, Opravil M, Egger M, Bernasconi E, Chave J, Boggian K, Hirschel B, Haensel A, Furrer H, Sudre P, Flepp M, Telenti A. Hyperlactatemia and antiretroviral therapy: the Swiss HIV Cohort Study. *Clin Infect Dis* 2001; 33:1931-7.

Ledergerber B, Francioli P, Sudre P, Kaufmann D, Opravil M, Bernasconi E, Vernazza P, Battegay M, Furrer H, Hirschel B, Weber R, Erard V, Egger M, Telenti A. AIDS-related opportunistic illnesses occurring after initiation of potent antiretroviral therapy: the Swiss HIV Cohort Study. *JAMA : the journal of the American Medical Association* 1999; 282:2220-6.

Bassetti S, Bernasconi E, Vernazza P, Telenti A, Kaiser L, Flepp M, Rickenbach M, Furrer H, Battegay M, Sudre P. Why is highly active antiretroviral therapy (HAART) not prescribed or discontinued? Swiss HIV Cohort Study. *Journal of acquired immune deficiency syndromes (1999)* 1999; 21:114-9.

Ledergerber B, Francioli P, Furrer H, Flepp M, Sudre P, Vernazza P, Battegay M, Hirschel B, Telenti A, Opravil M, Egger M, Weber R. Clinical progression and virological failure on highly active antiretroviral therapy in HIV-1 patients: a prospective cohort study. *Swiss HIV Cohort Study. Lancet* 1999; 353:863-8.

Rutschmann O, Perrin L, Yerly S, Leduc D, Sudre P, Bernasconi E, Bucher H, Vernazza P, Malinverni R, Iten A, Opravil M, Hirschel B. A placebo-controlled trial of didanosine plus stavudine, with and without hydroxyurea, for HIV infection. *The Swiss HIV Cohort Study. AIDS (London, England)* 1998; 12:F71-7.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)