



**Katrin Eckhardt**

**Contact**

Katrin Eckhardt

## Publications (6)

Mc Laughlin A, Hess D, Michelet R, Colombo I, Haefliger S, Bastian S, Rabaglio-Poretti M, Schwitter M, Fischer S, Eckhardt K, Hayoz S, Kopp C, Klose M, Sessa C, Stathis A, Halbherr S, Huisinga W, Jörger M, Kloft C. Population pharmacokinetics of TLD-1, a novel liposomal doxorubicin, in a phase I trial. *Cancer Chemother Pharmacol* 2024; 94:349-360.

Colombo I, Koster K, Holer L, Haefliger S, Rabaglio-Poretti M, Bastian S, Schwitter M, Eckhardt K, Hayoz S, Mc Laughlin A, Kloft C, Klose M, Halbherr S, Baumgartner C, Sessa C, Stathis A, Hess D, Jörger M. TLD-1, a novel liposomal doxorubicin, in patients with advanced solid tumors: Dose escalation and expansion part of a multicenter open-label phase I trial (SAKK 65/16). *Eur J Cancer* 2024; 201:113588.

Novak U, Fehr M, Schär S, Dreyling M, Schmidt C, Derenzini E, Zander T, Hess G, Mey U, Ferrero S, Mach N, Boccomini C, Böttcher S, Voegeli M, Cairoli A, Ivanova V, Menter T, Dirnhofer S, Scheibe B, Gadient S, Eckhardt K, Zucca E, Driessen C, Renner C. Combined therapy with ibrutinib and bortezomib followed by ibrutinib maintenance in relapsed or refractory mantle cell lymphoma and high-risk features: a phase 1/2 trial of the European MCL network (SAKK 36/13). *EClinicalMedicine* 2023; 64:102221.

Stathis A, Mey U, Schär S, Hitz F, Pott C, Mach N, Krasniqi F, Novak U, Schmidt C, Hohloch K, Kienle D, Hess D, Moccia A, Unterhalt M, Eckhardt K, Hayoz S, Forestieri G, Rossi D, Dirnhofer S, Ceriani L, Sartori G, Bertoni F, Buske C, Zucca E, Hiddemann W. SAKK 35/15: a phase 1 trial of obinutuzumab in combination with venetoclax in patients with previously untreated follicular lymphoma. *Blood Adv* 2022; 6:3911-3920.

Hitz F, Rondeau S, Berardi Vilei S, Eckhardt K, Enoiu M, Rothermundt C, Schmidt A, Krasniqi F, Mach N, Caspar C, Samaras P, Cairoli A, Fischer N, Pabst T, Zucca E, Mey U. Rituximab, bendamustine and lenalidomide in patients with aggressive B-cell lymphoma not eligible for anthracycline-based therapy or intensive salvage chemotherapy - SAKK 38/08. *Br J Haematol* 2016

Stahel R, Caspar C, Eckhardt K, Schmid R, Aebbersold D, Gautschi O, Nagel W, Töpfer M, Kraysenbuehl J, Ribi K, Ciernik L, Mordasini C, Zippelius A, Riesterer O, Xyrafas A, Opitz I, Beyeler M, Ochsenbein A, Früh M, Cathomas R, Nackaerts K, Peters S, Mamot C, Weder W. Neoadjuvant chemotherapy and extrapleural pneumonectomy of malignant pleural mesothelioma with or without hemithoracic radiotherapy (SAKK 17/04): a randomised, international, multicentre phase 2 trial. *Lancet Oncol* 2015; 16:1651-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)