



## **Prof. Dr. med. Sandro Stöckli**

chief physician

Hals-Nasen-Ohrenklinik · Dept. III

### **Contact**

Prof. Dr. med. Sandro Stöckli  
Rorschacherstrasse 95  
9007 St. Gallen  
Switzerland

T +41 71 494 1691  
Sandro.Stoekli@kssg.ch

### **Homepage**

[www.hno.kssg.ch](http://www.hno.kssg.ch)

### **Units**

Hals-Nasen-Ohrenklinik

### **Profile Function**

chief physician

## Publications (129)

Lütge M, De Martin A, Gil Cruz C, Perez Shibayama C, Stanossek Y, Onder L, Cheng H, Kurz L, Cadosch N, Sonesson C, Robinson M, Stöckli S, Ludewig B, Pikor N. Conserved stromal-immune cell circuits secure B cell homeostasis and function. *Nat Immunol* 2023

De Martin A, Stanossek Y, Lütge M, Cadosch N, Onder L, Cheng H, Brandstadter J, Maillard I, Stöckli S, Pikor N, Ludewig B. PI16 reticular cells in human palatine tonsils govern T cell activity in distinct subepithelial niches. *Nat Immunol* 2023

Koster K, Rothermundt C, Binet F, Borovicka J, Bozinov O, Clerici T, Engeler D, Greiner J, Hader C, Heinimann K, Azzarello-Burri S, Lang C, Krull I, Stöckli S, Omlin A, Hundsberger T. Von-Hippel-Lindau-Erkrankung - Interdisziplinäre Betreuung und neue therapeutische Optionen. *Swiss Med Forum* 2022; 48:4-784-787.

Berger H, Hetzel P, Simma L, Guggenheim R, Stöckli S, Cao Van H, Pandolfi F, Etter G, Gallmann C, Christinet V, Avoledo P, Rowedder A, Hasse B, Posfay-Barbe K, Senn L, Merz A, Peters N, Hofmann Y, Wingeier B, Huber B, Boggian K, Hug-Batschelet H, Rosamilia C, Mosimann P, Bielicki J, Horvath L, Hotz M, Dettwiler A, Fluri S, Diana A, Von Schön-Angerer T, Tarr P. Behandlung der Streptokokkenangina ohne Antibiotika. *Primary and Hospital Care* 2021; 21:360-367.

Berger H, Hetzel P, Simma L, Guggenheim R, Stöckli S, CAO V, Pandolfi F, Etter G, Gallmann C, Christinet V, Avoledo P, Rowedder A, Hasse B, Posfay-Barbe K, Senn L, Merz A, Peters N, Hofmann Y, Wingeier B, Huber B, Boggian K, Hug-Batschelet H, Rosamilia C, Mosimann P, Bielicki J, Horvath L, Hotz M, Dettwiler A, Furi S, Diana A, Von Schön-Angerer T, Tarr P. Behandlung der Streptokokkenangina ohne Antibiotika. *Primary and Hospital Care* 2021; 21:360-367.

De Martin A, Lütge M, Stanossek Y, Engetschwiler C, Cupovic J, Brown K, Demmer I, Broglie M, Geuking M, Jochum W, McCoy K, Stöckli S, Ludewig B. Distinct microbial communities colonize tonsillar squamous cell carcinoma. *Oncoimmunology* 2021; 10:1945202.

Ammann Y, Beutner U, Vital D, Morand G, Broglie Daeppen M, Born D, Stöckli S, Huber G. Impact of the new TNM Staging System (8th edition) on oral tongue cancers. *Swiss Med Wkly* 2021; 151:w20493.

Schilling C, Klop W, Kerawala C, Lawson G, McMahon J, Sassoon I, Shaw R, Tvedskov J, von Buchwald C, Kohno N, Garrel R, Frerich B, Stöckli S, Vigili M, de Bree R, Lai S, Alvarez J, Christensen A, Cognetti D, D'Cruz A, McGurk M. Surgical consensus guidelines on sentinel node biopsy (SNB) in patients with oral cancer. *Head & neck* 2019; 41:2655-2664.

Romer C, Broglie Daeppen M, Mueller M, Huber G, Güsewell S, Stöckli S. Long-term speech and swallowing function after primary resection and sentinel node biopsy for early oral squamous cell carcinoma. *Oral Oncol* 2019; 89:127-132.

Galovic M, Saladin P, Kahles T, Nedeltchev K, Sarikaya H, Jung S, Fischer U, Manno C, Cereda C, Sander J, Tettenborn B, Weder B, Stöckli S, Arnold M, Lyrer P, Leifke M, Stauber A, Leisi N, Krammer W, Brugger F, Vehoff J, Balcerak P, Müller M, Rosenfeld J, Polymeris A, Thilemann S, De Marchis G, Niemann T, Kägi G. Development and Validation of a Prognostic Model of Swallowing Recovery and Enteral Tube Feeding After Ischemic Stroke. *JAMA Neurol* 2019; 76:561-570.

Morand G, Ikenberg K, Vital D, Cardona I, Moch H, Stöckli S, Huber G. Preoperative assessment of CD44-mediated depth of invasion as predictor of occult metastases in early oral squamous cell carcinoma. *Head & neck* 2018; 41:950-958.

Kiessling S, Broglie M, Soltermann A, Huber G, Stöckli S. Comparison of PI3K Pathway in HPV-Associated Oropharyngeal Cancer With and Without Tobacco Exposure. *Laryngoscope Investig Otolaryngol* 2018; 3:283–289.

Morand G, Vital D, Kudura K, Werner J, Stöckli S, Huber G, Huellner M. Maximum Standardized Uptake Value (SUV) of Primary Tumor Predicts Occult Neck Metastasis in Oral Cancer. *Sci Rep* 2018; 8:11817.

Broglie Däppen M, Müller M, Spreitzer S, Lang F, Lutchmaya M, Stauffer E, Espeli V, Martucci F, Bongiovanni M, Foerbs D, Arnoux A, Dettmer M, Arnold A, Stöckli S, Sauter R, Pasche P, Reinhard A, de Leval L, Huber G, Pezier T, Soltermann A, Giger R, Jochum W. Impact of human papillomavirus on outcome in patients with oropharyngeal cancer treated with primary surgery. *Head & neck* 2017; 39:2004–2015.

Broglie Däppen M, Jochum W, Michel A, Waterboer T, Foerbs D, Schoenegg R, Stöckli S, Pawlita M, Holzinger D. Evaluation of type-specific antibodies to high risk-human papillomavirus (HPV) proteins in patients with oropharyngeal cancer. *Oral Oncol* 2017; 70:43–50.

McGurk M, Jacome M, Santamaría-Zuazua J, Barbier L, Junquera Gutiérrez L, Odell E, Sebbesen L, Krogdah A, Huber G, Broglie Däppen M, Nollevaux M, Bragantini E, Lothaire P, Rubello D, Colletti P, Sloan P, Sassoone I, Leroux A, Mastronicola R, Dolivet G, Sesenna E, Silini E, Haerle S, Gurney B, Lawson G, von Buchwald C, Bilde A, Sorensen J, Bakholdt V, Flach G, Schilling C, de Bree R, Stöckli S, Dequanter D, Villarreal P, Forcelledo M, Rahimi S, Bloemena E, Donner D, O'Doherty M, Vigili M, Grandi C, Poli T, Moreira A, Amézaga J, Tartaglione G. Sentinel Node in Oral Cancer: The Nuclear Medicine Aspects. A Survey from the Sentinel European Node Trial. *Clin Nucl Med* 2016; 41:534–42.

Koster-Rusch A, Capraro J, Nagel W, Clerici T, Stöckli S, Forrer F, Brändle M, Bilz S. Bilaterale Halsschwellung bei einer jungen Frau. *Swiss Medical Forum* 2016; 16:253–255.

Stöckli S, Huebner T, Huber G, Broglie Däppen M. Technique for reliable sentinel node biopsy in squamous cell carcinomas of the floor of mouth. *Head & neck* 2016; 38:1367–72.

Bertolini R, Meyenberger C, Putora P, Albrecht F, Broglie Däppen M, Stöckli S, Sulz M. Endoscopic dilation of complete oesophageal obstructions with a combined antegrade-retrograde rendezvous technique. *World J Gastroenterol* 2016; 22:2366–72.

Schoch M, Broglie Däppen M, Henke G, Stöckli S. [Long-term sequelae after chemoradiation in head neck tumors]. *Ther Umsch* 2016; 73:213–8.

McGurk M, Donner D, Grandi C, Nollevaux M, Lawson G, Tartaglione G, Rahimi S, Vigili M, Jacome M, Moreira A, Bragantini E, Dequanter D, Sloan P, Sassoone I, Leroux A, Mastronicola R, Dolivet G, Sesenna E, Silini E, Poli T, Lothaire P, Santamaría-Zuazua J, Barbier L, Bilde A, von Buchwald C, Krogdahl A, Bakholdt V, Sorensen J, Huber G, Broglie Däppen M, Haerle S, Stöckli S, Sebbesen L, Odell E, Amézaga J, Junquera Gutiérrez L, Fresno Forcelledo M, Villarreal P, Flach G, Bloemena E, de Bree R, O'Doherty M, Gurney B, Schilling C. Sentinel European Node Trial (SENT): 3-year results of sentinel node biopsy in oral cancer. *Eur J Cancer* 2015; 51:2777–84.

Broglie Däppen M, Jochum W, Förbs D, Schöneegg R, Stöckli S. Brush cytology for the detection of high-risk HPV infection in oropharyngeal squamous cell carcinoma. *Cancer Cytopathol* 2015; 123:732–8.

Mastromonaco P, Stöckli S. [Hyperostosis of the internal auditory canal : An incidental finding?]. *HNO* 2015; 63:516–9.

AC V, Siano M, Broglie Däppen M, Toepfer M, Stöckli S. Das Adenoidzystische-Karzinom. *info@onkologie.ch* 2015; 1:10–12.

Niederer-Wuest S, Stöckli S, Haile S, Müller J, Oettli R, Clerici T, Bilz S, Brändle M, Förbs D, Jochum W, Broglie Däppen M. Impact of clinical risk scores and BRAF V600E mutation status on outcome in papillary thyroid cancer. *Surgery* 2015; 157:119-25.

Sawatzki M, Hechelhammer L, Meyenberger C, Schönenberger U, Stöckli S. Nanopowder spray for temporary hemostasis in a patient presenting with esophago-carotid fistula after radiation and surgery for a head and neck cancer. *Endoscopy* 2014; 46 Suppl 1 UCTN:E644-5.

Schmid S, Rothermundt C, Weber J, van Leyen K, Sulz M, Stöckli S, Krull I, Krek W, Kloos P, Heinimann K, Hader C, Greiner J, Engeler D, Brändle M, Binet F, Gillessen Sommer S, Hundtberger T. Management of von Hippel-Lindau Disease: An Interdisciplinary Review. *Oncol Res Treat* 2014; 37:761-771.

Mukherjee R, Müller M, Amstad H, Fournier J, Haile S, Stöckli S, Litschel R. [Dysphonia and dysphagia after anterior cervical spine surgery]. *HNO* 2014; 62:575-81.

de Bree R, Hoekstra O, Silver C, Robbins K, Hamoir M, Pitman K, Rinaldo A, Civantos F, Teymoortash A, Triantafyllou A, Rodrigo J, Hunt J, Mancuso A, Stöckli S, Medina J, Castelijns J, Takes R, Ferlito A. Advances in diagnostic modalities to detect occult lymph node metastases in head and neck squamous cell carcinoma. *Head & neck* 2014

Denoth S, Broglie Däppen M, Haerle S, Huber G, Haile S, Soltermann A, Jochum W, Stöckli S. Histopathological mapping of metastatic tumor cells in sentinel lymph nodes of oral and oropharyngeal squamous cell carcinomas. *Head & neck* 2014

Broglie Däppen M, Soltermann A, Haile S, Huber G, Stöckli S. Human papilloma virus and survival of oropharyngeal cancer patients treated with surgery and adjuvant radiotherapy. *Eur Arch Otorhinolaryngol* 2014

Coskun H, Rinaldo A, Pitman K, Hamoir M, Takes R, de Bree R, Hartl D, Suárez C, Shaha A, Stöckli S, Rodrigo J, Pellitteri P, Teymoortash A, Strojan P, Silver C, Robbins K, Medina J, Ferlito A. Current philosophy in the surgical management of neck metastases for head and neck squamous cell carcinoma. *Head & neck* 2014

Murer K, Soyka M, Broglie Däppen M, Huber G, Stöckli S. Zenker's diverticulum: outcome of endoscopic surgery is dependent on the intraoperative exposure. *Eur Arch Otorhinolaryngol* 2014; 272:167-73.

Kupferman M, Takes R, Stöckli S, Rinaldo A, Medina J, Devaney K, Civantos F, Bradford C, Kubik M, Ferlito A. The role of sentinel lymph node biopsy for thin cutaneous melanomas of the head and neck. *Am J Otolaryngol* 2013; 35:226-32.

Rössle M, Weber C, Züllig L, Jochum W, Stöckli S, Moch H, Huber G. EGFR expression and copy number changes in low T-stage oral squamous cell carcinomas. *Histopathology* 2013; 63:271-8.

Stöckli S, Broglie Däppen M. Recent innovations in head and neck oncology: a report from the ICHNO. *Expert Rev Anticancer Ther* 2013; 13:535-9.

Murer K, Stöckli S. [An unusual "epidermoid cyst"]. *Laryngorhinootologie* 2013; 92:477-8.

Broglie Däppen M, Soltermann A, Rohrbach D, Haile S, Pawlita M, Studer G, Huber G, Moch H, Stöckli S. Impact of p16, p53, smoking, and alcohol on survival in patients with oropharyngeal squamous cell carcinoma treated with primary intensity-modulated chemoradiation. *Head & neck* 2013; 35:1698-706.

Züllig L, Roessle M, Weber C, Graf N, Haerle S, Jochum W, Stöckli S, Moch H, Huber G. High sex determining region Y-box 2 expression is a negative predictor of occult lymph node metastasis in early squamous cell carcinomas of the oral cavity. *Eur J Cancer* 2013; 49:1915-22.

Bonabi S, Schmidt F, Broglie Däppen M, Haile S, Stöckli S. Thyroid incidentalomas in FDG-PET/CT: prevalence and clinical impact. *Eur Arch Otorhinolaryngol* 2012; 269:2555-60.

Broglie Däppen M, Soltermann A, Haile S, Rösli C, Huber G, Schmid S, Stöckli S. Quality of life of oropharyngeal cancer patients with respect to treatment strategy and p16-positivity. *Laryngoscope* 2012; 123:164-70.

Maquieira R, Litschel R, Stöckli S. [Differential diagnosis of a lymph node metastasis in carcinoma of unknown primary]. *Laryngorhinootologie* 2012; 92:113-4.

Burkart S, Fretz C, Stöckli S. [Progressive cranial nerve deficits after frontotemporal squamous cell carcinoma of the skin]. *Laryngorhinootologie* 2012; 92:43-5.

Jeleff O, Gutmann C, Greminger P, Binet F, Stöckli S, Broglie Däppen M. [Purulent lymphadenitis after peritonsillar abscess under immunosuppression. An often forgotten differential diagnosis]. *HNO* 2012; 60:622-5.

Broglie Däppen M, Haerle S, Huber G, Haile S, Stöckli S. Occult metastases detected by sentinel node biopsy in patients with early oral and oropharyngeal squamous cell carcinomas: Impact on survival. *Head & neck* 2012

Vorburger M, Broglie Däppen M, Soltermann A, Haerle S, Haile S, Huber G, Stöckli S. Validity of frozen section in sentinel lymph node biopsy for the staging in oral and oropharyngeal squamous cell carcinoma. *J Surg Oncol* 2012; 106:816-9.

Stöckli S, Broglie Däppen M. Sentinel node biopsy for early oral carcinoma. *Curr Opin Otolaryngol Head Neck Surg* 2012; 20:103-8.

Broglie Däppen M, Stöckli S. Die Rolle des humanen Papillomavirus beim Oropharynxkarzinom. *Schweiz Med Forum* 2012; 12:15-17.

Broglie Däppen M, Stöckli S. Relevance of sentinel node procedures in head and neck squamous cell carcinoma. *Q J Nucl Med Mol Imaging* 2011; 55:509-20.

Flach G, Broglie Däppen M, van Schie A, Bloemena E, Leemans C, de Bree R, Stöckli S. Sentinel node biopsy for oral and oropharyngeal squamous cell carcinoma in the previously treated neck. *Oral Oncol* 2011; 48:85-9.

Haerle S, Schmid D, Ahmad N, Hany T, Stöckli S. The value of (18)F-FDG PET/CT for the detection of distant metastases in high-risk patients with head and neck squamous cell carcinoma. *Oral Oncol* 2011; 47:653-9.

Huber G, Moch H, Jochum W, Studer G, Haerle S, Roessle M, Soltermann A, Züllig L, Stöckli S. Down regulation of E-Cadherin (ECAD) - a predictor for occult metastatic disease in sentinel node biopsy of early squamous cell carcinomas of the oral cavity and oropharynx. *BMC cancer* 2011; 11:217:1-8.

Stöckli S, Haerle S, Strobel K, Haile S, Hany T, Schuknecht B. Initial staging of the neck in head and neck squamous cell carcinoma: A comparison of CT, PET/CT, and ultrasound-guided fine-needle aspiration cytology. *Head & neck* 2011; 34:469-76.

Broglie Däppen M, Haile S, Stöckli S. Long-term experience in sentinel node biopsy for early oral and oropharyngeal squamous cell carcinoma. *Ann Surg Oncol* 2011; 18:2732-8.

Hartl D, Genden E, Terris D, Snyderman C, Sesterhenn A, Rodrigo J, Suárez C, Stöckli S, Takes R, Silver C, Ferlito A, Rinaldo A. Minimally invasive techniques for head and neck malignancies: current indications, outcomes and future directions. *Eur Arch Otorhinolaryngol* 2011; 268:1249-57.

Agra I, Kim K, Rinaldo A, Hartl D, Suárez C, Zbären P, Weber R, Khafif A, Haigentz M, Genden E, Gonçalves Filho J, Rodrigo J, Strojjan P, Stöckli S, Olsen K, Silver C, Takes R, Ferlito A, Kowalski L. Diagnosis and treatment of recurrent laryngeal cancer following initial nonsurgical therapy. *Head & neck* 2011

Haerle S, Strobel K, Ahmad N, Soltermann A, Schmid D, Stöckli S. Contrast-enhanced (18) F-FDG-PET/CT for the assessment of necrotic lymph node metastases. *Head & neck* 2011; 33:324-9.

Hinder R, Hitz F, Brugnolaro C, Stöckli S. [A Rare Cause of a Cervical Lymphadenopathy.]. *Praxis (Bern 1994)* 2011; 100:105-108.

Infanger A, Borovicka J, Meyenberger C, Anliker M, Stöckli S, Bühler D. Toxische epidermale Nekrolyse – Therapie einer kompletten hypopharyngealen Okklusion bei toxischer epidermaler Nekrolyse (Lyell-Syndrom); ein interdisziplinärer Approach. *Schweiz Med Forum* 2011; 11:593-594.

Murer K, Huber G, Haile S, Stöckli S. Comparison of morbidity between sentinel node biopsy and elective neck dissection for treatment of the n0 neck in patients with oral squamous cell carcinoma. *Head & neck* 2010; 33:1260-4.

Huber G, Fritzsche F, Züllig L, Storz M, K Haerle S, Jochum W, Stöckli S, Moch H. Podoplanin expression correlates with sentinel lymph node metastasis in early squamous cell carcinomas of the oral cavity and oropharynx. *Int J Cancer* 2010

Rinaldo A, Woolgar J, Bie? S, Werner J, Vander Poorten V, Strojjan P, Sanabria A, Owen R, Langendijk J, Khafif A, Zbären P, Betka J, Hisa Y, Holmes J, Kowalski L, Olofsson J, González Botas J, Strome M, Talmi Y, Genden E, Folz B, Hamoir M, Rodrigo J, Haigentz M, Bradford C, Takes R, Paleri V, Fagan J, Al-Tamimi S, Silver C, Medina J, Shah J, Robbins K, Devaney K, Stöckli S, Hartl D, de Bree R, Shaha A, Pitman K, Coskun H, Leemans C, Suárez C, Bradley P, Weber R, Ferlito A. Proposal for a rational classification of neck dissections. *Head & neck* 2010

Rinaldo A, Woolgar J, Bie? S, Werner J, Vander Poorten V, Strojjan P, Sanabria A, Owen R, Langendijk J, Khafif A, Zbären P, Betka J, Hisa Y, Holmes J, Kowalski L, Olofsson J, González Botas J, Strome M, Talmi Y, Genden E, Folz B, Hamoir M, Rodrigo J, Haigentz M, Bradford C, Takes R, Paleri V, Fagan J, Al-Tamimi S, Silver C, Medina J, Shah J, Robbins K, Devaney K, Stöckli S, Hartl D, de Bree R, Shaha A, Pitman K, Coskun H, Leemans C, Suárez C, Bradley P, Weber R, Ferlito A. Proposal for a rational classification of neck dissections. *Head & neck* 2010; 33:445-50.

Richter O, Litschel R, Stöckli S. [Pustules from the cow barn]. *HNO* 2010; 58:1105-7.

Broglie Däppen M, Huber G, Stöckli S, Studer G. Intensitätsmodulierte Radiotherapie beim Oropharynxkarzinom. *Schweiz Med Forum* 2010; Suppl. 54:114-116.

Röösli C, Studer G, Stöckli S. Salvage treatment for recurrent oropharyngeal squamous cell carcinoma. *Head & neck* 2010; 32:989-96.

Genden E, Rodrigo J, Rapidis A, Shaha A, Stöckli S, Haigentz M, Owen R, Suárez C, Takes R, Silver C, Ferlito A, Rinaldo A. Contemporary management of cancer of the oral cavity. *Eur Arch Otorhinolaryngol* 2010; 267:1001-17.

Albinger-Hegyí A, Moch H, Tinguely M, Rehrauer H, Probst-Hensch N, Iotzova G, Storz M, Schmid S, Stöckli S, Hegyi I. Lysyl oxidase expression is an independent marker of prognosis and a predictor of lymph node metastasis in oral and oropharyngeal squamous cell carcinoma (OSCC). *Int J Cancer* 2010; 126:2653-62.

Civantos F, Werner J, Mondin V, Silver C, Rinaldo A, Devaney K, Paleri V, de Bree R, Woolgar J, Takes R, Stöckli S, Ferlito A. What is the role of sentinel lymph node biopsy in the management of oral cancer in 2010?. *Eur Arch Otorhinolaryngol* 2010; 267:839-44.

Goerkem M, Braun J, Stöckli S. Evaluation of clinical and histomorphological parameters as potential predictors of occult metastases in sentinel lymph nodes of early squamous cell carcinoma of the oral cavity. *Ann Surg Oncol* 2010; 17:527-35.

Alkureishi L, McGurk M, Mortensen J, Poli T, Shoaib T, Sloan P, Sorensen J, Stöckli S, Thomsen J, Trifiro G, Werner J, Ross G, European Association of Nuclear Medicine Oncology Committee, Mamelle G, Leemans C, Lassmann M, Burak Z, Alvarez J, Ballinger J, Bilde A, Britten A, Calabrese L, Chiesa C, Chiti A, de Bree R, Gray H, Hunter K, Kovacs A, European Sentinel Node Biopsy Trial Committee. Joint practice guidelines for radionuclide lymphoscintigraphy for sentinel node localization in oral/oropharyngeal squamous cell carcinoma. *Annals of surgical oncology* 2009; 16:3190-210.

Alkureishi L, McGurk M, Mortensen J, Poli T, Shoaib T, Sloan P, Sorensen J, Stöckli S, Thomsen J, Trifiro G, Werner J, Ross G, European Association of Nuclear Medicine Oncology Committee, Mamelle G, Leemans C, Lassmann M, Burak Z, Alvarez J, Ballinger J, Bilde A, Britten A, Calabrese L, Chiesa C, Chiti A, de Bree R, Gray H, Hunter K, Kovacs A, European Sentinel Node Biopsy Trial Committee. Joint practice guidelines for radionuclide lymphoscintigraphy for sentinel node localization in oral/oropharyngeal squamous cell carcinoma. *European journal of nuclear medicine and molecular imaging* 2009; 36:1915-36.

Haerle S, Hany T, Strobel K, Sidler D, Stöckli S. Is there an additional value of SPECT/CT over planar lymphoscintigraphy for sentinel node mapping in oral/oropharyngeal squamous cell carcinoma?. *Annals of surgical oncology* 2009; 16:3118-24.

Haerle S, Strobel K, Hany T, Sidler D, Stöckli S. (18)F-FDG-PET/CT versus panendoscopy for the detection of synchronous second primary tumors in patients with head and neck squamous cell carcinoma. *Head & neck* 2009

Stöckli S, Alkureishi L, Ross G. Sentinel node biopsy for early oral and oropharyngeal squamous cell carcinoma. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery* 2009; 266:787-93.

Strobel K, Haerle S, Stöckli S, Schrank M, Soyka J, Veit-Haibach P, Hany T. Head and neck squamous cell carcinoma (HNSCC)--detection of synchronous primaries with (18)F-FDG-PET/CT. *European journal of nuclear medicine and molecular imaging* 2009; 36:919-27.

Terzic A, Bode B, Gratz K, Stöckli S. Prognostic factors for the malignant triton tumor of the head and neck. *Head & neck* 2009; 31:679-88.

Röösli C, Tschudi D, Studer G, Braun J, Stöckli S. Outcome of patients after treatment for a squamous cell carcinoma of the oropharynx. *The Laryngoscope* 2009; 119:534-40.

Goerres G, Schuknecht B, Schmid D, Stöckli S, Hany T. Positron emission tomography/computed tomography for staging and restaging of head and neck cancer: comparison with positron emission tomography read together with contrast-enhanced computed tomography. *Clinical imaging* 2008; 32:431-7.

Broglie Däppen M, Tinguely M, Stenner F, Stöckli S. [A progressive ulcerative neck mass on the left infraauricular area]. *HNO* 2008; 56:1054-6.

Buck G, Huguenin P, Stöckli S. Efficacy of neck treatment in patients with head and neck squamous cell carcinoma. *Head & neck* 2008; 30:50-7.

Broglie Däppen M, Holzman D, Simmen D, Studer D, Tinguely M, Stöckli S. Aesthesioneuroblastom der NNH – Erfahrungen an der ORL-Klinik des Universitätsspitals Zürich von 1983 bis 2004. *Schweiz Med Forum* 2007:104S-107S.

Stöckli S. Sentinel node biopsy for oral and oropharyngeal squamous cell carcinoma of the head and neck. *The Laryngoscope* 2007; 117:1539-51.

Storck C, Brockmann M, Schnellmann E, Stöckli S, Schmid S. Functional outcome of vocal fold medialization thyroplasty with a hydroxyapatite implant. *The Laryngoscope* 2007; 117:1118-22.

Birchler M, Thuerl C, Schmid D, Neri D, Waibel R, Schubiger A, Stöckli S, Schmid S, Goerres G. Immunoscintigraphy of patients with head and neck carcinomas, with an anti-angiogenetic antibody fragment. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery* 2007; 136:543-8.

Holzmann D, Huisman T, Holzmann P, Stöckli S. Surgical approaches for nasal dermal sinus cysts. *Rhinology* 2007; 45:31-5.

Paul S, Stöckli S, von Schulthess G, Goerres G. FDG PET and PET/CT for the detection of the primary tumour in patients with cervical non-squamous cell carcinoma metastasis of an unknown primary. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery* 2007; 264:189-95.

Strobel K, Steinert H, Bhure U, Koma A, Gassmann N, Stöckli S. Tumour thrombus in the superior vena cava from anaplastic carcinoma of the thyroid: FDG-PET/CT imaging findings. *Eur J Nucl Med Mol Imaging* 2007; 34:813.

Studer G, Furrer K, Davis B, Stöckli S, Zwahlen R, Luetolf U, Glanzmann C. Postoperative IMRT in head and neck cancer. *Radiat Oncol* 2006; 1:40.

Hricko P, Storck C, Schmid S, Stöckli S. Partial cricotracheal resection for successful reversal of laryngotracheal separation in patients with chronic aspiration. *The Laryngoscope* 2006; 116:786-90.

Wild D, Eyrich G, Ciernik I, Stöckli S, Schuknecht B, Goerres G. In-line (18)F-fluorodeoxyglucose positron emission tomography with computed tomography (PET/CT) in patients with carcinoma of the sinus/nasal area and orbit. *Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery* 2006; 34:9-16.

Stöckli S, Pfaltz M, Ross G, Steinert H, MacDonald D, Wittekind C, Soutar D. The second international conference on sentinel node biopsy in mucosal head and neck cancer. *Annals of surgical oncology* 2005; 12:919-24.



Beyeler M, Hafner J, Beinder E, Fauchère J, Stöckli S, Fehr M, Dummer R. Special considerations for stage IV melanoma during pregnancy. Archives of dermatology 2005; 141:1077-9.

Kamel E, von Schulthess G, Stöckli S, Schneiter D, Padberg B, Fried M, Schiesser M, Truninger K, Thumshirn M, Stumpe K. Significance of incidental 18F-FDG accumulations in the gastrointestinal tract in PET/CT: correlation with endoscopic and histopathologic results. Journal of nuclear medicine : official publication, Society of Nuclear Medicine 2004; 45:1804-10.

Goerres G, Schmid D, Bandhauer F, Huguenin P, von Schulthess G, Schmid S, Stöckli S. Positron emission tomography in the early follow-up of advanced head and neck cancer. Archives of otolaryngology--head & neck surgery 2004; 130:105-9; discussion 120-1.

Stöckli S, Schnieper I, Huguenin P, Schmid S. Early glottic carcinoma: treatment according patient's preference?. Head & neck 2003; 25:1051-6.

Tschudi D, Stöckli S, Schmid S. Quality of life after different treatment modalities for carcinoma of the oropharynx. Laryngoscope 2003; 113:1949-54.

Schmid D, Kneifel S, Stöckli S, Padberg B, Merrill G, Goerres G. Increased 18F-FDG uptake mimicking thyroid cancer in a patient with Hashimoto's thyroiditis. European radiology 2003; 13:2119-21.

Sigg M, Steinert H, Grätz K, Hugenin P, Stöckli S, Eyrich G. Staging of head and neck tumors: [18F]fluorodeoxyglucose positron emission tomography compared with physical examination and conventional imaging modalities. J Oral Maxillofac Surg 2003; 61:1022-9.

Stöckli S, Pfaltz M, Steinert H, Schmid S. Sentinel lymph node biopsy in thyroid tumors: a pilot study. European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery 2003; 260:364-8.

Birchler M, Milisavljevic D, Pfaltz M, Neri D, Odermatt B, Schmid S, Stöckli S. Expression of the extra domain B of fibronectin, a marker of angiogenesis, in head and neck tumors. The Laryngoscope 2003; 113:1231-7.

Schmid D, Stöckli S, Bandhauer F, Huguenin P, Schmid S, von Schulthess G, Goerres G. Impact of positron emission tomography on the initial staging and therapy in locoregional advanced squamous cell carcinoma of the head and neck. The Laryngoscope 2003; 113:888-91.

Stöckli S, Mosna-Firlejczyk K, Goerres G. Lymph node metastasis of squamous cell carcinoma from an unknown primary: impact of positron emission tomography. European journal of nuclear medicine and molecular imaging 2003; 30:411-6.

Stöckli S, Huisman T, Seifert B, Martin-Harris B. Interrater reliability of videofluoroscopic swallow evaluation. Dysphagia 2003; 18:53-7.

Birchler M, Landau K, Went P, Stöckli S. Paraganglioma of the cervical sympathetic trunk. The Annals of otology, rhinology, and laryngology 2002; 111:1087-91.

Stöckli S, Steinert H, Pfaltz M, Schmid S. Is there a role for positron emission tomography with 18F-fluorodeoxyglucose in the initial staging of nodal negative oral and oropharyngeal squamous cell carcinoma. *Head & neck* 2002; 24:345-9.

Goerres G, Stöckli S, von Schulthess G, Steinert H. FDG PET for mucosal malignant melanoma of the head and neck. *The Laryngoscope* 2002; 112:381-5.

Stöckli S, Schmid S. Endoscopic stapler-assisted diverticuloesophagostomy for Zenker's diverticulum: patient satisfaction and subjective relief of symptoms. *Surgery* 2002; 131:158-62.

Alkadhi H, Schuknecht B, Stöckli S, Valavanis A. Evaluation of topography and vascularization of cervical paragangliomas by magnetic resonance imaging and color duplex sonography. *Neuroradiology* 2002; 44:83-90.

Stöckli S, Schuknecht B, Alkadhi H, Fisch U. Evaluation of paragangliomas presenting as a cervical mass on color-coded Doppler sonography. *The Laryngoscope* 2002; 112:143-6.

Stöckli S, Pfaltz M, Steinert H, Schmid S. Histopathological features of occult metastasis detected by sentinel lymph node biopsy in oral and oropharyngeal squamous cell carcinoma. *The Laryngoscope* 2002; 112:111-5.

Stöckli S, Steinert H, Pfaltz M, Schmid S. Sentinel lymph node evaluation in squamous cell carcinoma of the head and neck. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery* 2001; 125:221-6.

Anagnostara A, Stöckli S, Weber O, Kollias S. Evaluation of the anatomical and functional properties of deglutition with various kinetic high-speed MRI sequences. *J Magn Reson Imaging* 2001; 14:194-9.

Huber A, Schwab C, Linder T, Stöckli S, Ferrazzini M, Dillier N, Fisch U. Evaluation of eardrum laser doppler interferometry as a diagnostic tool. *The Laryngoscope* 2001; 111:501-7.

Stöckli S, Guidicelli M, Schneider A, Huber A, Schmid S. Quality of life after treatment for early laryngeal carcinoma. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery* 2001; 258:96-9.

Stöckli S, Zimmermann R, Schmid S. Role of routine panendoscopy in cancer of the upper aerodigestive tract. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery* 2001; 124:208-12.

Huber A, Linder T, Ferrazzini M, Schmid S, Dillier N, Stöckli S, Fisch U. Intraoperative assessment of stapes movement. *Ann Otol Rhinol Laryngol* 2001; 110:31-5.

Stöckli S, Pawlik A, Lipp M, Huber A, Schmid S. Salvage surgery after failure of nonsurgical therapy for carcinoma of the larynx and hypopharynx. *Archives of otolaryngology--head & neck surgery* 2000; 126:1473-7.

Stöckli S, Schmid S. [Zenker's diverticulum]. *Schweiz Med Wochenschr* 2000; 130:590-6.

Schneider A, Guidicelli M, Stöckli S. [Quality of life after treatment of laryngeal carcinoma: surgery versus radiotherapy]. *Schweiz Med Wochenschr Suppl* 2000; 116:31S-34S.

Pawlik A, Stöckli S, Schmid S. [Salvage surgery in laryngeal and hypopharyngeal carcinoma]. Schweiz Med Wochenschr Suppl 2000; 116:27S-30S.

Stöckli S, Zimmermann R. [Value of panendoscopy in assessment of mouth cavity, pharyngeal and laryngeal cancers]. Schweiz Med Wochenschr Suppl 2000; 116:15S-17S.

Pawlik A, Stöckli S. [Unidentified swelling in the lateral neck area. Fusiform extracranial aneurysm of the internal carotid artery]. HNO 1999; 47:830-1.

Scriba H, Stöckli S, Veraguth D, Pollak A, Fisch U. Objective evaluation of normal facial function. The Annals of otology, rhinology, and laryngology 1999; 108:641-4.

Moe K, Stöckli S, Schmid S, Weymuller E. Percutaneous tracheostomy: a comprehensive evaluation. The Annals of otology, rhinology, and laryngology 1999; 108:384-91.

Stöckli S, Moe K, Huber A, Schmid S. A prospective randomized double-blind trial of fibrin glue for pain and bleeding after tonsillectomy. The Laryngoscope 1999; 109:652-5.

Stöckli S, Böhmer A. Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report. Journal of neurosurgery 1999; 90:773-5.

Stöckli S, Moe K, Kaufmann T, Bruder E. Fibrous dysplasia as a cause of periorbital abscess. Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery 1999; 120:283-5.

Stöckli S, Breitbach T, Schmid S. A clinical and histologic comparison of percutaneous dilational versus conventional surgical tracheostomy. The Laryngoscope 1997; 107:1643-6.

## Projects (16)

### **Outcome von Patienten mit Kopf-Hals-Malignomen in der Hals-Nasen-Ohrenklinik am Kantonsspital St.Gallen**

*Register - Sep 1, 2020 - Feb 28, 2023*

*Automatically Closed*

### **Dissecting the association of the human palatine tonsil microbiome and HPV-driven oropharyngeal squamous cell carcinoma**

*Fundamental Research - Jan 1, 2017 - Dec 31, 2018*

*Automatically Closed*

### **Predictive Swallowing Score (PRESS)**

*Clinical Studies - Mar 1, 2015 - Dec 31, 2016*

*Automatically Closed*

### **Impact of HPV on outcome in surgically treated patients with OPSCC**

*Clinical Studies - Jan 1, 2014 - Dec 31, 2014*

*Completed*

### **Structural brain changes and dysphagia in Parkinson's disease**

*Clinical Studies - Jan 1, 2014 - Dec 31, 2015*

*Automatically Closed*

### **Cancer of unknown primary – Rolle von HPV für Diagnose und Outcome**

*Clinical Studies - Sep 1, 2013 - Aug 1, 2014*

*Completed*

### **Wertigkeit der PET/CT mit Sonographie und Feinnadelpunktion zum Nachweis einer cervikalen Lymphknotenpersistenz nach primärer Radiochemotherapie eines Plattenepithelkarzinomes der Mundhöhle, des Pharynx und des Larynx**

*Clinical Studies - Jun 1, 2013 - Jun 1, 2014*

*Automatically Closed*

### **Clinical and MRI based predictors of prolonged dysphagia in ischemic stroke**

*Clinical Studies - Jan 1, 2013 - Jul 31, 2014*

*Completed*

### **Longterm outcome regarding speech and swallowing function after primary surgical treatment for early stage oral cavity squamous cell carcinoma**

*Clinical Studies - Aug 1, 2012 - Dec 31, 2013*

*Completed*

**HPV-Positivität beim Oropharynxkarzinom - Indikation für eine Strahlentherapie**

*Clinical Studies - Apr 1, 2012 - Dec 31, 2013*

*Completed*

**Molecular and mutational profiling in Papillary Thyroid Carcinoma with special emphasis on the influence of BRAFV600E Mutation on Tumor Stage, Outcome and nuclear imaging**

*Clinical Studies - Jan 21, 2011 - Dec 30, 2013*

*Completed*

**The role of human Papillomavirus in oropharyngeal squamous cell carcinomas**

*Clinical Studies - Nov 24, 2009 - Dec 31, 2013*

*Completed*

**Malignitätsrisiko der Schilddrüsen-Inzidentalome in der FDG-PET**

*Clinical Studies - Nov 17, 2009 - Jul 31, 2011*

*Completed*

**Sentinel node biopsy for oral and oropharyngeal squamous cell carcinomas: Update and longterm experience**

*Clinical Studies - Nov 17, 2009 - Nov 30, 2010*

*Completed*

**Outcome and Survival in unknown primary squamous cell carcinoma of the Head and Neck**

*Clinical Studies - Nov 17, 2009 - Nov 30, 2010*

*Completed*

**Impact of HPV high risk type infection on outcome in patients with oropharyngeal squamous cell carcinomas in relation to the treatment strategy?**

*Clinical Studies - Sep 1, 2009 - Dec 31, 2010*

*Completed*