



**Friedegund Meier**

**Contact**

Friedegund Meier

## Publications (10)

Wagner N, Lenders M, Kühl K, Reinhardt L, Fuchß M, Ring N, Stäger R, Zellweger C, Ebel C, Kimeswenger S, Oellinger A, Amaral T, Forschner A, Leiter U, Klumpp B, Hoetzenecker W, Terheyden P, Mangana J, Loquai C, Cozzio A, Garbe C, Meier F, Eigentler T, Flatz L. Baseline metastatic growth rate is an independent prognostic marker in patients with advanced BRAF V600 mutated melanoma receiving targeted therapy. *Eur J Cancer* 2023; 196:113425.

Chatziioannou E, Roßner J, Aung T, Rimm D, Niessner H, Keim U, Serna-Higuera L, Bonzheim I, Kuhn Cuellar L, Westphal D, Steininger J, Meier F, Pop O, Forchhammer S, Flatz L, Eigentler T, Garbe C, Röcken M, Amaral T, Sinnberg T. Deep learning-based scoring of tumour-infiltrating lymphocytes is prognostic in primary melanoma and predictive to PD-1 checkpoint inhibition in melanoma metastases. *EBioMedicine* 2023; 93:104644.

Gaessler A, Bochem J, Spreuer J, Ottmann S, Martens A, Amaral T, Wagner N, Claassen M, Meier F, Terheyden P, Garbe C, Eigentler T, Weide B, Pawelec G, Wistuba-Hamprecht K. Early decrease of blood myeloid-derived suppressor cells during checkpoint inhibition is a favorable biomarker in metastatic melanoma. *J Immunother Cancer* 2023; 11

Müller-Jensen L, Zierold S, Versluis J, Boehmerle W, Huehnchen P, Endres M, Mohr R, Compter A, Blank C, Hagenacker T, Meier F, Reinhardt L, Gesierich A, Salzmann M, Hassel J, Ugurel S, Zimmer L, Banks P, Spain L, Soon J, Enokida T, Tahara M, Kähler K, Seggewiss-Bernhardt R, Harvey C, Long G, Schöberl F, von Baumgarten L, Hundsberger T, Schlaak M, French L, Knauss S, Heinzerling L. Dataset of a retrospective multicenter cohort study on characteristics of immune checkpoint inhibitor-induced encephalitis and comparison with HSV-1 and anti-LGI1 encephalitis. *Data Brief* 2022; 45:108649.

Müller-Jensen L, Zierold S, Versluis J, Boehmerle W, Huehnchen P, Endres M, Mohr R, Compter A, Blank C, Hagenacker T, Meier F, Reinhardt L, Gesierich A, Salzmann M, Hassel J, Ugurel S, Zimmer L, Banks P, Spain L, Soon J, Enokida T, Tahara M, Kähler K, Seggewiss-Bernhardt R, Harvey C, Long G, Schöberl F, von Baumgarten L, Hundsberger T, Schlaak M, French L, Knauss S, Heinzerling L. Characteristics of immune checkpoint inhibitor-induced encephalitis and comparison with HSV-1 and anti-LGI1 encephalitis: A retrospective multicentre cohort study. *Eur J Cancer* 2022; 175:224-235.

Gaessler A, Meldgaard T, Heeke C, Babaei S, Tvingsholm S, Bochem J, Spreuer J, Amaral T, Wagner N, Klein R, Meier F, Garbe C, Eigentler T, Pawelec G, Claassen M, Weide B, Hadrup S, Wistuba-Hamprecht K. Dynamics of Melanoma-Associated Epitope-Specific CD8+ T Cells in the Blood Correlate With Clinical Outcome Under PD-1 Blockade. *Front Immunol* 2022; 13:906352.

Wagner N, Schraag A, Klumpp B, Hoetzenecker W, Berking C, Richtig E, Ziemer M, Mangana J, Terheyden P, Loquai C, Nguyen V, Gebhardt C, Meier F, Diem S, Cozzio A, Flatz L, Röcken M, Garbe C, Gassenmaier M, Weide B, Leiter U, Lenders M, Kühl K, Reinhardt L, André F, Dudda M, Ring N, Ebel C, Stäger R, Zellweger C, Lang R, Paar M, Gussek P, Richtig G, Stürmer S, Kimeswenger S, Oellinger A, Forschner A, Eigentler T. Pretreatment metastatic growth rate determines clinical outcome of advanced melanoma patients treated with anti-PD-1 antibodies: a multicenter cohort study. *J Immunother Cancer* 2021; 9

Bochem J, Meier F, Terheyden P, Königsrainer A, Garbe C, Flatz L, Pawelec G, Eigentler T, Löffler M, Weide B, Niessner H, Sinnberg T, Zelba H, Spreuer J, Amaral T, Gaessler A, Pop O, Thiel K, Yurttas C, Soffel D, Forchhammer S, Wistuba-Hamprecht K. Early disappearance of tumor antigen-reactive T cells from peripheral blood correlates with superior clinical outcomes in melanoma under anti-PD-1 therapy. *J Immunother Cancer* 2021; 9

Bochem J, Weide B, Pawelec G, Garbe C, Meier F, Terheyden P, Uslu U, Wagner N, Eigentler T, Soffel D, Spreuer J, Amaral T, Zelba H, Wistuba-Hamprecht K. Peripheral PD-1+CD56+ T-cell frequencies correlate with outcome in stage IV melanoma under PD-1 blockade. *PloS one* 2019; 14:e0221301.

Meier F, Garbe C, Knaudt B, Zielinski C, Leiter U, Forschner A, Eigentler T, Clasen S, Guenova E, Berneburg M. Significant response after treatment with the mTOR inhibitor sirolimus in combination with carboplatin and paclitaxel in metastatic melanoma patients. *J Am Acad Dermatol* 2009; 60:863-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)