



**Andrea Forschner**

**Contact**

Andrea Forschner

## Publications (20)

Wagner N, Knierim S, Luttermann F, Metzler G, Yazdi A, Bauer J, Gassenmaier M, Forschner A, Leiter U, Amaral T, Garbe C, Eigentler T, Forchhammer S, Flatz L. Histopathologic regression in patients with primary cutaneous melanoma undergoing sentinel lymph node biopsy is associated with favorable survival and, after metastasis, with improved progression-free survival on immune checkpoint inhibitor therapy: A single institutional cohort study. *J Am Acad Dermatol* 2023

Nübel C, Amaral T, Leiter U, Flatz L, Forschner A. Outcome and treatment-related adverse events of combined immune checkpoint inhibition with flipped dosing in a real-world cohort of 79 patients with metastasized melanoma. *Front Oncol* 2023; 13:1256800.

Wagner N, Lenders M, Kühl K, Reinhardt L, Fuchß M, Ring N, Stäger R, Zellweger C, Ebel C, Kimeswenger S, Oellinger A, Amaral T, Forschner A, Leiter U, Klumpp B, Hoetzenecker W, Terheyden P, Mangana J, Loquai C, Cozzio A, Garbe C, Meier F, Eigentler T, Flatz L. Baseline metastatic growth rate is an independent prognostic marker in patients with advanced BRAF V600 mutated melanoma receiving targeted therapy. *Eur J Cancer* 2023; 196:113425.

Jasper S, Keim U, Leiter U, Amaral T, Flatz L, Forschner A. [Die Prognose des Melanoms im Kopf-Hals-Bereich im Stadium II hängt vom histologischen Subtyp ab]. *J Dtsch Dermatol Ges* 2023; 21:1137-1147.

Jasper S, Keim U, Leiter U, Amaral T, Flatz L, Forschner A. Prognosis in stage II melanoma of the head and neck depends on the histological subtype. *J Dtsch Dermatol Ges* 2023; 21:1137-1146.

Amaral T, Pop O, Chatziioannou E, Sinnberg T, Niessner H, Zhao J, Ring S, Jörger M, Schroeder C, Armeanu-Ebinger S, Cozzio A, Leiter U, Thomas I, Jochum W, Garbe C, Forchhammer S, Levesque M, Mangana J, Hölzel M, Dummer R, Schürch C, Forschner A, Flatz L. EGFR expression is associated with relapse in a melanoma cohort receiving adjuvant PD-1-based immunotherapy. *J Am Acad Dermatol* 2023; 89:1072-1074.

Chatziioannou E, Leiter U, Thomas I, Keim U, Seeber O, Meiwes A, Boessenecker I, Gonzalez S, Torres F, Niessner H, Sinnberg T, Forschner A, Flatz L, Amaral T. Features and Long-Term Outcomes of Stage IV Melanoma Patients Achieving Complete Response Under Anti-PD-1-Based Immunotherapy. *Am J Clin Dermatol* 2023; 24:453-467.

Reiter S, Schroeder C, Broche J, Sinnberg T, Bonzheim I, Süßkind D, Flatz L, Forschner A. Successful treatment of metastatic uveal melanoma with ipilimumab and nivolumab after severe progression under tebentafusp: a case report. *Front Oncol* 2023; 13:1167791.

Schwenck J, Sonanini D, Seyfried D, Ehrlichmann W, Kienzle G, Reischl G, Krezer P, Wilson I, Korn R, Gonzalez-Menendez I, Quintanilla-Martinez L, Seith F, Forschner A, Eigentler T, Zender L, Röcken M, Pichler B, Flatz L, Kneilling M, la Fougere C. imaging of CD8 T cells in metastatic cancer patients: first clinical experience with simultaneous [Zr]Zr-Df-IAB22M2C PET/MRI. *Theranostics* 2023; 13:2408-2423.

Amaral T, Sinnberg T, Chatziioannou E, Niessner H, Leiter U, Keim U, Forschner A, Dwarkasing J, Tijen-Fooh F, Wever R, Flatz L, Eggermont A, Forchhammer S. Identification of stage I/II melanoma patients at high risk for recurrence using a model combining clinicopathologic factors with gene expression profiling (CP-GEP). *Eur J Cancer* 2022; 182:155-162.

Eckardt J, Schroeder C, Martus P, Armeanu-Ebinger S, Kelemen O, Gschwind A, Bonzheim I, Eigentler T, Amaral T, Ossowski S, Riess O, Flatz L, Garbe C, Forschner A. TMB and BRAF mutation status are independent predictive factors in high-risk melanoma patients with adjuvant anti-PD-1 therapy. *J Cancer Res Clin Oncol* 2022; 149:833-840.

Wölffer M, Battke F, Schulze M, Feldhahn M, Flatz L, Martus P, Forschner A. Biomarkers Associated with Immune-Related Adverse Events under Checkpoint Inhibitors in Metastatic Melanoma. *Cancers (Basel)* 2022; 14

Serna-Higuita L, Eigentler T, Garbe C, Thomas I, Seeber O, Flatz L, Leiter U, Forschner A, Amaral T, Martus P. Association between Immune-Related Adverse Events and Survival in 319 Stage IV Melanoma Patients Treated with PD-1-Based Immunotherapy: An Approach Based on Clinical Chemistry. *Cancers (Basel)* 2021; 13

Gassenmaier M, Lenders M, Forschner A, Leiter U, Weide B, Garbe C, Eigentler T, Wagner N. Serum S100B and LDH at Baseline and During Therapy Predict the Outcome of Metastatic Melanoma Patients Treated with BRAF Inhibitors. *Target Oncol* 2021; 16:197-205.

Wagner N, Schraag A, Klumpp B, Hoetzenecker W, Berking C, Richtig E, Ziemer M, Mangana J, Terheyden P, Loquai C, Nguyen V, Gebhardt C, Meier F, Diem S, Cozzio A, Flatz L, Röcken M, Garbe C, Gassenmaier M, Weide B, Leiter U, Lenders M, Kühl K, Reinhardt L, André F, Dudda M, Ring N, Ebel C, Stäger R, Zellweger C, Lang R, Paar M, Gussek P, Richtig G, Stürmer S, Kimeswenger S, Oellinger A, Forschner A, Eigentler T. Pretreatment metastatic growth rate determines clinical outcome of advanced melanoma patients treated with anti-PD-1 antibodies: a multicenter cohort study. *J Immunother Cancer* 2021; 9

Winter J, Eigentler T, Garbe C, Röcken M, Cozzio A, Flatz L, Purde M, Weide B, Leiter U, Forschner A, Gassenmaier M, Lenders M, Wagner N. Prognostic role of gamma-glutamyl transferase in metastatic melanoma patients treated with immune checkpoint inhibitors. *Cancer Immunol Immunother* 2020; 70:1089-1099.

Wagner N, Luttermann F, Gassenmaier M, Forschner A, Leiter U, Garbe C, Eigentler T. Absolute and relative differential blood count predicts survival of AJCC stage I-II melanoma patients scheduled for sentinel lymph node biopsy. *Australas J Dermatol* 2020; 61:e310-e318.

Wagner N, Forschner A, Leiter U, Garbe C, Eigentler T. S100B and LDH as early prognostic markers for response and overall survival in melanoma patients treated with anti-PD-1 or combined anti-PD-1 plus anti-CTLA-4 antibodies. *Br J Cancer* 2018; 119:339-346.

Gassenmaier M, Garbe C, Eigentler T, Doecker D, Mueller A, Kofler L, Wagner N, Scheu A, Lipp H, Forschner A. Safety of shortened infusion times for combined ipilimumab and nivolumab. *Cancer Immunol Immunother* 2017; 67:135-140.

Meier F, Garbe C, Knaudt B, Zielinski C, Leiter U, Forschner A, Eigentler T, Clasen S, Guenova E, Berneburg M. Significant response after treatment with the mTOR inhibitor sirolimus in combination with carboplatin and paclitaxel in metastatic melanoma patients. *J Am Acad Dermatol* 2009; 60:863-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)