



Emanuele Zucca

Contact

Emanuele Zucca

Publications (22)

Martelli M, Ceriani L, Ciccone G, Ricardi U, Kriachok I, Botto B, Balzarotti M, Tucci A, Usai S, Zilioli V, Pennese E, Arcaini L, Dabrowska-Iwanicka A, Ferreri A, Merli F, Zhao W, Rigacci L, Cellini C, Hodgson D, Ionescu C, Minoia C, Lucchini E, Spina M, Fossà A, Janikova A, Cwynarski K, Mikhaeel G, Jerkeman M, Di Rocco A, Stepanishyna Y, Vitolo U, Santoro A, Re A, Puccini B, Olivieri J, Petrucci L, Barrington S, Malkowski B, Metser U, Versari A, Chauvie S, Walewski J, Trneny M, Cavalli F, Gospodarowicz M, Johnson P, Davies A, Zucca E, International Extranodal Lymphoma Study Group (IELSG). Omission of Radiotherapy in Primary Mediastinal B-Cell Lymphoma: IELSG37 Trial Results. *J Clin Oncol* 2024; 42:4071-4083.

Spriano F, Sartori G, Sgrignani J, Barnabei L, Arribas A, Guala M, Del Amor A, Tomasso M, Tarantelli C, Cascione L, Golino G, Riveiro M, Bortolozzi R, Lupia A, Paduano F, Huguet S, Rezai K, Rinaldi A, Margheriti F, Ventura-Aguiar P, Guarda G, Costa G, Rocca R, Furlan A, Verdonk L, Innocenti P, Martin N, Viola G, Driessen C, Zucca E, Stathis A, Gahtory D, Van den Nieuwboer M, Bornhauser B, Alcaro S, Trapasso F, Cristobal S, Padrick S, Pazzi N, Cavalli F, Cavalli A, Gaudio E, Bertoni F. A first-in-class Wiskott-Aldrich syndrome protein activator with anti-tumor activity in hematologic cancers. *Haematologica* 2024

Novak U, Fehr M, Schär S, Dreyling M, Schmidt C, Derenzini E, Zander T, Hess G, Mey U, Ferrero S, Mach N, Boccomini C, Böttcher S, Voegeli M, Cairoli A, Ivanova V, Menter T, Dirnhofer S, Scheibe B, Gadiant S, Eckhardt K, Zucca E, Driessen C, Renner C. Combined therapy with ibrutinib and bortezomib followed by ibrutinib maintenance in relapsed or refractory mantle cell lymphoma and high-risk features: a phase 1/2 trial of the European MCL network (SAKK 36/13). *EClinicalMedicine* 2023; 64:102221.

Stathis A, Mey U, Schär S, Hitz F, Pott C, Mach N, Krasniqi F, Novak U, Schmidt C, Hohloch K, Kienle D, Hess D, Moccia A, Unterhalt M, Eckhardt K, Hayoz S, Forestieri G, Rossi D, Dirnhofer S, Ceriani L, Sartori G, Bertoni F, Buske C, Zucca E, Hiddemann W. SAKK 35/15: a phase 1 trial of obinutuzumab in combination with venetoclax in patients with previously untreated follicular lymphoma. *Blood Adv* 2022; 6:3911-3920.

Bonfiglio F, Bruscazzin A, Guidetti F, Terzi di Bergamo L, Faderl M, Spina V, Condoluci A, Bonomini L, Forestieri G, Koch R, Piffaretti D, Pini K, Piroso M, Cittone M, Arribas A, Lucioni M, Ghilardi G, Wu W, Arcaini L, Baptista M, Bastidas G, Beà S, Boldorini R, Broccoli A, Buehler M, Canzonieri V, Cascione L, Ceriani L, Cogliatti S, Corradini P, Derenzini E, Devizzi L, Dietrich S, Elia A, Facchetti F, Gaidano G, Garcia J, Gerber B, Ghia P, Gomes da Silva M, Gritti G, Guidetti A, Hitz F, Inghirami G, Ladetto M, López-Guillermo A, Lucchini E, Maiorana A, Marasca R, Matutes E, Meignin V, Merli M, Moccia A, Mollejo M, Montalban C, Novak U, Oscier D, Passamonti F, Piazza F, Pizzolitto S, Rambaldi A, Sabbatini E, Salles G, Santambrogio E, Scarfo L, Stathis A, Stussi G, Geyer J, Tapia G, Tarella C, Thieblemont C, Tousseyn T, Tucci A, Vanini G, Visco C, Vitolo U, Walewska R, Zaja F, Zenz T, Zinzani P, Khiabani H, Calcinotto A, Bertoni F, Bhagat G, Campo E, de Leval L, Dirnhofer S, Pileri S, Piris M, Traverse-Glehen A, Tzankov A, Pauli M, Ponzoni M, Mazzucchelli L, Cavalli F, Zucca E, Rossi D. Genetic and phenotypic attributes of splenic marginal zone lymphoma. *Blood* 2022; 139:732-747.

Piroso M, Zhang L, Hitz F, Novak U, Hess D, Terrot T, Pascale M, Mazzucchelli L, Bertoni F, Cavalli F, Zucca E, Stathis A. A phase I trial of inotuzumab ozogamicin in combination with temsirolimus in patients with relapsed or refractory CD22-positive B-cell non-Hodgkin lymphomas. *Leuk Lymphoma* 2021; 63:117-123.

Moccia A, Rauch D, Vorobiof D, Lohri A, Ruegsegger C, Biaggi Rudolf C, Rusterholz C, Hayoz S, Ghielmini M, Raats J, Del Giglio A, Taverna C, Schär S, Vanazzi A, Rondeau S, Hitz F, Mingrone W, Pabst T, Cevreska L, Zucca E. Prolonged rituximab maintenance in follicular lymphoma patients: long-term results of the SAKK 35/03 randomized trial. *Blood Adv* 2020; 4:5951-5957.

Menter T, Hayoz S, Hawle H, Sander B, Mazzucchelli L, Grobholz R, Karjalainen-Lindsberg M, Cathomas G, Banz Y, Cogliatti S, Beiske K, Sundstrom C, Hultdin M, Kimby E, Zucca E, Tzankov A, Dirnhofer S. Prognostic implications of the microenvironment for follicular lymphoma under immunomodulation therapy. *Br J Haematol* 2020; 189:707-717.

Zucca E, Zander T, Bersvendsen H, Bargetzi M, Mingrone W, Krasniqi F, Dirnhofer S, Hayoz S, Hawle H, Vilei S, Ghielmini M, Kimby E, Novak U, Lohri A, Ferreri A, Rondeau S, Vanazzi A, Østenstad B, Mey U, Rauch D, Wahlin B, Hitz F, Hernberg M, Johansson A, de Nully Brown P, Hagberg H, Swiss Group for Clinical Cancer Research and the Nordic Lymphoma Group. Short regimen of rituximab plus lenalidomide in follicular lymphoma patients in need of first-line therapy. *Blood* 2019; 134:353–362.

Conconi A, Bernasconi E, Bertoni F, Gaidano G, Cavalli F, Nassi L, Kwee I, Dirnhofer S, Scherrer A, Schmid P, Novak U, Staehelin C, Battegay M, Hasse B, Darling K, Margiotta-Casaluci G, Zucca E, Swiss HIV Cohort Study (SHCS). Population-based outcome analysis of diffuse large B-cell lymphoma in people living with HIV infection and competent individuals. *Hematol Oncol* 2018

Gobba S, Gaidano G, Pinotti G, Hitz F, Stathis A, Aprile von Hohenstaufen K, Margiotta-Casaluci G, Iacoboni G, Cascione L, Diem S, Conconi A, Gulden-Sala W, Moccia A, Zucca E. Outcome of patients older than 80 years with diffuse large B-cell lymphoma (DLBCL) treated with "standard" immunochemotherapy: A large retrospective study from 4 institutions. *Hematol Oncol* 2017

Hitz F, Rondeau S, Berardi Vilei S, Eckhardt K, Enoiu M, Rothermundt C, Schmidt A, Krasniqi F, Mach N, Caspar C, Samaras P, Cairoli A, Fischer N, Pabst T, Zucca E, Mey U. Rituximab, bendamustine and lenalidomide in patients with aggressive B-cell lymphoma not eligible for anthracycline-based therapy or intensive salvage chemotherapy - SAKK 38/08. *Br J Haematol* 2016

Taverna C, Zucca E, Heijnen I, Rusterholz C, Rondeau S, Biaggi Rudolf C, Lohri A, Vorobiof D, Rauch D, Raats J, Laszlo D, Vanazzi A, Del Giglio A, Cevreska L, Pabst T, Mingrone W, Hitz F, Martinelli G, Ghielmini M. Rituximab Maintenance for a Maximum of 5 Years After Single-Agent Rituximab Induction in Follicular Lymphoma: Results of the Randomized Controlled Phase III Trial SAKK 35/03. *J Clin Oncol* 2015; 34:495–500.

Mamot C, Zucca E, Dirnhofer S, Rusterholz C, Biaggi C, Samarin A, Hany T, Gigli F, Krasniqi F, Bargetzi M, Pless M, Mey U, Driessen C, Pabst T, Renner C, Hitz F, Klingbiel D, Martinelli G. Final Results of a Prospective Evaluation of the Predictive Value of Interim Positron Emission Tomography in Patients With Diffuse Large B-Cell Lymphoma Treated With R-CHOP-14 (SAKK 38/07). *J Clin Oncol* 2015; 33:2523–9.

Chigrinova E, Ladetto M, Forconi F, Cogliatti S, Votavova H, Swerdlow S, Stilgenbauer S, Piris M, Matolcsy A, Spagnolo D, Nikitin E, Zamò A, Gattei V, Bhagat G, Ott G, Zucca E, Gaidano G, Inghirami G, Marasca R, Rinaldi A, Kwee I, Rossi D, Rancoita P, Strefford J, Oscier D, Stamatopoulos K, Papadaki T, Berger F, Young K, Murray F, Rosenquist R, Greiner T, Chan W, Orlandi E, Lucioni M, Bertoni F. Two main genetic pathways lead to the transformation of chronic lymphocytic leukemia to Richter syndrome. *Blood* 2013; 122:2673–82.

Rinaldi A, Rossi D, Gaidano G, Zucca E, Cavalli F, Cogliatti S, Berger F, Marasca R, Gattei V, Lucioni M, Orlandi E, Forconi F, Kwee I, Mensah A, Bertoni F. Promoter methylation patterns in Richter syndrome affect stem-cell maintenance and cell cycle regulation and differ from de novo diffuse large B-cell lymphoma. *Br J Haematol* 2013; 163:194–204.

Wannesson L, Samaras P, Renner C, Pabst T, Lerch E, Hess U, Heim D, Cerutti A, Cairoli A, Bargetzi M, Zucca E. Autotransplant for Hodgkin lymphoma after failure of upfront BEACOPP escalated (bleomycin, etoposide, doxorubicin, cyclophosphamide, vincristine, procarbazine and prednisone). *Leuk Lymphoma* 2012; 54:36–40.

Jörger M, Ferreri A, Krähenbühl S, Schellens J, Cerny T, Zucca E, Huitema A. Dosing algorithm to target a predefined AUC in patients with primary central nervous system lymphoma receiving high dose methotrexate. *Br J Clin Pharmacol* 2012; 73:240–7.

Martinelli G, Zucca E, Dietrich P, Lohri A, Vorobiof D, Heizmann M, Stahel R, Stupp R, Okkinga E, Bassi S, Hess U, Cerny T, Utiger U, Schmitz S, Ghielmini M. Long-term follow-up of patients with follicular lymphoma receiving single-agent rituximab at two different schedules in trial SAKK 35/98. *J Clin Oncol* 2010; 28:4480–4.

Siano M, Gallino A, Sessa C, Mora O, Leoncini L, Oberson M, Rodriguez-Abreu D, Zucca E, Negretti L, Lerch E, Ghielmini M. A phase I-II study to determine the maximum tolerated infusion rate of rituximab with special emphasis on monitoring the effect of rituximab on cardiac function. *Clinical cancer research : an official journal of the American Association for Cancer Research* 2008; 14:7935-9.

Ghielmini M, Vorobiof D, Bargetzi M, Lohri A, Helg C, Kovacsovics T, Stupp R, Zucca E, Hess U, Peccatori F, Martinelli G, Betticher D, Fey M, Waltzer U, Hummerjohann J, Pichert G, Cogliatti S, Schmitz S, Cerny T. Prolonged treatment with rituximab in patients with follicular lymphoma significantly increases event-free survival and response duration compared with the standard weekly x 4 schedule. *Blood* 2004; 103:4416-23.

Bertoni F, Cotter F, Cavalli F, Zucca E, Auer R, Jones C, Baldini L, Ponzoni M, Bertolini F, Pichert G, Fey M, Cerny T, Ghielmini M, Schmitz S, Cogliatti S, Conconi A, Swiss Group for Clinical Cancer Research. Immunoglobulin heavy chain genes somatic hypermutations and chromosome 11q22-23 deletion in classic mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research. *British journal of haematology* 2004; 124:289-98.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch