



Christian Wallmüller

Contact

Christian Wallmüller

Publications (5)

Weiser C, Herkner H, Gangl C, Kurkciyan I, Spiel A, Hörburger D, Wallmüller C, Stratil P, Stöckl M, Schober A, Sterz F, Testori C, Holzer M. The effect of percutaneous coronary intervention in patients suffering from ST-segment elevation myocardial infarction complicated by out-of-hospital cardiac arrest on 30 days survival. *Resuscitation* 2012; 84:602-8.

Hörburger D, Wallmüller C, Weiser C, Stratil P, Stöckl M, Schober A, Uray T, Krizanac D, Herkner H, Sterz F, Testori C, Holzer M. Mild therapeutic hypothermia improves outcomes compared with normothermia in cardiac-arrest patients--a retrospective chart review. *Crit Care Med* 2012; 40:2315-9.

Wallmüller C, Deckert Z, Zimpfer D, Kricanac D, Weiser C, Stöckl M, Hörburger D, Stratil P, Schober A, Testori C, Sterz F, Holzer M. Emergency cardio-pulmonary bypass in cardiac arrest: seventeen years of experience. *Resuscitation* 2012; 84:326-30.

Testori C, Weiser C, Stöckl M, Hörburger D, Schober A, Stratil P, Wallmüller C, Krizanac D, Herkner H, Arrich J, Losert H, Holzer M, Sterz F, Uray T. The beneficial effect of mild therapeutic hypothermia depends on the time of complete circulatory standstill in patients with cardiac arrest. *Resuscitation* 2011; 83:596-601.

Stratil P, Krizanac D, Testori C, Stöckl M, Weiser C, Hörburger D, Schober A, Wallmüller C, Haugk M, Sterz F, Havel C. Exercise related cardiac arrest in amateur athletes on the tennis court. *Resuscitation* 2011; 82:1004-7.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch