



Michele Ghielmini

Contact

Michele Ghielmini

Publications (14)

Moccia A, Rauch D, Vorobiof D, Lohri A, Ruegsegger C, Biaggi Rudolf C, Rusterholz C, Hayoz S, Ghielmini M, Raats J, Del Giglio A, Taverna C, Schär S, Vanazzi A, Rondeau S, Hitz F, Mingrone W, Pabst T, Cevreska L, Zucca E. Prolonged rituximab maintenance in follicular lymphoma patients: long-term results of the SAKK 35/03 randomized trial. *Blood Adv* 2020; 4:5951-5957.

Zucca E, Zander T, Bersvendsen H, Bargetzi M, Mingrone W, Krasniqi F, Dirnhofer S, Hayoz S, Hawle H, Vilei S, Ghielmini M, Kimby E, Novak U, Lohri A, Ferreri A, Rondeau S, Vanazzi A, Østenstad B, Mey U, Rauch D, Wahlin B, Hitz F, Hernberg M, Johansson A, de Nully Brown P, Hagberg H, Swiss Group for Clinical Cancer Research and the Nordic Lymphoma Group. Short regimen of rituximab plus lenalidomide in follicular lymphoma patients in need of first-line therapy. *Blood* 2019; 134:353-362.

Ghilardi G, Ghielmini M, Wannesson L, Lerch E, Samaras P, Schanz U, Passweg J, Stussi G, Kleber M, Gerber B, Rossi D, Schmidt A, Pabst T, Jeker B, Müller R, Cairoli A, Müller A, Bargetzi M, Hitz F, Baldomero H, Heim D, Swiss Blood Stem Cell Transplantation Registry. Melphalan dose in myeloma patients ≥ 65 years of age undergoing high-dose therapy and autologous stem cell transplantation: a multicentric observational registry study. *Bone Marrow Transplant* 2018

Siano M, Espeli V, Mach N, Bossi P, Licitra L, Ghielmini M, Frattini M, Canevari S, De Cecco L. Gene signatures and expression of miRNAs associated with efficacy of panitumumab in a head and neck cancer phase II trial. *Oral Oncol* 2018; 82:144-151.

Siano M, Frattini M, Ghielmini M, Corradino I, Freguia S, Früh M, Mach N, Martin V, Molinari F, Espeli V. Multicenter Phase II Study of Panitumumab in Platinum Pretreated, Advanced Head and Neck Squamous Cell Cancer. *Oncologist* 2017

Taverna C, Zucca E, Heijnen I, Rusterholz C, Rondeau S, Biaggi Rudolf C, Lohri A, Vorobiof D, Rauch D, Raats J, Laszlo D, Vanazzi A, Del Giglio A, Cevreska L, Pabst T, Mingrone W, Hitz F, Martinelli G, Ghielmini M. Rituximab Maintenance for a Maximum of 5 Years After Single-Agent Rituximab Induction in Follicular Lymphoma: Results of the Randomized Controlled Phase III Trial SAKK 35/03. *J Clin Oncol* 2015; 34:495-500.

Lee C, Ashton-Key M, Cogliatti S, Rondeau S, Schmitz S, Ghielmini M, Cragg M, Johnson P. Expression of the inhibitory Fc gamma receptor IIB (FCGR2B, CD32B) on follicular lymphoma cells lowers the response rate to rituximab monotherapy (SAKK 35/98). *Br J Haematol* 2014; 168:145-8.

Renner C, Lohri A, Gyan E, Biaggi C, Cogliatti S, Bertoni F, Ghielmini M, Brauchli P, Ketterer N, Bouabdallah K, Trojan A, Zinzani P, Gressin R, Klingbiel D, Dietrich P, Hitz F, Bargetzi M, Mingrone W, Martinelli G, Swiss SAKK and French GOELAMS group from European Mantle Cell Lymphoma Network. A multicenter phase II trial (SAKK 36/06) of single-agent everolimus (RAD001) in patients with relapsed or refractory mantle cell lymphoma. *Haematologica* 2012; 97:1085-91.

Martinelli G, Zucca E, Dietrich P, Lohri A, Vorobiof D, Heizmann M, Stahel R, Stupp R, Okkinga E, Bassi S, Hess U, Cerny T, Utiger U, Schmitz S, Ghielmini M. Long-term follow-up of patients with follicular lymphoma receiving single-agent rituximab at two different schedules in trial SAKK 35/98. *J Clin Oncol* 2010; 28:4480-4.

Siano M, Gallino A, Sessa C, Mora O, Leoncini L, Oberson M, Rodriguez-Abreu D, Zucca E, Negretti L, Lerch E, Ghielmini M. A phase I-II study to determine the maximum tolerated infusion rate of rituximab with special emphasis on monitoring the effect of rituximab on cardiac function. *Clinical cancer research : an official journal of the American Association for Cancer Research* 2008; 14:7935-9.

Cogliatti S, Bertoni F, Zimmermann D, Henz S, Diss T, Ghielmini M, Schmid U. IgV H mutations in blastoid mantle cell lymphoma characterize a subgroup with a tendency to more favourable clinical outcome. *J Pathol* 2005; 206:320-7.

Ghielmini M, Cerny T, Bargetzi M, Ketterer N, Stahel R, Pichert G, Schefer H, Betticher D, Fey M, Waltzer U, Bertoni F, Cogliatti S, Schmitz S, Swiss Group for Clinical Cancer Research. Effect of single-agent rituximab given at the standard schedule or as prolonged treatment in patients with mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research (SAKK). *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2005; 23:705-11.

Ghielmini M, Vorobiof D, Bargetzi M, Lohri A, Helg C, Kovacsics T, Stupp R, Zucca E, Hess U, Peccatori F, Martinelli G, Betticher D, Fey M, Waltzer U, Hummerjohann J, Pichert G, Cogliatti S, Schmitz S, Cerny T. Prolonged treatment with rituximab in patients with follicular lymphoma significantly increases event-free survival and response duration compared with the standard weekly x 4 schedule. *Blood* 2004; 103:4416-23.

Bertoni F, Cotter F, Cavalli F, Zucca E, Auer R, Jones C, Baldini L, Ponzoni M, Bertolini F, Pichert G, Fey M, Cerny T, Ghielmini M, Schmitz S, Cogliatti S, Conconi A, Swiss Group for Clinical Cancer Research. Immunoglobulin heavy chain genes somatic hypermutations and chromosome 11q22-23 deletion in classic mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research. *British journal of haematology* 2004; 124:289-98.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch