



Franc Hetzer

Contact

Franc Hetzer

Units

Clinic for General, Visceral, Endocrine and Transplant Surgery

Publications (51)

Marti L, Ommer A, Weyandt G, Schmidt-Lauber M, Huth M, Iesalnieks I, Strittmatter B, Hetzer F, Schwandner O, Herold A, Post S, Ebinger S. S3-Leitlinie: Analfissur. coloproctology 2020; 42:90-196.

Marti L, Sulz M, Brunner W, Borovicka J, Wolff K, Pipitone N, Hetzer F, Beutner U, Galata C, Maurus C. Percutaneous tibial nerve stimulation (pTNS): success rate and the role of rectal capacity. Int J Colorectal Dis 2017; 32:789-796.

Hummel B, Schmied B, Widmann B, Brunner W, Zadnikar M, Warschkow R, Hetzer F, Bischofberger S, Hardt J, Marti L. New kid on the block: perineal stapled prolapse resection (PSP) is it worthwhile in the long-term?. Langenbecks Arch Surg 2016; 401:519-29.

Müller K, Marti L, Tarantino I, Jayne D, Wolff K, Hetzer F. Prospective analysis of cosmesis, morbidity, and patient satisfaction following Limberg flap for the treatment of sacrococcygeal pilonidal sinus. Dis Colon Rectum 2011; 54:487-494.

Wolff K, Marti L, Beutner U, Steffen T, Lange J, Hetzer F. Functional outcome and quality of life after stapled transanal rectal resection for obstructed defecation syndrome. Dis Colon Rectum 2010; 53:881-8.

Fischer A, Tarantino I, Warschkow R, Lange J, Zerz A, Hetzer F. Is sphincter preservation reasonable in all patients with rectal cancer?. Int J Colorectal Dis 2010; 25:425-32.

Hetzer F, Roushan A, Wolff K, Beutner U, Borovicka J, Lange J, Marti L. Functional outcome after perineal stapled prolapse resection for external rectal prolapse. BMC Surg 2010; 10:9.

Steffen T, Luechinger R, Wildermuth S, Kern C, Fretz C, Lange J, Hetzer F. Safety and reliability of Radio Frequency Identification Devices in Magnetic Resonance Imaging and Computed Tomography. Patient Saf Surg 2010; 4:2.

Lenisa L, Espin-Basany E, Corbisier F, Nugent K, Scherer R, Tuech J, Pigot F, Jayne D, Stuto A, Schwandner O, Hetzer F. STARR with Contour Transtar: prospective multicentre European study. Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland 2009; 11:821-7.

Hausammann R, Steffen T, Weishaupt D, Beutner U, Hetzer F. Rectocele and intussusception: is there any coherence in symptoms or additional pelvic floor disorders?. Techniques in coloproctology 2009; 13:17-25; discussion 25-6.

Hetzer F, Jayne D, Stuto A. Evaluation of Patients with Symptomatic Hemorrhoids and Obstructed Defecation. In: Transanal Stapling Techniques for Anorectal Prolapse. 1Heidelberg: Springer, 2009. ISBN 1848009046. pp. 43-57.

Hetzer F, Jayne D, Stuto A. The evidence for stapled haemorrhoidopexy and Stapled transanal rectal resection (STARR). In: Transanal Stapling Techniques for Anorectal Prolapsed. 1Heidelberg: Springer, 2009. ISBN 1848009046. pp. 95-115.

Hetzer F, Immenroth M, Berg T, Brenner J. Preparation for the operation. In: Operation Primer "Stapled Transanal Rectal Resection". 1Heidelberg: Springer, 2009. ISBN 3540929584. pp. 25-30.

Dindo D, Weishaupt D, Lehmann K, Hetzer F, Clavien P, Hahnloser D. Clinical and morphologic correlation after stapled transanal rectal resection for obstructed defecation syndrome. Diseases of the colon and rectum 2008; 51:1768-74.

Schwab C, Meyer D, Hetzer F, Borovicka J, Schmid H, Engeler D. [Urethral fistula due to Crohn's disease: case report of successful conservative management]. *Der Urologe. Ausg. A* 2008; 47:1350-2.

Schwandner O, Basany E, Corbisier F, Nugent K, Scherer R, Tuech J, Pigot F, Lenisa L, Jayne D, Stuto A, Hetzer F. Decision-making algorithm for the STARR procedure in obstructed defecation syndrome: position statement of the group of STARR Pioneers. *Surgical innovation* 2008; 15:105-9.

Tarantino I, Hetzer F, Warschkow R, Zünd M, Stein H, Zerz A. Local excision and endoscopic posterior mesorectal resection versus low anterior resection in T1 rectal cancer. *The British journal of surgery* 2008; 95:375-80.

Steffen T, Tarantino I, Hetzer F, Warschkow R, Lange J, Zünd M. Safety and morbidity after ultra-low coloanal anastomoses: J-pouch vs end-to-end reconstruction. *International journal of colorectal disease* 2008; 23:277-81.

Solopova A, Hetzer F, Marincek B, Weishaupt D. MR defecography: prospective comparison of two rectal enema compositions. *AJR. American journal of roentgenology* 2008; 190:W118-24.

Soll C, Hahnloser D, Dindo D, Clavien P, Hetzer F. A novel approach for treatment of sacrococcygeal pilonidal sinus: less is more. *International journal of colorectal disease* 2008; 23:177-80.

Scholz T, Hetzer F, Dindo D, Demartines N, Clavien P, Hahnloser D. Long-term follow-up after combined fissurectomy and Botox injection for chronic anal fissures. *International journal of colorectal disease* 2007; 22:1077-81.

Kapp T, Zadnikar M, Hahnloser D, Soll C, Hetzer F. [New concept in the treatment of the pilonidal sinus]. *Praxis* 2007; 96:1171-6.

Hübner M, Hahnloser D, Hetzer F, Müller M, Clavien P, Demartines N. A prospective randomized comparison of two instruments for dissection and vessel sealing in laparoscopic colorectal surgery. *Surgical endoscopy* 2007; 21:592-4.

Hetzer F, Hahnloser D, Clavien P, Demartines N. Quality of life and morbidity after permanent sacral nerve stimulation for fecal incontinence. *Archives of surgery (Chicago, Ill. : 1960)* 2007; 142:8-13.

Hetzer F, Bieler A, Hahnloser D, Lölein F, Clavien P, Demartines N. Outcome and cost analysis of sacral nerve stimulation for faecal incontinence. *The British journal of surgery* 2006; 93:1411-7.

Hübner M, Hetzer F, Weishaupt D, Hahnloser D, Clavien P, Demartines N. A prospective comparison between clinical outcome and open-configuration magnetic resonance defecography findings before and after surgery for symptomatic rectocele. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland* 2006; 8:605-11.

Hetzer F, Andreisek G, Tsagari C, Sahrbacher U, Weishaupt D. MR defecography in patients with fecal incontinence: imaging findings and their effect on surgical management. *Radiology* 2006; 240:449-57.

Hetzer F, Hahnloser D, Clavien P, Demartines N. Video-assisted sacral nerve stimulation. *Techniques in coloproctology* 2006; 10:121-3; discussion 123-4.

Hetzer F, Buse S, Knoblauch Y, Hahnloser D, Clavien P, Demartines N. [Sacral nerve stimulation in the treatment of faecal incontinence]. *Praxis* 2005; 94:681-6.

Hetzer F, Hahnloser D, Knoblauch Y, Löhlein F, Demartines N. New screening technique for sacral nerve stimulation under local anaesthesia. *Techniques in coloproctology* 2005; 9:25-8.

Gubler C, Wildi S, Hetzer F, Demartines N, Fried M. Anal lesions and suspected sexual abuse in a 17-year-old girl. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:91.

Williams N, Giordano P, Dvorkin L, Huang A, Hetzer F, Scott S. External pelvic rectal suspension (the Express procedure) for full-thickness rectal prolapse: evolution of a new technique. *Diseases of the colon and rectum* 2005; 48:307-16.

Heinrich S, Hetzer F, Bauerfeind P, Jochum W, Demartines N, Clavien P. Retroperitoneal perforation of the colon caused by colonic tuberculosis: report of a case. *Diseases of the colon and rectum* 2004; 47:2211-4.

Hahnloser D, Hetzer F. [Laparoscopy resection for colon cancer. The new standard?]. *Praxis* 2004; 93:1447-53.

Lunniss P, Gladman M, Hetzer F, Williams N, Scott S. Risk factors in acquired faecal incontinence. *Journal of the Royal Society of Medicine* 2004; 97:111-6.

Dvorkin L, Hetzer F, Scott S, Williams N, Gedroyc W, Lunniss P. Open-magnet MR defaecography compared with evacuation proctography in the diagnosis and management of patients with rectal intussusception. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland* 2004; 6:45-53.

Hetzer F, Schwizer W, Kuenzi W, Demartines N. Experimental model of continent colostomy using rectus abdominis neosphincteroplasty. *The British journal of surgery* 2003; 90:1273-9.

Hetzer F, Wildi S, Demartines N. [New modalities and concepts in the treatment of hemorrhoids]. *Praxis* 2003; 92:1579-83.

Steinke W, Hetzer F, Demartines N. [Fecal incontinence: evaluation, treatment concept and new therapeutic approaches]. *Praxis* 2002; 91:1733-40.

Bertschinger K, Hetzer F, Roos J, Treiber K, Marincek B, Hilfiker P. Dynamic MR imaging of the pelvic floor performed with patient sitting in an open-magnet unit versus with patient supine in a closed-magnet unit. *Radiology* 2002; 223:501-8.

Hetzer F, Demartines N, Handschin A, Clavien P. Stapled vs excision hemorrhoidectomy: long-term results of a prospective randomized trial. *Archives of surgery (Chicago, Ill. : 1960)* 2002; 137:337-40.

Fantin A, Hetzer F, Christ A, Fried M, Schwizer W. Influence of stapler haemorrhoidectomy on anorectal function and on patients' acceptance. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2002; 132:38-42.

Hetzer F, Schäfer M, Demartines N, Clavien P. [Prospective assessment of the learning curve and safety of stapler hemorrhoidectomy]. *Swiss surgery = Schweizer Chirurgie = Chirurgie suisse = Chirurgia svizzera* 2002; 8:31-6.

Hetzer F, Künzi W, Demartines N, Clavien P. [Fecal incontinence: therapy of congenital sphincter dysplasia in adulthood--a case report]. *Praxis* 2001; 90:1471-4.

Hetzer F, Baumann M, Simmen H. [Contact litholysis of gallstones with methyl tert-butyl ether in risk patients--a case report]. Swiss surgery = Schweizer Chirurgie = Chirurgie suisse = Chirurgia svizzera 2001; 7:39-42.

Hetzer F, Baumann M, Röthlin M. [Anal fissure--a new therapy concept]. Praxis 2000; 89:1317-21.

Weishaupt D, Hetzer F, Ruehm S, Patak M, Schmidt M, Debatin J. Three-dimensional contrast-enhanced MRI using an intravascular contrast agent for detection of traumatic intra-abdominal hemorrhage and abdominal parenchymal injuries: an experimental study. European radiology 2000; 10:1958-64.

Hilfiker P, Weishaupt D, Kacl G, Hetzer F, Griff M, Ruehm S, Debatin J. Comparison of three dimensional magnetic resonance imaging in conjunction with a blood pool contrast agent and nuclear scintigraphy for the detection of experimentally induced gastrointestinal bleeding. Gut 1999; 45:581-7.

Hetzer F, Schmid R, Inderbitzin D, Schöb O. Laparoscopic sigmoid resection: a comparative experimental study between double-stapling and foreign material free-biostent technique (TESA). Transient endoluminally stented anastomosis. Journal of laparoendoscopic & advanced surgical techniques. Part A 1998; 8:285-93.

Inderbitzin D, Schmid R, Hetzer F, Zucker K, Schöb O. Is growth influencing diameter and function of laparoscopic TESA hepaticojejunostomy? A comparison of adult minipigs and juvenile domestic swine. J Invest Surg 1998; 11:115-22.

Schmid R, Schöb O, Hetzer F, Schlumpf R, Spiess M, Largiadèr F. Experimental technique for (laparoscopic) bowel anastomosis: transient endoluminally stented anastomosis (TESA). Surgical laparoscopy & endoscopy 1997; 7:281-4.

Projects (2)

SNM/PNS: Vergleich von Sakraler Nervenmodulation und Pudendus Nerv Stimulation zur Therapie der Stuhlinkontinenz

Clinical Studies - Feb 1, 2010 - Dec 31, 2014

Completed

Sakrale Nervenmodulation (SNM) bei Stuhlinkontinenz

Clinical Studies - Jan 1, 2009 - Dec 31, 2012

Completed

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch