



Thomas Schlosser

Contact

Thomas Schlosser

Publications (2)

Achenbach S, Cademartiri F, Qanadli S, Revel D, Souto M, Jacquier A, Cabeza B, Andreu J, Schlosser T, Benea G, Knobloch G, Vignaux O, Leschka S, Caudron J, Rengo M, Becker H, Laurent F, Paul J. Erratum to: Comparative assessment of image quality for coronary CT angiography with iobitridol and two contrast agents with higher iodine concentrations: iopromide and iomeprol. A multicentre randomized double-blind trial. Eur Radiol 2017; 27:831.

Achenbach S, Cademartiri F, Qanadli S, Revel D, Souto M, Jacquier A, Cabeza B, Andreu J, Schlosser T, Benea G, Knobloch G, Vignaux O, Leschka S, Caudron J, Rengo M, Becker H, Laurent F, Paul J. Comparative assessment of image quality for coronary CT angiography with iobitridol and two contrast agents with higher iodine concentrations: iopromide and iomeprol. A multicentre randomized double-blind trial. Eur Radiol 2016; 27:821-830.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch