



**A Schnider**

**Contact**

A Schnider

## Publications (3)

Ruhstaller T, Mingrone W, Montemurro M, Girschikofsky M, Schmidt S, Bitzer M, Bedenne L, Brauchli P, Stahl M, Hess V, Mariette C, Hawle H, Thuss-Patience P, Hayoz S, Schacher S, Knorrenschild J, Schnider A, Plasswilm L, Budach W, Eisterer W, Swiss Group for Clinical Cancer Research (SAKK), the German Esophageal Cancer Study Group, the Austrian 'Arbeitsgemeinschaft Medikamentöse Tumortherapie' (AGMT), and the Fédération Francophone de Cancérologie Digestive (FFCD)/Fédération de Recherche en Ch. Neoadjuvant chemotherapy followed by chemoradiation and surgery with and without cetuximab in patients with resectable esophageal cancer: a randomized, open-label, phase III trial (SAKK 75/08). *Ann Oncol* 2018; 29:1386-1393.

Ruhstaller T, Popescu R, Bodis S, Schnider A, Terraciano L, Köberle D, Balmermajno S, Pestalozzi B, Borner M, von Moos R, Mingrone W, Hess V, Roth A, Schuller J, Widmer L, Swiss Group for Clinical Cancer Research (SAKK). Multicenter phase II trial of preoperative induction chemotherapy followed by chemoradiation with docetaxel and cisplatin for locally advanced esophageal carcinoma (SAKK 75/02). *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2009; 20:1522-8.

Bösch B, Gueller U, Schnider A, Maurer R, Harder F, Metzger U, Marti W. Perioperative detection of disseminated tumour cells is an independent prognostic factor in patients with colorectal cancer. *Br J Surg* 2003; 90:882-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)