



**Nathan Cantoni**

**Contact**

Nathan Cantoni

## Publications (7)

Rüfer A, Angermann H, Benz R, Bonadies N, Calderoni A, Cantoni N, Efthymiou A, Escher R, Favre G, Friess D, Gschwend A, Himmelmann A, Holbro A, Keller P, Kouroupi E, Lehmann T, Pedarnig N, Rigamonti V, Samii K, Schmidt A, Schäfer H, Sperb R, Stussi G, Winkler A, Zenhäusern R, Goede J. Real-world Data From the Swiss Lenalidomide in MDS del(5q) (SLIM)-Registry Identify New Chances and Challenges in Lenalidomide Treatment of Patients With MDS del(5q). *Hemasphere* 2022; 6:e741.

Jörger M, Metaxas Y, Zaman K, Michielin O, Mach N, Bettini A, Schmitt A, Cantoni N, Caspar C, Stettler S, Malval R, Pless M, Britschgi C, Renner C, Koeberle D, Schulz J, Kopp C, Hayoz S, Stathis A, von Moos R, Swiss Group for Clinical Cancer Research (SAKK). Outcome and Prognostic Factors of COVID-19 Infection in Swiss Cancer Patients: Final Results of SAKK 80/20 (CaSA). *Cancers (Basel)* 2022; 14

Benz R, O'Meara Stern A, Cantoni N, Bargetzi M, Bianchi-Papina E, Rossi D, Passweg J, Lohri A, Berardi S, Feller A, Rauch D, Blum S, Mey U, Arn K, Andres M, Pabst T, Baumann M, Novak U, Hitz F, Hess U, Zenhäusern R, Chalandon Y, Stussi G. Prospective long-term follow-up after first-line subcutaneous cladribine in hairy cell leukemia: a SAKK trial. *Blood Adv* 2020; 4:3699-3707.

Burgener A, Dimeloe S, Lötscher J, Sauder U, Ebnöther M, Burger B, Heijnen I, Martínez-Cano S, Cantoni N, Brücker R, Kahlert C, Sancho D, Jones R, Navarini A, Recher M, Epple R, Grählert J, Müller-Durovic B, Bantug G, Meyer B, Higgins R, Ghosh A, Bignucolo O, Ma E, Loeliger J, Unterstab G, Geigges M, Steiner R, Enamorado M, Ivanek R, Hunziker D, Schmidt A, Hess C. SDHA gain-of-function engages inflammatory mitochondrial retrograde signaling via KEAP1-Nrf2. *Nat Immunol* 2019; 20:1311-1321.

Driessen C, Pabst T, Hitz F, Hawle H, Rondeau S, Berset C, Besse A, Besse L, Ribl K, Samaras P, Mey U, Rüfer A, Mach N, Betticher D, Cantoni N, Novak U, Müller R, Zander T. Promising activity of nelfinavir-bortezomib-dexamethasone (NeVd) in proteasome inhibitor-refractory multiple myeloma. *Blood* 2018

Bonadies N, Feller A, Rovó A, Ruefer A, Blum S, Gerber B, Stuessi G, Benz R, Cantoni N, Holbro A, Schmidt A, Lehmann T, Wilk C, Arndt V, NICER Working Group. Trends of classification, incidence, mortality, and survival of MDS patients in Switzerland between 2001 and 2012. *Cancer Epidemiol* 2017; 46:85-92.

Mey U, Ruefer A, Ziske C, Knauf W, Cathomas R, von Moos R, Hitz F, Sauter R, Hiendlmeyer E, Cantoni N, Bargetzi M, Fischer N, Doerfel S, Brugger W, Schwarb H, Pederiva S, Schwarzer A, Dechow T, Jehner P, Rauh J, Taverna C, Schmid M, Schmidt-Hieber M, Driessen C. Bendamustine, lenalidomide and dexamethasone (BRd) has high activity as 2(nd) -line therapy for relapsed and refractory multiple myeloma - a phase II trial. *Br J Haematol* 2016

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)