



Dietmar Krex

Contact

Dietmar Krex

Publications (6)

Neurooncology Working Group of the German Cancer Society, Simon M, Tonn J, Stummer W, Schaub C, Weller J, Kebir S, Schäfer N, Stuplich M, Vatter H, Misch M, Keil V, Nelles M, Glas M, Coch C, Pietsch T, Hattingen E, Schmid M, Fimmers R, Weller M, Wick W, Coenen M, Urbach H, Vajkoczy P, Galldiks N, Bullinger L, Goldbrunner R, Grauer O, Krex D, Kortmann R, Hau P, Sabel M, Schlegel U, Steinbach J, Mack F, Tzaridis T, Schnell O, Bähr O, Renovanz M, Weyerbrock A, Brehmer S, Suchorska B, Schmidt-Graf F, Ringel F, Kowalski T, Tabatabai G, Seidel C, Uhl M, Herrlinger U. Lomustine-temozolomide combination therapy versus standard temozolomide therapy in patients with newly diagnosed glioblastoma with methylated MGMT promoter (CeTeG/NOA-09): a randomised, open-label, phase 3 trial. *Lancet* 2019; 393:678–688.

Schäfer N, Proescholdt M, Steinbach J, Weyerbrock A, Hau P, Grauer O, Goldbrunner R, Friedrich F, Rohde V, Ringel F, Schlegel U, Sabel M, Ronellenfitsch M, Uhl M, Grau S, Hänel M, Schnell O, Krex D, Vajkoczy P, Tabatabai G, Mack F, Schaub C, Tzaridis T, Nießen M, Kebir S, Leutgeb B, Urbach H, Belka C, Stummer W, Glas M, Herrlinger U. Quality of life in the GLARIUS trial randomizing bevacizumab/irinotecan versus temozolomide in newly diagnosed, MGMT-nonmethylated glioblastoma. *Neuro Oncol* 2018; 20:975–985.

Schaub C, Kebir S, Junold N, Hattingen E, Schäfer N, Steinbach J, Weyerbrock A, Hau P, Goldbrunner R, Nießen M, Mack F, Stuplich M, Tzaridis T, Bähr O, Kortmann R, Schlegel U, Schmidt-Graf F, Rohde V, Braun C, Hänel M, Sabel M, Gerlach R, Krex D, Belka C, Vatter H, Proescholdt M, Herrlinger U, Glas M. Tumor growth patterns of MGMT-non-methylated glioblastoma in the randomized GLARIUS trial. *J Cancer Res Clin Oncol* 2018; 144:1581–1589.

Herrlinger U, Kortmann R, Mehdorn M, Tüchtenberg J, Mayer-Steinacker R, Fietkau R, Brehmer S, Mack F, Stuplich M, Kebir S, Kohnen R, Dunkl E, Leutgeb B, Proescholdt M, Pietsch T, Urbach H, Belka C, Stummer W, Gerlach R, Vajkoczy P, Schäfer N, Steinbach J, Weyerbrock A, Hau P, Goldbrunner R, Friedrich F, Rohde V, Ringel F, Schlegel U, Sabel M, Ronellenfitsch M, Uhl M, Maciaczyk J, Grau S, Schnell O, Hänel M, Krex D, Glas M. Bevacizumab Plus Irinotecan Versus Temozolomide in Newly Diagnosed O6-Methylguanine-DNA Methyltransferase Nonmethylated Glioblastoma: The Randomized GLARIUS Trial. *J Clin Oncol* 2016; 34:1611–9.

Scholz A, Meinhardt M, Weyerbrock A, Timmer M, Goldbrunner R, Deckert M, Braun C, Schittenhelm J, Frueh J, Ullrich E, Mittelbronn M, Plate K, Krex D, Herrlinger U, Glas M, Harter P, Cremer S, Yalcin B, Gurnik S, Yamaji M, Di Tacchio M, Sommer K, Baumgarten P, Bähr O, Steinbach J, Trojan J, Reiss Y. Endothelial cell-derived angiopoietin-2 is a therapeutic target in treatment-naive and bevacizumab-resistant glioblastoma. *EMBO Mol Med* 2015; 8:39–57.

Ringel F, Simon M, Meyer B, Schucht P, Senft C, Westermaier T, Weyerbrock A, Misch M, Bock H, Krex D, Sabel M, Pape H. Clinical benefit from resection of recurrent glioblastomas: results of a multicenter study including 503 patients with recurrent glioblastomas undergoing surgical resection. *Neuro-oncology* 2015; 18:96–104.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch