



Jan-Michel Otte

Contact

Jan-Michel Otte

Publications (8)

Otte J, Zdebik A, Brand S, Chromik A, Strauss S, Schmitz F, Steinstraesser L, Schmidt W. Effects of the cathelicidin LL-37 on intestinal epithelial barrier integrity. *Regul Pept* 2009; 156:104-17.

Otte J, Mahjurian-Namari R, Brand S, Werner I, Schmidt W, Schmitz F. Probiotics regulate the expression of COX-2 in intestinal epithelial cells. *Nutr Cancer* 2009; 61:103-13.

Otte J, Werner I, Brand S, Chromik A, Schmitz F, Kleine M, Schmidt W. Human beta defensin 2 promotes intestinal wound healing in vitro. *J Cell Biochem* 2008; 104:2286-97.

Dambacher J, Lohse P, Ochsenkühn T, Göke B, Diebold J, Otte J, Tillack C, Konrad A, Hofbauer K, Pfennig S, Schnitzler F, Sisic Z, Seiderer J, Staudinger T, Brand S. Macrophage migration inhibitory factor (MIF) -173G/C promoter polymorphism influences upper gastrointestinal tract involvement and disease activity in patients with Crohn's disease. *Inflamm Bowel Dis* 2007; 13:71-82.

Brand S, Auernhammer C, Göke B, Ochsenkühn T, Seiderer J, Herrmann K, Leclair S, Popp A, Jagla W, Marquardt A, Diepolder H, Otte J, Eichhorst S, Zitzmann K, Olszak T, Beigel F, Dambacher J. IL-22 is increased in active Crohn's disease and promotes proinflammatory gene expression and intestinal epithelial cell migration. *Am J Physiol Gastrointest Liver Physiol* 2006; 290:G827-38.

Brand S, Olszak T, Beigel F, Diebold J, Otte J, Eichhorst S, Göke B, Dambacher J. Cell differentiation dependent expressed CCR6 mediates ERK-1/2, SAPK/JNK, and Akt signaling resulting in proliferation and migration of colorectal cancer cells. *J Cell Biochem* 2006; 97:709-23.

Brand S, Dambacher J, Beigel F, Olszak T, Diebold J, Otte J, Göke B, Eichhorst S. CXCR4 and CXCL12 are inversely expressed in colorectal cancer cells and modulate cancer cell migration, invasion and MMP-9 activation. *Exp Cell Res* 2005; 310:117-30.

Brand S, Göke B, Auernhammer C, Adler B, Diepolder H, Diebold J, Otte J, Eichhorst S, Zitzmann K, Olszak T, Beigel F, Dambacher J. IL-28A and IL-29 mediate antiproliferative and antiviral signals in intestinal epithelial cells and murine CMV infection increases colonic IL-28A expression. *Am J Physiol Gastrointest Liver Physiol* 2005; 289:G960-8.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch