



**J Seiderer**

**Contact**

J Seiderer

## Publications (6)

Seiderer J, Brand S, Kaser A. Sicherheit von anti-TNF-Antikörper-Therapien. In: Zytokine und chronisch-entzündliche Darmerkrankungen – Pathogenese und Therapie. Bremen: Uni-Med-Verlag, 2009.

Seiderer J, Lohse P, Ochsenkühn T, Göke B, Haller D, Török H, Konrad A, Pfennig S, Kühnlein B, Dambacher J, Brand S. The role of the selenoprotein S (SELS) gene -105G>A promoter polymorphism in inflammatory bowel disease and regulation of SELS gene expression in intestinal inflammation. *Tissue Antigens* 2007; 70:238-46.

Seiderer J, Brand S, Dambacher J, Pfennig S, Jürgens M, Göke B, Ochsenkühn T. Adalimumab in patients with Crohn's disease--safety and efficacy in an open-label single centre study. *Aliment Pharmacol Ther* 2007; 25:787-96.

Thalmaier D, Lohse P, Ochsenkühn T, Göke B, Crispin A, Otte J, Pfennig S, Schachinger V, Konrad A, Seiderer J, Dambacher J, Brand S. The +1059G/C polymorphism in the C-reactive protein (CRP) gene is associated with involvement of the terminal ileum and decreased serum CRP levels in patients with Crohn's disease. *Aliment Pharmacol Ther* 2006; 24:1105-15.

Seiderer J, Schnitzler F, Brand S, Tillack C, Göke B, Ochsenkühn T. Infliximab zur Therapie chronisch entzündlicher Darmerkrankungen. *Dtsch Arztebl* 2005; 102:828-833.

Török H, Brännler G, Jagiello P, Epplen J, Griga T, Klein W, Schiemann U, Folwaczny M, Ochsenkühn T, Brand S, Tillack C, Glas J, Tonenchi L, Lohse P, Müller-Myhsok B, Limbersky O, Neugebauer C, Schnitzler F, Seiderer J, Folwaczny C. Polymorphisms in the DLG5 and OCTN cation transporter genes in Crohn's disease. *Gut* 2005; 54:1421-7.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)