



**Nicole L Glazer**

**Contact**

Nicole L Glazer

## Publications (2)

Kovacs P, Pankow J, Payne F, Prokopenko I, Psaty B, Renström F, Rice K, Rotter J, Rybin D, Sandholt C, Sayer A, Shrader P, North K, Müller G, Kumari M, Kuusisto J, Laakso M, Lecoeur C, Lévy-Marchal C, Li G, Loos R, Lyssenko V, Marmot M, Marques-Vidal P, Morken M, Schwarz P, Siscovick D, Stančáková A, Vollenweider P, Walker M, Watanabe R, Pedersen O, Meigs J, Ingelsson E, Barroso I, Florez J, Franks P, Dupuis J, Wareham N, Kao W, Groop L, Stumvoll M, Teslovich T, Waeber G, Williams G, Witte D, Wood A, Xie W, Boehnke M, Cooper C, Ferrucci L, Froguel P, Langenberg C, Kivimäki M, Scott R, Marek D, Rasmussen-Torvik L, Stringham H, Tanaka T, Aadahl M, Arking D, Bergmann S, Boerwinkle E, Bonnycastle L, Bornstein S, Brunner E, Lagou V, Kutalik Z, Chu A, Grarup N, Manning A, Hivert M, Shungin D, Tönjes A, Yesupriya A, Barnes D, Bouatia-Naji N, Glazer N, Jackson A, Bumpstead S, Brage S, Carlson O, Gräßler J, Gustafsson S, Hallmans G, Hansen T, Hingorani A, Holloway J, Hu F, Isomaa B, Jameson K, Johansson I, Jonsson A, Goodarzi M, Fox C, Chen H, Chen Y, Chines P, Collins F, Couper D, Dennison E, Dowling N, Egan J, Ekelund U, Erdos M, Forouhi N, Jørgensen T. No interactions between previously associated 2-hour glucose gene variants and physical activity or BMI on 2-hour glucose levels. *Diabetes* 2012; 61:1291-6.

Phillips A, van den Berg L, Vatn M, Verspaget H, Walters T, Wijmenga C, Wilson D, Westra H, Xavier R, Zhao Z, Ponsioen C, Andersen V, Torkvist L, Targan S, Steinhart A, Prescott N, Proctor D, Roberts R, Russell R, Rutgeerts P, Sanderson J, Sans M, Schumm P, Seibold F, Sharma Y, Simms L, Seielstad M, Gazouli M, Anagnou N, Satsangi J, Cho J, Schreiber S, Daly M, Barrett J, Parkes M, Annese V, Hakonarson H, Radford-Smith G, Duerr R, Vermeire S, Weersma R, Chamillard M, Brant S, Karlsen T, Kupcinskis L, Sventoraityte J, Mansfield J, Kugathasan S, Silverberg M, Halfvarson J, Rotter J, Mathew C, Griffiths A, Gearry R, Ahmad T, Rioux J, Panés J, Anderson C, Baldassano R, Barclay M, Bayless T, Brand S, Büning C, Colombel J, Denson L, De Vos M, Dubinsky M, Edwards C, Ellinghaus D, Fehrmann R, Baidoo L, Bumpstead S, Boucher G, Lees C, Franke A, D'Amato M, Taylor K, Lee J, Goyette P, Imielinski M, Latiano A, Lagacé C, Scott R, Amininejad L, Floyd J, Florin T, Libioulle C, Louis E, McGovern D, Milla M, Montgomery G, Morley K, Mowat C, Ng A, Newman W, Ophoff R, Papi L, Palmieri O, Levine A, Lemann M, Franchimont D, Franke L, Georges M, Glas J, Glazer N, Guthery S, Haritunians T, Hayward N, Hugot J, Jobin G, Laukens D, Lawrance I, Peyrin-Biroulet L. Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nat Genet* 2011; 43:246-52.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)