



**Tom H Karlsen**

**Contact**

Tom H Karlsen

## Publications (5)

Li J, Gieger C, Nöthen M, Büning C, Brand S, Sullivan K, Orange J, Fevang B, Schreiber S, Lieb W, Aukrust P, Chapel H, Cunningham-Rundles C, Franke A, Karlsen T, Grimbacher B, Hakonarson H, Hammarström L, Winkelmann J, Nair R, Elder J, Jørgensen S, Maggadottir S, Bakay M, Warnatz K, Giessler J, Pandey R, Salzer U, Schmidt R, Perez E, Resnick E, Goldacker S, Buchta M, Witte T, Padyukov L, Videm V, Folseraas T, Atschekzei F, Ellinghaus E. Association of CLEC16A with human common variable immunodeficiency disorder and role in murine B cells. *Nat Commun* 2015; 6:6804.

Franke A, Büning C, Duerr R, Nöthen M, Wang J, Vatn M, Mathew C, Sanderson J, Rutgeerts P, Vermeire S, McArdle W, Strachan D, Wijmenga C, Sans M, Brand S, Glas J, Parkes M, Schreiber S, Rosenstiel P, Subramani S, Karlsen T, Nothnagel M, Daly M, D'Amato M, Halfvarson J, Annese V, Latiano A, Illig T, Winkelmann J, Ponsioen C, Weersma R, Nikolaus S, Liu X, Doncheva N, Skieceviciene J, Rivas M, Keller A, Ellinghaus E, Bromberg Y, Stade B, Jiang T, Till A, Lipinski S, Zeissig S, Zhang H, Liu Q, Jiang F, Krawczak M, Kayser M, Kupcinkas L, Vogel U, Andersen V, Lee J, Berzuini C, Goodall J, Boehm B, Häsler R, Albrecht M, Mayr G, Forster M, Ellinghaus D. Association between variants of PRDM1 and NDP52 and Crohn's disease, based on exome sequencing and functional studies. *Gastroenterology* 2013; 145:339-47.

Thomsen I, Vatn M, Silverberg M, Duerr R, Padyukov L, Brand S, Sans M, Annese V, Achkar J, Melum E, Durie P, Sandford R, Mayr G, König I, Hveem K, Cleynen I, Gutierrez-Achury J, Ricaño-Ponce I, van Heel D, Björnsson E, Boberg K, Marschall H, Schreiber S, Manns M, Färkkilä M, Dale A, Chapman R, Lazaridis K, Franke A, Anderson C, Cho J, Bergquist A, Alexander G, Chazouillères O, Bowlus C, Wijmenga C, Schrupf E, Vermeire S, Albrecht M, Rioux J, Karlsen T, Næss S, Liu J, Gotthardt D, Pares A, Ellinghaus D, Shah T, Juran B, Milkiewicz P, Rust C, Schramm C, Hirschfeld G, Invernizzi P, Eksteen B, Hov J, Folseraas T, Ellinghaus E, Rushbrook S, Doncheva N, Andreassen O, Weersma R, Weismüller T, Müller T, Srivastava B, Saarela J, Leppä V, Dorfman R, Alvaro D, Floreani A, Onengut-Gumuscu S, Rich S, Thompson W, Mason A, Teufel A, Sterneck M, Dalekos G, Nöthen M, Herms S, Winkelmann J, Mitrovic M, Braun F, Ponsioen C, Croucher P, Schork A. Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. *Nat Genet* 2013; 45:670-5.

Kupcinkas L, Potocnik U, Prescott N, Regueiro M, Rotter J, Russell R, Sanderson J, Sans M, Satsangi J, Schreiber S, Simms L, Sventoraityte J, Ponsioen C, Palmieri O, Kugathasan S, Latiano A, Laukens D, Lawrance I, Lees C, Louis E, Mahy G, Mansfield J, Morgan A, Mowat C, Newman W, Targan S, Taylor K, Tremelling M, Hakonarson H, Brant S, Radford-Smith G, Mathew C, Rioux J, Schadt E, Daly M, Franke A, Parkes M, Vermeire S, Barrett J, Annese V, Silverberg M, Verspaget H, De Vos M, Wijmenga C, Wilson D, Winkelmann J, Xavier R, Zeissig S, Zhang B, Zhang C, Zhao H, Cho J, Karlsen T, Jostins L, Theatre E, Spain S, Raychaudhuri S, Goyette P, Wei Z, Abraham C, Achkar J, Ahmad T, Amininejad L, Ananthakrishnan A, Andersen V, Cleynen I, Ning K, Ripke S, Weersma R, Duerr R, McGovern D, Hui K, Lee J, Schumm L, Sharma Y, Anderson C, Essers J, Mitrovic M, Andrews J, Baidoo L, Balschun T, Ferguson L, Franchimont D, Fransen K, Geary R, Georges M, Gieger C, Glas J, Haritunians T, Hart A, Hawkey C, Hedl M, Ellinghaus D, Edwards C, Bampton P, Bitton A, Boucher G, Brand S, Büning C, Cohain A, Cichon S, D'Amato M, De Jong D, Devaney K, Dubinsky M, Hu X. Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature* 2012; 491:119-24.

Phillips A, van den Berg L, Vatn M, Verspaget H, Walters T, Wijmenga C, Wilson D, Westra H, Xavier R, Zhao Z, Ponsioen C, Andersen V, Torkvist L, Targan S, Steinhart A, Prescott N, Proctor D, Roberts R, Russell R, Rutgeerts P, Sanderson J, Sans M, Schumm P, Seibold F, Sharma Y, Simms L, Seielstad M, Gazouli M, Anagnou N, Satsangi J, Cho J, Schreiber S, Daly M, Barrett J, Parkes M, Annese V, Hakonarson H, Radford-Smith G, Duerr R, Vermeire S, Weersma R, Chamailard M, Brant S, Karlsen T, Kupcinkas L, Sventoraityte J, Mansfield J, Kugathasan S, Silverberg M, Halfvarson J, Rotter J, Mathew C, Griffiths A, Geary R, Ahmad T, Rioux J, Panés J, Anderson C, Baldassano R, Barclay M, Bayless T, Brand S, Büning C, Colombel J, Denson L, De Vos M, Dubinsky M, Edwards C, Ellinghaus D, Fehrmann R, Baidoo L, Bumpstead S, Boucher G, Lees C, Franke A, D'Amato M, Taylor K, Lee J, Goyette P, Imielinski M, Latiano A, Lagacé C, Scott R, Amininejad L, Floyd J, Florin T, Libioulle C, Louis E, McGovern D, Milla M, Montgomery G, Morley K, Mowat C, Ng A, Newman W, Ophoff R, Papi L, Palmieri O, Levine A, Lemann M, Franchimont D, Franke L, Georges M, Glas J, Glazer N, Guthery S, Haritunians T, Hayward N, Hugot J, Jobin G, Laukens D, Lawrance I, Peyrin-Biroulet L. Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nat Genet* 2011; 43:246-52.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)