



**C Rochlitz**

**Contact**

C Rochlitz

## Publications (5)

Pagani O, Rabaglio M, Aebi S, Ribi K, Rochlitz C, Rothgiesser K, Thürlimann B, Moos R, Zaman K, Goldhirsch A, Pestalozzi B, Munzone E, Klingbiel D, Ruhstaller T, Nolé F, Eppenberger S, Oehlschlegel C, Bernhard J, Brauchli P, Hess D, Mamot C. Do all patients with advanced HER2 positive breast cancer need upfront-chemo when receiving trastuzumab? Randomized Phase III trial SAKK 22/99. *Ann Oncol* 2016

Schmid S, Myrick M, Forrer F, Obermann E, Viehl C, Rochlitz C, Güth U. Sentinel lymph node biopsy in primary breast cancer: trust the radiolabeled colloid method and avoid unnecessary procedures. *Eur J Surg Oncol* 2011; 37:211-6.

Rochlitz C, Zaman K, Mayer M, Cliffe B, Herrmann R, Mannhart-Harms M, Muller A, Rauch D, Winterhalder R, von Moos R, Schonenberger A, Fehr M, Bühlmann M, Suter T, Huober J, Spirig C, Lerch S, Ruhstaller T, Swiss Group for Clinical Cancer Research (SAKK). Combination of bevacizumab and 2-weekly pegylated liposomal doxorubicin as first-line therapy for locally recurrent or metastatic breast cancer. A multicenter, single-arm phase II trial (SAKK 24/06). *Ann Oncol* 2010; 22:80-5.

Hess D, Ribi K, Ballabeni P, Schuller J, Rauch D, Rochlitz C, Mattmann S, Schonenberger A, Pagani O, Thürlimann B, Köberle D, Swiss Group for Clinical Cancer Research. Capecitabine and vinorelbine as first-line treatment in elderly patients (> or =65 years) with metastatic breast cancer. A phase II trial (SAKK 25/99). *Oncology* 2007; 73:228-37.

Morant R, Hering F, Hanselmann S, Gschwend A, Wernli M, Cerny T, Rochlitz C, Bauer J, Borner M, Bonomo M, Gillissen Sommer S, Dietrich D, Bernhard J, Schmid H. Capecitabine in hormone-resistant metastatic prostatic carcinoma - a phase II trial. *British journal of cancer* 2004; 90:1312-7.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)