



**M Wernli**

**Contact**

M Wernli

## Publications (8)

Leyvraz S, Pestalozzi B, Dietrich D, Cerny T, Wernli M, Sessa C, Fey M, Christinat A, Honegger H, Guillou L, Herrmann R, Swiss Group for Clinical Cancer Research (SAKK). Treatment of advanced soft-tissue sarcomas using a combined strategy of high-dose ifosfamide, high-dose doxorubicin and salvage therapies. *British journal of cancer* 2006; 95:1342-7.

Betticher D, Weder W, Stupp R, Egli F, Furrer M, Honegger H, Wernli M, Cerny T, Ris H, Stahel R, Spiliopoulos A, Roth A, Hsu Schmitz S, Tötsch M, Hansen E, Joss C, von Briel C, Schmid R, Pless M, Habicht J, Swiss Group for Clinical Cancer Research (SAKK). Prognostic factors affecting long-term outcomes in patients with resected stage IIIA pN2 non-small-cell lung cancer: 5-year follow-up of a phase II study. *British journal of cancer* 2006; 94:1099-106.

Ghielmini M, Cerny T, Wernli M, Ketterer N, Lohri A, Stahel R, Martinelli G, Fey M, Cogliatti S, Léger-Falandry C, Leoncini-Francini L, Salles G, Rufibach K, Schmitz S. Single agent rituximab in patients with follicular or mantle cell lymphoma: clinical and biological factors that are predictive of response and event-free survival as well as the effect of rituximab on the immune system: a study of the Swiss Group for Clinical Cancer Research (SAKK). *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2005; 16:1675-82.

Borner M, Roth A, Lanz D, Brauchli P, Honegger H, Köberle D, Herrmann R, Rauch D, Saletti P, Wernli M, Popescu R, Dietrich D, Bernhard J, Swiss Group for Clinical Cancer Research (SAKK), Berne, Switzerland. A randomized phase II trial of capecitabine and two different schedules of irinotecan in first-line treatment of metastatic colorectal cancer: efficacy, quality-of-life and toxicity. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2005; 16:282-8.

Morant R, Hering F, Hanselmann S, Gschwend A, Wernli M, Cerny T, Rochlitz C, Bauer J, Borner M, Bonomo M, Gillissen Sommer S, Dietrich D, Bernhard J, Schmid H. Capecitabine in hormone-resistant metastatic prostatic carcinoma - a phase II trial. *British journal of cancer* 2004; 90:1312-7.

von Rohr A, Tobler A, Betticher D, Cerny T, Fey M, Racine C, Rufener B, Ghielmini M, Zulian G, Konwalinka G, Frickhofen N, Wernli M, Piguët D, Hess U, Tichelli A, Schmitz S, Swiss Group for Clinical Cancer Research (SAKK), Bern, Switzerland. Treatment of hairy cell leukemia with cladribine (2-chlorodeoxyadenosine) by subcutaneous bolus injection: a phase II study. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2002; 13:1641-9.

Morant R, Hering F, Bauer J, Hanselmann S, Jacky E, Streit A, Forrer P, Egli F, Wernli M, Borner M, Thürlimann B, Bernhard J, Hsu Schmitz S, Schmid H. Vinorelbine in androgen-independent metastatic prostatic carcinoma--a phase II study. *European journal of cancer (Oxford, England : 1990)* 2002; 38:1626-32.

Ghielmini M, Bertoni F, Schmitter D, Lohri A, Wernli M, Stupp R, Betticher D, Pichert G, Bürki K, Schmitz S, Cerny T. The effect of Rituximab on patients with follicular and mantle-cell lymphoma. Swiss Group for Clinical Cancer Research (SAKK). *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2000; 11 Suppl 1:123-6.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)