



Swiss SOS study group

Contact

Swiss SOS study group
Switzerland

Publications (8)

Maldaner N, Maduri R, Daniel R, Burkhardt J, Chiappini A, Robert T, Schatlo B, Seule M, Weyerbrock A, Regli L, Stienen M, Fandino J, Marbacher S, Steinsiepe V, Goldberg J, Fung C, Bervini D, May A, Bijlenga P, Schaller K, Roethlisberger M, Zumofen D, D'Alonzo D, Swiss SOS study group. Patterns of care for ruptured aneurysms of the middle cerebral artery: analysis of a Swiss national database (Swiss SOS). *J Neurosurg* 2019;1-10.

Neidert M, Maldaner N, Stienen M, Roethlisberger M, Zumofen D, D'Alonzo D, Marbacher S, Maduri R, Hostettler I, Schatlo B, Schneider M, Seule M, Schöni D, Goldberg J, Fung C, Arrighi M, Valsecchi D, Bijlenga P, Schaller K, Bozinov O, Regli L, Burkhardt J, Swiss SOS study group. The Barrow Neurological Institute Grading Scale as a Predictor for Delayed Cerebral Ischemia and Outcome After Aneurysmal Subarachnoid Hemorrhage: Data From a Nationwide Patient Registry (Swiss SOS). *Neurosurgery* 2018; 83:1286-1293.

Stienen M, Smoll N, Fung C, Goldberg J, Bervini D, Maduri R, Chiappini A, Robert T, May A, Bijlenga P, Zumofen D, Roethlisberger M, Seule M, Marbacher S, Fandino J, Schatlo B, Schaller K, Keller E, Bozinov O, Regli L, Swiss SOS study group. Home-Time as a Surrogate Marker for Functional Outcome After Aneurysmal Subarachnoid Hemorrhage. *Stroke* 2018; 49:3081-3084.

Zumofen D, Roethlisberger M, Achermann R, Bawarjan S, Stienen M, Fung C, D'Alonzo D, Maldaner N, Ferrari A, Corniola M, Schoeni D, Goldberg J, Valsecchi D, Robert T, Maduri R, Seule M, Burkhardt J, Marbacher S, Bijlenga P, Blackham K, Bucher H, Mariani L, Guzman R, Swiss SOS study group. Factors associated with clinical and radiological status on admission in patients with aneurysmal subarachnoid hemorrhage. *Neurosurg Rev* 2018; 41:1059-1069.

Stienen M, Germans M, Burkhardt J, Neidert M, Fung C, Bervini D, Zumofen D, Röthlisberger M, Marbacher S, Maduri R, Robert T, Seule M, Bijlenga P, Schaller K, Fandino J, Smoll N, Maldaner N, Finkenstädt S, Esposito G, Schatlo B, Keller E, Bozinov O, Regli L, Swiss SOS study group. Predictors of In-Hospital Death After Aneurysmal Subarachnoid Hemorrhage: Analysis of a Nationwide Database (Swiss SOS [Swiss Study on Aneurysmal Subarachnoid Hemorrhage]). *Stroke* 2018; 49:333-340.

Roethlisberger M, Achermann R, Bawarjan S, Stienen M, Fung C, D'Alonzo D, Maldaner N, Ferrari A, Corniola M, Schöni D, Valsecchi D, Maduri R, Seule M, Burkhardt J, Marbacher S, Bijlenga P, Blackham K, Bucher H, Mariani L, Guzman R, Zumofen D, Swiss SOS study group. Predictors of Occurrence and Anatomic Distribution of Multiple Aneurysms in Patients with Aneurysmal Subarachnoid Hemorrhage. *World Neurosurg* 2017; 111:e199-e205.

Burkhardt J, Neidert M, Stienen M, Schöni D, Swiss SOS study group. Computed tomography angiography spot sign predicts intraprocedural aneurysm rupture in subarachnoid hemorrhage. *Acta Neurochir (Wien)* 2017; 159:1305-1312.

Zweifel-Zehnder A, Keller E, Regli L, Fandino J, Mariani L, Raabe A, Daniel R, Reinert M, Robert T, Schatlo B, Bijlenga P, Schaller K, Monsch A, Fournier J, Hildebrandt G, Stienen M, Chicherio C, Studerus-Germann A, Bläsi S, Rossi S, Gutbrod K, Schmid N, Beaud V, Mondadori C, Brugger P, Sacco L, Müri R, Swiss SOS study group. Call for uniform neuropsychological assessment after aneurysmal subarachnoid hemorrhage: Swiss recommendations. *Acta Neurochir (Wien)* 2015; 157:1449-58.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch