



## **Prof. Dr. med. Micha Maeder**

attending physician  
Kardiologie · Dept. I

### **Contact**

Prof. Dr. med. Micha Maeder  
Rorschacherstrasse 95  
9007 St. Gallen  
Switzerland

T +41 71 494 1039  
Micha.Maeder@kssg.ch

### **Units**

Kardiologie

### **Profile Function**

attending physician

## Publications (167)

Appert S, Weber L, Breuss A, Haager P, Joerg L, Weilenmann D, Chronis J, Rigger J, Rickli H, Maeder M. Estimated glomerular filtration rate, haemodynamics, and mortality in patients with aortic stenosis. *Eur J Clin Invest* 2023:e13965.

Seidl S, Rigger J, Chronis J, Rohner F, Jörg L, Haager P, Ammann P, Weilenmann D, Rogowski S, Rickli H, Maeder M. Long-term follow-up of medically treated patients with spontaneous coronary artery dissection: a prospective, Swiss single-centre cohort study. *Swiss Med Wkly* 2021; 151:w30067.

Weber L, Ehl N, Buser M, Rigger J, Chronis J, Weilenmann D, Jörg L, Haager P, Rickli H, Maeder M. Hemodynamics Prior to Valve Replacement for Severe Aortic Stenosis and Pulmonary Hypertension during Long-Term Follow-Up. *J Clin Med* 2021; 10

Belkin M, Münzel T, Erne P, Breidhardt T, Rickli H, Kobza R, de Oliveira Junior M, Danier I, Lopez-Ayala P, Kozhuharov N, Flores D, Walter J, Maeder M, Goudev A, Strebel I, Shrestha S, Gualandro D, Wussler D, Mueller C. Effect of a strategy of comprehensive vasodilation versus usual care on health-related quality of life among patients with acute heart failure. *ESC Heart Fail* 2021; 8:4218-4227.

Maeder M, Haager P, Rigger J, Chronis J, Joerg L, Hochholzer D, Weilenmann D, Seidl S, Weber L, Rickli H. Wedge Pressure vs Left Ventricular End-Diastolic Pressure for Pulmonary Hypertension Classification and Prognostication in Severe Aortic Stenosis. *CJC Open* 2021; 3:1428-1437.

Maeder M, Weber L, Buser M, Brenner R, Jörg L, Rickli H. Pulmonary Hypertension in Patients With Heart Failure With Mid-Range Ejection Fraction. *Front Cardiovasc Med* 2021; 8:694240.

Brugger N, Lichtblau M, Maeder M, Müller H, Pellaton C, Yerly P, Swiss Society For Pulmonary Hypertension Ssph. Two-dimensional transthoracic echocardiography at rest for the diagnosis, screening and management of pulmonary hypertension. *Swiss Med Wkly* 2021; 151:w20486.

Wartenweiler M, Dellas Buser T, Jörg L, Schwarz R, Rickli H, Maeder M. Pulmonary Embolism in a Patient With Hypertrophic Obstructive Cardiomyopathy: Think Outside "the Box". *Can J Cardiol* 2021; 37:1275-1277.

Simonavičius J, Maeder M, Eurlings C, Aizpurua A, Čelutkienė J, Barysienė J, Toggweiler S, Kaufmann B, Brunner-La Rocca H. Intensification of pharmacological decongestion but not the actual daily loop diuretic dose predicts worse chronic heart failure outcome: insights from TIME-CHF. *Clin Res Cardiol* 2020

Maeder M, Rigger J, Chronis J, Ammann P, Rohner F, Jörg L, Haager P, Weilenmann D, Weber L, Rickli H. Impact of a volume challenge on haemodynamics and prognosis in patients with severe aortic stenosis. *ESC Heart Fail* 2020

Lanfear D, Li J, Brunner-La Rocca H, Kraus W, Sabbah H, Maeder M, Zeld N, Sanders-van Wijk S, Adams K, O'Connor C, Donahue M, Gui H, She R, Luzum J, Williams L. Polygenic Score for Beta-Blocker Survival Benefit in European Ancestry Patients with Reduced Ejection Fraction Heart Failure. *Circ Heart Fail* 2020

Tschumper M, Ammann P, Jäger-Rhomberg F, Ehl N, Buser M, Brenner R, Seidl S, Rickli H, Weber L, Maeder M. Corrected QT Interval in Severe Aortic Stenosis: Clinical and Hemodynamic Correlates and Prognostic Impact. *Am J Med* 2020

Maeder M. Biomarkers of Cardiovascular Risk in Obstructive Sleep Apnea - Innovation or Illusion?. Trends Cardiovasc Med 2020

Weber L, Maisano F, Haager P, Buser M, Ehl N, Brenner R, Taramasso M, Ammann P, Rickli H, Maeder M. Hemodynamic profile of patients with severe aortic valve stenosis and atrial fibrillation versus sinus rhythm. Int J Cardiol 2020

Maeder M, Maisano F, Ehl N, Buser M, Taramasso M, Jörg L, Haager P, Weilenmann D, Weber L, Rickli H. Invasive Hemodynamic Staging Classification of Cardiac Damage in Patients With Aortic Stenosis Undergoing Valve Replacement. Can J Cardiol 2020

Stöhr R, Sanders-van Wijk S, Pfisterer M, Jeker U, Schuh A, Leibundgut G, Maeder M, Heine G, Brandenburg V, Brunner-La Rocca H. Limited role for fibroblast growth factor 23 in assessing prognosis in heart failure patients: data from the TIME-CHF trial. Eur J Heart Fail 2020

Maeder M, Maisano F, Haager P, Brenner R, Gerhard M, Ehl N, Buser M, Ammann P, Weber L, Rickli H. Relationship between B-type natriuretic peptide and invasive haemodynamics in patients with severe aortic valve stenosis. ESC Heart Fail 2020

Gil Cruz C, Jahns R, Wyss M, Mooser C, Lambrecht B, Maeder M, Rickli H, Flatz L, Eriksson U, Geuking M, McCoy K, Boivin-Jahns V, Slack E, Arnoldini M, Perez Shibayama C, De Martin A, Ronchi F, Van der Borgh K, Niederer R, Onder L, Lütge M, Novkovic M, Nindl V, Ramos G, Ludewig B. Microbiota-derived peptide mimics drive lethal inflammatory cardiomyopathy. Science 2019; 366:881-886.

Schiefer R, Rickli H, Neurauter E, Buser M, Weilenmann D, Maeder M. Non-invasive assessment prior to invasive coronary angiography in routine clinical practice in Switzerland - Is it according to the guidelines?. PloS one 2019; 14:e0222137.

Simonavičius J, van Empel V, Knackstedt C, Puronaitė R, Čelutkienė J, Pfisterer M, Kaufmann B, Pfister O, Maeder M, Rickenbacher P, Sanders van-Wijk S, Brunner-La Rocca H. Prognostic Significance of Longitudinal Clinical Congestion Pattern in Chronic Heart Failure: Insights From TIME-CHF Trial. Am J Med 2019; 132:e679-e692.

Beale A, Lam C, Evans S, Vizi D, van Empel V, Maeder M, Mariani J, Segan L, Nanayakkara S, Kaye D. Sex Differences in Heart Failure With Preserved Ejection Fraction Pathophysiology: A Detailed Invasive Hemodynamic and Echocardiographic Analysis. JACC Heart Fail 2019; 7:239-249.

Neurauter E, Leschka S, Wildermuth S, Ehl N, Jörg L, Rickli H, Maeder M. Use of coronary computed tomography angiography in clinical practice - single centre experience in Switzerland in light of current recommendations based on pretest probability considerations. Swiss Med Wkly 2019; 149:w20010.

Kozhuharov N, Michou E, Gujer S, Gori T, Wenzel P, Pfister O, Conen D, Kapos I, Kobza R, Rickli H, Breidhardt T, Münzel T, Erne P, Mueller C, Simon P, Sionis A, Goudev A, Flores D, Maeder M, Walter J, Shrestha S, Gualandro D, de Oliveira Junior M, Sabti Z, Müller B, Noveanu M, Socrates T, Ziller R, Bayés-Genís A, GALACTIC Investigators. Effect of a Strategy of Comprehensive Vasodilation vs Usual Care on Mortality and Heart Failure Rehospitalization Among Patients With Acute Heart Failure: The GALACTIC Randomized Clinical Trial. JAMA 2019; 322:2292-2302.

Weber L, Maisano F, Baier P, Taramasso M, Brenner R, Weilenmann D, Jörg L, Haager P, Rickli H, Maeder M. Haemodynamic mechanisms and long-term prognostic impact of pulmonary hypertension in patients with severe aortic stenosis undergoing valve replacement. Eur J Heart Fail 2018

Maeder M, Brenner R. Resting Heart Rate "Kinetics": Paradox or Means to Understand the Link Between Hypertension and Heart Failure?. *Am J Hypertens* 2018; 31:1090-1092.

Maeder M, Buser M, Brenner R, Rickli H. [Heart failure with preserved ejection fraction (HFpEF)]. *Ther Umsch* 2018; 75:161-169.

Wienbergen H, Hambrecht R, Senges J, Pauschinger M, von Scheidt W, Maeder M, Remppis B, Bruder O, Backhaus T, Fach A, Hochadel M, Pfister O, RAID-HF (Registry Analysis of Iron Deficiency-Heart Failure) Study Group. Long-term effects of iron deficiency in patients with heart failure with or without anemia: the RAID-HF follow-up study. *Clin Res Cardiol* 2018

Maeder M, Ehl N. When the Right Is Not Doing Right: The Role of Strain Imaging in Pulmonary Arterial Hypertension. *Can J Cardiol* 2018; 34:962-964.

Steinmann E, Brunner-La Rocca H, Maeder M, Kaufmann B, Pfisterer M, Rickenbacher P. Is the clinical presentation of chronic heart failure different in elderly versus younger patients and those with preserved versus reduced ejection fraction?. *Eur J Intern Med* 2018

Maeder M, Weber L, Buser M, Gerhard M, Haager P, Maisano F, Rickli H. Pulmonary Hypertension in Aortic and Mitral Valve Disease. *Front Cardiovasc Med* 2018; 5:40.

Davarzani N, Brunner-La Rocca H, Peeters R, Pfisterer M, Zaugg C, Rolny V, Block D, de Boer R, Suter T, Karel J, Smirnov E, Rickenbacher P, Maeder M, Sanders-van Wijk S, TIME-CHF Investigators. Novel concept to guide systolic heart failure medication by repeated biomarker testing-results from TIME-CHF in context of predictive, preventive, and personalized medicine. *EPMA J* 2018; 9:161-173.

Maeder M, Nägele R, Rohner P, Weilenmann D. Pulmonary hypertension in stiff left atrial syndrome: pathogenesis and treatment in one. *ESC Heart Fail* 2017

Brenner R, Diethelm M, Maeder M. Blutdruck und akutes Koronarsyndrom – Pathophysiologie, Prognose und Therapie. *LEADING OPTIONS Innere Medizin* 2017; 2017:18-20.

Maeder M, König T, Bogdanovic S, Schneider I, Eugster W, Ammann P, König M, Beer J, Rickli H. Quality of vitamin K antagonist oral anticoagulation in 322 patients with atrial fibrillation - real-life data from a survey in Eastern Switzerland. *Swiss Med Wkly* 2017; 147:w14503.

Nanayakkara S, Haykowsky M, Mariani J, van Empel V, Maeder M, Vizi D, Kaye D. Hemodynamic Profile of Patients With Heart Failure and Preserved Ejection Fraction Vary by Age. *J Am Heart Assoc* 2017; 6

Maeder M, Thompson B, Kaye D. Inverse Association Between Myocardial B-Type Natriuretic Peptide Release and Functional Capacity in Healthy Humans. *Heart Lung Circ* 2017

Boehnel C, Rickli H, Graf L, Maeder M. Coronary angiography with or without percutaneous coronary intervention in patients with hemophilia-Systematic review. *Catheter Cardiovasc Interv* 2017

Rigamonti F, Kaiser C, Rickli H, Corti R, Röthlisberger C, Wenaweser P, Weilenmann D, Cook S, Maeder M, Fahrni G, Roffi M. Switzerland: coronary and structural heart interventions from 2010 to 2015. *EuroIntervention* 2017; 13:Z75-Z79.

Rickenbacher P, Kaufmann B, Maeder M, Bernheim A, Goetschalckx K, Pfister O, Pfisterer M, Brunner-La Rocca H. Heart failure with mid-range ejection fraction: a distinct clinical entity? Insights from the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF). *Eur J Heart Fail* 2017

Davarzani N, Peeters R, Rickenbacher P, Pfisterer M, Gutmann M, Leibundgut G, Maeder M, Karel J, Sanders-van Wijk S, Brunner-La Rocca H. N-Terminal Pro-B-Type Natriuretic Peptide-Guided Therapy in Chronic Heart Failure Reduces Repeated Hospitalizations-Results From TIME-CHF. *J Card Fail* 2017; 23:382-389.

Uszko-Lencer N, Brunner-La Rocca H, Zugck C, Pfisterer M, Osswald S, Muzzarelli S, Gutmann M, Maeder M, Spruit M, Frankenstein L. Predicting hospitalization and mortality in patients with heart failure: The BARDICHE-index. *Int J Cardiol* 2016; 227:901-907.

Wienbergen H, Hambrecht R, Senges J, Pauschinger M, von Scheidt W, Strasser R, Maeder M, Remppis B, Bruder O, Michel S, Hochadel M, Pfister O. Usefulness of Iron Deficiency Correction in Management of Patients With Heart Failure [from the Registry Analysis of Iron Deficiency-Heart Failure (RAID-HF) Registry]. *Am J Cardiol* 2016; 118:1875-1880.

Maeder M, Brunner-La Rocca H, Pfisterer M, Julius B, Yoon S, Suter T, Kiencke S, Tobler D, Rickli H, Zurek M. Prognostic Value of the Change in Heart Rate From the Supine to the Upright Position in Patients With Chronic Heart Failure. *J Am Heart Assoc* 2016; 5

Maeder M, Mueller C, Schoch O, Ammann P, Rickli H. Biomarkers of cardiovascular stress in obstructive sleep apnea. *Clin Chim Acta* 2016; 460:152-63.

Rigger J, Ehl N, Nägele R, Rickli H, Maeder M. Kounis syndrome revisited: Systemic mastocytosis and severe coronary artery disease. *Int J Cardiol* 2016; 214:510-1.

Rogowski S, Maeder M, Weilenmann D, Haager P, Ammann P, Rohner F, Jörg L, Rickli H. Spontaneous Coronary Artery Dissection: Angiographic Follow-Up and Long-Term Clinical Outcome in a Predominantly Medically Treated Population. *Catheter Cardiovasc Interv* 2015

Diethelm M, Maeder M, Rickli H. Update hypertensive Herzkrankheit. *CARDIOVASCULAR MEDICINE – KARDIOVASKULÄRE MEDIZIN – MÉDECINE CARDIOVASCULAIRE* 2015; 18:312-318.

Sanders-van Wijk S, van Empel V, Davarzani N, Maeder M, Handschin R, Pfisterer M, Brunner-La Rocca H, TIME-CHF Investigators. Circulating biomarkers of distinct pathophysiological pathways in heart failure with preserved vs. reduced left ventricular ejection fraction. *Eur J Heart Fail* 2015; 17:1006-14.

Maeder M, Kleiner R, Weilenmann D. Severely worsening dyspnea after initiation of macitentan therapy for pulmonary arterial hypertension. *Int J Cardiol* 2015; 202:244-5.

Weidmann Z, Haas L, Jaeger C, Wildi K, Puelacher C, Honegger U, Wagener M, Wittmer S, Schumacher C, Krivoshei L, Hillinger P, Osswald S, Stallone F, Pershyna K, Breidthardt T, Twerenbold R, Züsli C, Nowak A, von Eckardstein A, Erne P, Rentsch K, de Oliveira M, Gualandro D, Maeder M, Rubini Gimenez M, Mueller C. Prediction of mortality using quantification of renal function in acute heart failure. *Int J Cardiol* 2015; 201:650-7.

Häfliger M, Weilenmann D, Rickli H, Maeder M. Recurrent left anterior descending artery spasm causing transmural ischaemia treated with stenting. *Eur Heart J* 2015

Maeder M, Buser M, Felizeter-Kessler M, Lenggenhager D. Reply: The Role of Immunohistochemistry in Diagnosis of Pulmonary Tumor Thrombotic Microangiopathy. *Am J Respir Crit Care Med* 2015; 192:116-7.

Kaufmann B, Rocca H, Pfisterer M, Bernheim A, Nietlispach F, Bucher U, Maeder M, Min S, Goetschalckx K, TIME-CHF Investigators. Improvement in left ventricular ejection fraction and reverse remodeling in elderly heart failure patients on intense NT-proBNP-guided therapy. *Int J Cardiol* 2015; 191:286-93.

Buser M, Felizeter-Kessler M, Lenggenhager D, Maeder M. Rapidly progressive pulmonary hypertension in a patient with pulmonary tumor thrombotic microangiopathy. *Am J Respir Crit Care Med* 2015; 191:711-2.

Maeder M, Karapanagiotidis S, Dewar E, Kaye D. Accuracy of Echocardiographic Cardiac Index Assessment in Subjects with Preserved Left Ventricular Ejection Fraction. *Echocardiography* 2015; 32:1628-38.

Ehl N, Maeder M, Jörg L. Isolated cardiac sarcoidosis: critical role of cardiac MRI for diagnosis and management. *Eur Heart J* 2015

Zurek M, Brunner-La Rocca H, Pfisterer M, Jeker U, Handschin R, Abbühl H, Sanders-van Wijk S, Muzzarelli S, Rickli H, Maeder M, TIME-CHF Investigators. Differential Prognostic Impact of Resting Heart Rate in Older Compared to Younger Patients with Chronic Heart Failure - Insights from TIME-CHF. *J Card Fail* 2015

Rigger J, Ehl N, Nägele R, Rickli H, Maeder M. Giant biventricular thrombi in a patient with heart failure and heparin-induced thrombocytopenia. *Int J Cardiol* 2015; 182C:377-378.

Brunner-La Rocca H, Maeder M, Rickenbacher P, Tobler D, Pfisterer M, Krause F, Rolny V, Eurlings L, Knackstedt C, TIME-CHF investigators. Impact of worsening renal function related to medication in heart failure. *Eur J Heart Fail* 2014; 17:159-68.

Maeder M, Rickli H, Twerenbold R, Brutsche M, Hilti J, Thalmann G, Wildi K, Estis J, Todd J, Christ M, Strobel W, Mueller C. Comprehensive biomarker profiling in patients with obstructive sleep apnea. *Clin Biochem* 2014

Kaye D, Mariani J, van Empel V, Maeder M. Determinants and implications of elevated soluble ST2 levels in heart failure. *Int J Cardiol* 2014; 176:1242-3.

Ehl N, Zurek M, Rickli H, Maeder M. "Double takotsubo": first description of the sequence of classical followed by inverted type in a young woman. *Int J Cardiol* 2014; 174:e36-7.

Vollenbroich R, Maeder M, Abt D. Use of optical coherence tomography in acute clinical settings. *Int J Cardiol* 2014; 174:e62-3.

Peeters J, Pfisterer M, Muzzarelli S, Maeder M, Handschin R, Nietlispach F, Rickenbacher P, Knackstedt C, Bektas S, Sanders-van Wijk S, Brunner-La Rocca H. Biomarkers in outpatient heart failure management; Are they correlated to and do they influence clinical judgment?. *Neth Heart J* 2014; 22:115-21.

Ellims A, Taylor A, Mariani J, Ling L, Iles L, Maeder M, Kaye D. Evaluating the utility of circulating biomarkers of collagen synthesis in hypertrophic cardiomyopathy. *Circ Heart Fail* 2014; 7:271-8.

Zurek M, Maeder M, Brutsche M, Lüthi A, Twerenbold R, Freese M, Rickli H, Mueller C. Midregional pro-adrenomedullin and copeptin: exercise kinetics and association with the cardiopulmonary exercise response in comparison to B-type natriuretic peptide. *Eur J Appl Physiol* 2014; 114:815-24.

Brenner R, Maeder M, Trachsel L, Ammann P, Korte W. Complement factor concentrations in patients with acute myocardial infarction: time course and ability to predict left ventricular dysfunction. *Biomark Med* 2014; 8:247-58.

Vollenbroich R, Maeder M, Weilenmann D. Congestive heart failure related to antifungal therapy with itraconazole. *Int J Cardiol* 2013; 172:e170-1.

van Empel V, Maeder M, Kiencke S, Pfisterer M, Muzzarelli S, Min S, Goetschalckx K, Bernheim A, Kaufmann B, Brunner-La Rocca H. Interaction between pulmonary hypertension and diastolic dysfunction in an elderly heart failure population. *J Card Fail* 2013; 20:98-104.

Sanders-van Wijk S, Brunner-La Rocca H, Pfisterer M, Peter M, Rickenbacher P, Erne P, Estlinbaum W, Rickli H, Nietlispach F, Maeder M, TIME-CHF Investigators. Long-term results of intensified, N-terminal-pro-B-type natriuretic peptide-guided versus symptom-guided treatment in elderly patients with heart failure: five-year follow-up from TIME-CHF. *Circ Heart Fail* 2013; 7:131-9.

Maeder M. Comorbidities in patients with acute coronary syndrome: rare and negligible in trials but common and crucial in the real world. *Heart* 2013; 100:268-70.

Maeder M. More on heart rate variability in obstructive sleep apnea: confusion on a higher level or first step to unravel the cardiovascular mystery of the sleep apnea patient?. *Sleep Breath* 2013

Maeder M, Rickli H. [Heart failure with preserved left ventricular ejection fraction]. *Praxis (Bern 1994)* 2013; 102:1299-307.

Abbas A, Schiller N, Al-Azizi K, Serra W, Vlahos A, Kaye D, Maeder M, Marwick T, Franey L, Lester S. Noninvasive assessment of pulmonary vascular resistance by Doppler echocardiography. *J Am Soc Echocardiogr* 2013; 26:1170-7.

Maeder M, Brunner-La Rocca H, Pfisterer M, Peter M, Vuillomenet A, Erne P, Gutmann M, Abbühl H, Rickli H, Rickenbacher P, TIME-CHF Investigators. N-terminal pro brain natriuretic peptide-guided management in patients with heart failure and preserved ejection fraction: findings from the Trial of Intensified versus standard medical therapy in elderly patients with congestive heart failure (TIME-CHF). *Eur J Heart Fail* 2013; 15:1148-56.

Ehl N, Rohner F, Maeder M, Rickli H. Left ventricular apical thrombus many months after pericardial biopsy. *Cardiovascular Medicine* 2013; 16:132-133.

Huijts M, Brunner-La Rocca H, Pfisterer M, Schindler R, Maeder M, Muzzarelli S, Burkard T, Duits A, van Oostenbrugge R, TIME-CHF Investigators. Cognitive impairment in heart failure: results from the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF) randomized trial. *Eur J Heart Fail* 2013; 15:699-707.

Camuglia A, Maeder M, Starr J, Farrington C, Kaye D. Impact of N-acetylcysteine on endothelial function, B-type natriuretic peptide and renal function in patients with the cardiorenal syndrome: a pilot cross over randomised controlled trial. *Heart Lung Circ* 2012; 22:256-9.

Maeder M. Ultrasensitive cardiac troponin and myocardial strain predict cardiotoxicity. *Biomark Med* 2012; 6:785-8.

Zurek M, Maeder M, Brutsche M, Christ A, Bosshard P, Ziller R, Rickli H, Kaye D, Mueller C. Does hypoxemia have an impact on the cardiac release and circulating concentrations of natriuretic peptides in humans in vivo?. *Int J Cardiol* 2012

Maeder M. Reduced left atrial early strain rate following acute sleep deprivation: chance finding or chance to find out more on the conundrum of sleep and cardiovascular disease?. *Sleep Breath* 2012

Spruit M, Brunner-La Rocca H, Rickli H, Pfisterer M, Kiencke S, Uszko-Lencer N, Jeker U, Ammann P, Knackstedt C, Maeder M, TIME-CHF Investigators. Prognostic value of self-reported versus objectively measured functional capacity in patients with heart failure: results from the TIME-CHF (Trial of Intensified Versus Standard Medical Therapy in Elderly Patients with Congestive Heart Failure). *J Am Coll Cardiol* 2012; 60:2125-6.

Kaye D, Khammy O, Mariani J, Maeder M. Relationship of circulating matrix biomarkers to myocardial matrix metabolism in advanced heart failure. *Eur J Heart Fail* 2012; 15:292-8.

Maeder M, Thompson B, Htun N, Kaye D. Hemodynamic determinants of the abnormal cardiopulmonary exercise response in heart failure with preserved left ventricular ejection fraction. *J Card Fail* 2012; 18:702-10.

Jörg L, Kim O, Geyer R, Maeder M. Multimodal imaging of anomalous pulmonary venous return in an adult patient with Scimitar syndrome. *Eur Heart J* 2012; 33:2679.

Brenner R, Weilenmann D, Maeder M, Jörg L, Bluzaitė I, Rickli H, De Pasquale G, Ammann P. Clinical characteristics, sex hormones, and long-term follow-up in Swiss postmenopausal women presenting with Takotsubo cardiomyopathy. *Clin Cardiol* 2012; 35:340-7.

Maeder M, Brunner-La Rocca H, Estlinbaum W, Kiencke S, Dieterle T, Weilenmann D, Hack D, Fehr T, Ammann P, Muzzarelli S, Pfisterer M, Rickli H, TIME-CHF Investigators. Incidence, clinical predictors, and prognostic impact of worsening renal function in elderly patients with chronic heart failure on intensive medical therapy. *Am Heart J* 2012; 163:407-14, 414.e1.

Hottkowitz C, Ammann P, Kleger G, Künzli A, Hack D, Rickli H, Maeder M. Successful management of a case of electrical storm due to invasive endocarditis. *Can J Cardiol* 2012; 28:245.e13-5.

Muzzarelli S, Brunner-La Rocca H, Pfisterer M, Burkard T, Julius B, Nietlispach F, Rickli H, Toggweiler S, Maeder M, TIME-CHF Investigators. Frequency and predictors of hyperkalemia in patients  $\geq 60$  years of age with heart failure undergoing intense medical therapy. *Am J Cardiol* 2011; 109:693-8.

Ehl N, Rickli H, Jörg L, Falk V, Weilenmann D, Epp C, Thies S, Geyer R, Sündermann S, Maeder M. Constrictive pericarditis presenting as a large mediastinal mass causing functional tricuspid and pulmonary stenosis. *Circulation* 2011; 124:e487-91.

Brunner-La Rocca H, Rickli H, Pfisterer M, Osswald S, Pfister O, Leventhal M, Kiowski W, Jeker U, Maeder M, Schindler R, Muzzarelli S, Rickenbacher P, TIME-CHF Investigators. End-of-life preferences of elderly patients with chronic heart failure. *Eur Heart J* 2011; 33:752-9.

Maeder M, Khammy O, dos Remedios C, Kaye D. Myocardial and systemic iron depletion in heart failure implications for anemia accompanying heart failure. *J Am Coll Cardiol* 2011; 58:474-80.

Maeder M. Heart rate recovery in obstructive sleep apnea: scientific toy or clinical tool?. *Sleep Breath* 2011



Maeder M, Kaye D. Transcardiac gradients of B-type natriuretic peptides are increased in human pulmonary arterial hypertension. *Int J Cardiol* 2011; 151:117-9.

Maeder M, Karapanagiotidis S, Dewar E, Gamboni S, Htun N, Kaye D. Accuracy of Doppler echocardiography to estimate key hemodynamic variables in subjects with normal left ventricular ejection fraction. *J Card Fail* 2011; 17:405-12.

Maeder M, Rickli H. [The diagnosis of heart failure]. *Ther Umsch* 2011; 68:65-70.

Maeder M, Gamboni S, Kaye D. Temporal changes in diastolic function in heart failure patients with restrictive filling. *Int J Cardiol* 2010; 146:246-8.

Maeder M, Kaye D. Differential impact of heart rate and blood pressure on outcome in patients with heart failure with reduced versus preserved left ventricular ejection fraction. *Int J Cardiol* 2010

Altmann D, Ullmer E, Rickli H, Maeder M, Sticherling C, Schaer B, Osswald S, Ammann P. Clinical impact of screening for sleep related breathing disorders in atrial fibrillation. *Int J Cardiol* 2010; 154:256-8.

Maeder M, Thompson B, Brunner-La Rocca H, Kaye D. Hemodynamic basis of exercise limitation in patients with heart failure and normal ejection fraction. *J Am Coll Cardiol* 2010; 56:855-63.

Pfluger H, Maeder M, LaGerche A, Taylor A. One- and two-dimensional estimation of right and left ventricular size and function-comparison with cardiac magnetic resonance imaging volumetric analysis. *Heart Lung Circ* 2010; 19:541-8.

Maeder M, Mariani J, Kaye D. Hemodynamic determinants of myocardial B-type natriuretic peptide release: relative contributions of systolic and diastolic wall stress. *Hypertension* 2010; 56:682-9.

Ehl N, Koller R, Maeder M, Rickli H. Recurrent pericarditis caused by transdiaphragmatic migration of surgical tacks. *Eur Heart J* 2010; 31:2807.

Muzzarelli S, Brunner-La Rocca H, Pfisterer M, Buser P, Jeker U, Gutmann M, Handschin R, Rickli H, Maeder M, Leibundgut G, TIME-CHF Investigators. Predictors of early readmission or death in elderly patients with heart failure. *Am Heart J* 2010; 160:308-14.

Maeder M, Bergmann A, Morgenthaler N, Staub D, Meissner J, Reiter M, Socrates T, Arenja N, Brutsche M, Mueller C. Biomarkers and peak oxygen uptake in patients with chronic lung disease. *Respiration* 2010; 80:543-52.

Maeder M, Ammann P, Rickli H. The diagnosis of heart failure with normal ejection fraction--a demanding task!. *Swiss Med Wkly* 2010; 140:323; author reply 324.

Maeder M, Struck J, Bergmann A, Morgenthaler N, Meissner J, Reiter M, Socrates T, Arenja N, Brutsche M, Staub D, Mueller C. Copeptin response to clinical maximal exercise tests. *Clin Chem* 2010; 56:674-6.

Altmann D, Korte W, Maeder M, Fehr T, Haager P, Rickli H, Kleger G, Rodriguez R, Ammann P. Elevated cardiac troponin I in sepsis and septic shock: no evidence for thrombus associated myocardial necrosis. *PloS one* 2010; 5:e9017.

Maeder M, Bergmann A, Morgenthaler N, Reichlin T, Potocki M, Schaub N, Breidhardt T, Noveanu M, Staub D, Christ A, Brutsche M, Mueller C. Midregional pro-A-type natriuretic peptide for the evaluation of exercise intolerance. *International journal of cardiology* 2009

Maeder M, Duerring C, Engel R, Boesch C, Pfisterer M, Myers J, Müller-Brand J, Zellweger M. Predictors of impaired heart rate recovery: a myocardial perfusion SPECT study. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology* 2009

Maeder M, Conen D, Schaub N, Potocki M, Breidhardt T, Noveanu M, Reichlin T, Surnier Y, Staub D, Mueller C. Determinants of absolute and relative exercise-induced changes in B-type natriuretic peptides. *International journal of cardiology* 2009

Maeder M, Ammann P, Schoch O, Rickli H, Korte W, Hürny C, Myers J, Münzer T. Determinants of postexercise heart rate recovery in patients with the obstructive sleep apnea syndrome. *Chest* 2009; 137:310-7.

Maeder M, Zellweger M. [Diagnosis of coronary artery disease - part 4: Computed tomography and coronary angiography]. *Praxis* 2009; 98:1083-90.

Maeder M, Zellweger M. [Diagnosis of coronary artery disease - part 3: Stress echocardiography and cardiac magnetic resonance imaging]. *Praxis* 2009; 98:1075-81.

Maeder M, Zellweger M. [Diagnosis of coronary artery disease--part 1: general approach]. *Praxis* 2009; 98:1059-66.

Maeder M, Zellweger M. [Diagnosis of coronary artery disease - part 2: Exercise electrocardiogram and myocardial perfusion scintigraphy]. *Praxis* 2009; 98:1067-74.

Maeder M, Brutsche M, Christ A, Reichlin T, Staub D, Noveanu M, Breidhardt T, Potocki M, Mueller C. Natriuretic peptides for the prediction of severely impaired peak VO<sub>2</sub> in patients with lung disease. *Respiratory medicine* 2009; 103:1337-45.

Maeder M. [Cardiopulmonary exercise testing for the evaluation of unexplained dyspnea]. *Therapeutische Umschau. Revue thérapeutique* 2009; 66:665-9.

Maeder M, Potocki M, Reichlin T, Klima T, Christ A, Breidhardt T, Laule K, Noveanu M, Bergmann A, Morgenthaler N, Staub D, Brutsche M, Mueller C. B-type natriuretic peptide and C-terminal-pro-endothelin-1 for the prediction of severely impaired peak oxygen consumption. *Journal of internal medicine* 2009; 265:604-15.

Maeder M, Leet A, Ross A, Esmore D, Kaye D. Changes in right ventricular function during continuous-low left ventricular assist device support. *The Journal of heart and lung transplantation : the official publication of the International Society for Heart Transplantation* 2009; 28:360-6.

Maeder M, Kaye D. Heart failure with normal left ventricular ejection fraction. *Journal of the American College of Cardiology* 2009; 53:905-18.

Mueller C, Maeder M, Christ A, Reichlin T, Staub D, Noveanu M, Breidhardt T, Potocki M, Brutsche M. B-type natriuretic peptides for the evaluation of exercise intolerance. *The American journal of medicine* 2009; 122:265-72.

Maeder M, Ammann P, Münzer T, Schoch O, Korte W, Hürny C, Myers J, Rickli H. Continuous positive airway pressure improves exercise capacity and heart rate recovery in obstructive sleep apnea. *International journal of cardiology* 2009; 132:75–83.

Maeder M, Ammann P, Münzer T. Peak oxygen consumption and heart rate recovery in patients with the obstructive sleep apnea syndrome. *Chest* 2009; 135:584; author reply 584–5.

Maeder M, Ammann P, Rickli H, Brunner–La Rocca H. Impact of the exercise mode on heart rate recovery after maximal exercise. *European journal of applied physiology* 2009; 105:247–55.

Maeder M, Holst D, Kaye D. Tricuspid regurgitation contributes to renal dysfunction in patients with heart failure. *Journal of cardiac failure* 2008; 14:824–30.

Di Valentino M, Maeder M, Jaggi S, Schumann J, Sommerfeld K, Piazzalonga S, Hoffmann A. Prognostic value of cycle exercise testing prior to and after outpatient cardiac rehabilitation. *International journal of cardiology* 2008

Maeder M, Kaye D. B-type natriuretic peptide in end-stage renal disease: a neurohormone rather than a volume status monitor. *Southern medical journal* 2008; 101:1081–2.

Maeder M, Münzer T, Rickli H, Schoch O, Korte W, Hürny C, Ammann P. Association between heart rate recovery and severity of obstructive sleep apnea syndrome. *Sleep medicine* 2008; 9:753–61.

Maeder M, Muenzer T, Rickli H, Brunner–La Rocca H, Myers J, Ammann P. How accurately are maximal metabolic equivalents estimated based on the treadmill workload in healthy people and asymptomatic subjects with cardiovascular risk factors?. *International journal of sports medicine* 2008; 29:658–63.

Maeder M, Mueller C, Pfisterer M, Buser P, Brunner–La Rocca H. Use of B-type natriuretic peptide outside of the emergency department. *International journal of cardiology* 2008; 127:5–16.

Maeder M, Amsler B, Zellweger M, Nietlispach F, Weilenmann D, Roth J, Roser H, Buser P, Pfisterer M, Kaiser C. Long-term outcomes after intracoronary Beta-irradiation for in-stent restenosis in bare-metal stents. *The Journal of invasive cardiology* 2008; 20:179–84.

Maeder M, Myers J. N-terminal pro-B-type natriuretic peptide and functional capacity in patients with obstructive sleep apnea. *Sleep & breathing = Schlaf & Atmung* 2008; 12:7–16.

Strasser F, Cerny T, Von Moss R, Brändle M, Holst B, Kaufmann K, Tschöp M, Büche D, Thürlimann B, Maeder M, Lutz T, Demmer–Steingruber R. Safety, tolerability and pharmacokinetics of intravenous ghrelin for cancer-related anorexia/cachexia: a randomised, placebo-controlled, double-blind, double-crossover study. *BJC* 2008; 98:300–8.

Maeder M, Hack D, Rickli H, Rocca H, Riesen W, Ammann P. Relevance of short-term variation of B-type natriuretic peptide in patients with clinically stable heart failure. *Wiener klinische Wochenschrift* 2008; 120:672–8.

Maeder M, Wolber T, Ammann P, Myers J, Brunner–La Rocca H, Hack D, Riesen W, Rickli H. Cardiopulmonary exercise testing in mild heart failure: impact of the mode of exercise on established prognostic predictors. *Cardiology* 2008; 110:135–41.

<p>Blank R, Haager P, Maeder M, Genoni M, Rickli H. Giant right coronary artery aneurysm. <i>The Annals of thoracic surgery</i> 2007; 84:1740-2.</p>
<p>Maeder M, Wolber T, Rickli H, Myers J, Hack D, Riesen W, Weilenmann D, Ammann P. B-type natriuretic peptide kinetics and cardiopulmonary exercise testing in heart failure. <i>International journal of cardiology</i> 2007; 120:391-8.</p>
<p>Maeder M, Keller D. [B-type natriuretic peptide (BNP) in the outpatient clinic--usefulness and pitfalls]. <i>Praxis</i> 2007; 96:1121-9.</p>
<p>Maeder M, Stöckli M, Zellweger M. Adenosine-induced severe acute respiratory distress in chronic obstructive pulmonary disease: a myth?. <i>Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology</i> 2007; 137:212.</p>
<p>Maeder M, Rickli H, Sticherling C, Widmer R, Ammann P. Hypokalaemia and sudden cardiac death--lessons from implantable cardioverter defibrillators. <i>Emergency medicine journal : EMJ</i> 2007; 24:206-8.</p>
<p>Wolber T, Maeder M, Rickli H, Riesen W, Binggeli C, Duru F, Ammann P. N-terminal pro-brain natriuretic peptide used for the prediction of coronary artery stenosis. <i>European journal of clinical investigation</i> 2007; 37:18-25.</p>
<p>Wolber T, Maeder M, Atefy R, Bluzaitė I, Blank R, Rickli H, Ammann P. Should routine echocardiography be performed in all patients with stroke?. <i>Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association</i> 2007; 16:1-7.</p>
<p>Wolber T, Maeder M, Weilenmann D, Duru F, Bluzaitė I, Riesen W, Rickli H, Ammann P. Integration of B-type natriuretic peptide levels with clinical data and exercise testing for predicting coronary artery disease. <i>The American journal of cardiology</i> 2006; 98:764-7.</p>
<p>Maeder M, Wolber T, Rickli H, Ammann P. Transient left ventricular "hypertrophy" in a woman with meningoencephalitis. <i>Echocardiography (Mount Kisco, N.Y.)</i> 2006; 23:582-4.</p>
<p>Blank R, Wolber T, Maeder M, Rickli H. Reversible cardiomyopathy in a patient with juvenile hemochromatosis. <i>International journal of cardiology</i> 2006; 111:161-2.</p>
<p>Maeder M, Fehr T, Rickli H, Ammann P. Sepsis-associated myocardial dysfunction: diagnostic and prognostic impact of cardiac troponins and natriuretic peptides. <i>Chest</i> 2006; 129:1349-66.</p>
<p>Maeder M, Wolber T, Künzli A, Genoni M, Blank R, Rickli H. Aortopulmonary fistula occurring 4 years after replacement of the ascending aorta. <i>The Annals of thoracic surgery</i> 2006; 81:e18-20.</p>
<p>Schneider T, Rickli H, Glied V, Maeder M. Bland-White-Garland syndrome and atrial septal defect - rare association and diagnostic challenge. <i>Clinical research in cardiology : official journal of the German Cardiac Society</i> 2006; 95:295-300.</p>
<p>Wolber T, Maeder M. Normal range of N-terminal pro-brain natriuretic peptide: a note of caution. <i>European heart journal</i> 2006; 27:622; author reply 622-3.</p>

Maeder M, Wolber T, Atefy R, Gadza M, Ammann P, Myers J, Rickli H. A nomogram to select the optimal treadmill ramp protocol in subjects with high exercise capacity: validation and comparison with the Bruce protocol. *Journal of cardiopulmonary rehabilitation* 2006; 26:16-23.

Maeder M, Brunner-La Rocca H, Wolber T, Ammann P, Roelli H, Rohner F, Rickli H. Impact of a lead glass screen on scatter radiation to eyes and hands in interventional cardiologists. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2006; 67:18-23.

Maeder M, Ammann P, Kiowski W, Rickli H. B-type natriuretic peptide in patients with sepsis and preserved left ventricular ejection fraction. *European journal of heart failure : journal of the Working Group on Heart Failure of the European Society of Cardiology* 2005; 7:1164-7.

Maeder M, Ammann P, Drack G, Rickli H. Pregnancy-associated spontaneous coronary artery dissection: impact of medical treatment. Case report and systematic review. *Z Kardiol* 2005; 94:829-35.

Maeder M, Wolber T, Atefy R, Gadza M, Ammann P, Myers J, Rickli H. Impact of the exercise mode on exercise capacity: bicycle testing revisited. *Chest* 2005; 128:2804-11.

Henz S, Maeder M. Prospective study of accidental carbon monoxide poisoning in 38 Swiss soldiers. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:398-408.

Maeder M, Ammann P, Angehrn W, Rickli H. Idiopathic spontaneous coronary artery dissection: incidence, diagnosis and treatment. *International journal of cardiology* 2005; 101:363-9.

Sticherling C, Schaer B, Ammann P, Maeder M, Osswald S. Methadone-induced Torsade de pointes tachycardias. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:282-5.

Maeder M, Klein M, Fehr T, Rickli H. Contrast nephropathy: review focusing on prevention. *Journal of the American College of Cardiology* 2004; 44:1763-71.

Maeder M, Vogt P, Ammann P, Rickli H. Bland-White-Garland syndrome in a 39-year-old mother. *The Annals of thoracic surgery* 2004; 78:1451-3.

Maeder M, Binek J. [Impact of endoscopic ultrasonography in the diagnosis of aberrant right subclavian artery: a case report]. *Ultraschall in der Medizin (Stuttgart, Germany : 1980)* 2004; 25:296-8.

Maeder M, Ammann P, Rickli H, Schoch O. Fever and night sweats in a 22-year-old man with a mediastinal mass involving the heart. *Chest* 2003; 124:2006-9.

Maeder M, Ammann P, Rickli H, Diethelm M. Elevation of B-type natriuretic peptide levels in acute respiratory distress syndrome. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2003; 133:515-8.

Maeder M, Vogt P, Schaer G, von Graevenitz A, Günthard H. Aortic homograft endocarditis caused by *Rhodotorula mucilaginosa*. *Infection* 2003; 31:181-3.

**Maeder M, Ullmer E. Pneumomediastinum and bilateral pneumothorax as a complication of cocaine smoking. Respiration; international review of thoracic diseases 2003; 70:407.**

**Maeder M, Ammann P, Angehrn W, Rickli H. [Spontaneous coronary artery dissection as a rare cause of an acute coronary syndrome]. Zeitschrift für Kardiologie 2002; 91:951-5.**

**Prêtre R, Maeder M, Turina M. Technical considerations in the repair of combined aortic arch and diaphragm rupture after blunt trauma. The Journal of trauma 2001; 50:952-4.**

## Projects (10)

### **SOS AMI Selatogrel**

*Clinical Studies - Jan 10, 2022 - Jan 14, 2026*

*Ongoing*

### **CARE-HK in HF Registry**

*Clinical Studies - Sep 30, 2021 - Dec 31, 2025*

*Ongoing*

### **Dissecting the association of anti-microbiota antibodies and auto-reactive T-cells in cardiomyopathy- an exploratory research Project**

*Clinical Studies - Jan 25, 2018 - Aug 25, 2021*

*Completed*

### **Effect of induction chemotherapy on lung function measured by spiroergometry and 6-Minute walking test in patients affected by non-small cell lung cancer (NSCLC)**

*Fundamental Research - Jan 1, 2018 - Dec 31, 2020*

*Automatically Closed*

### **PARADISE-MI: Prospective ARNI versus ACE inhibitor trial to Determine**

*Clinical Studies - May 31, 2017 - Mar 1, 2021*

*Completed*

### **SCAD: Spontaneous coronary artery dissection: single centre study with systematic angiographic and clinical follow-up**

*Clinical Studies - Oct 16, 2014 - Dec 31, 2020*

*Completed*

### **RELAX - RLX030A**

*Clinical Studies - Jun 20, 2014 - Mar 22, 2017*

*Completed*

### **EVITA-RAID-HF Register**

*Clinical Studies - May 14, 2012 - Dec 31, 2016*

*Completed*

### **GALACTIC**

*Clinical Studies - Nov 2, 2011 - Nov 2, 2015*

*Completed*

**INR Survey - Qualität der oralen Antikoagulation in der Praxis in der Schweiz**

*Clinical Studies - Jan 1, 2011 - Dec 31, 2014*

*Completed*

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)