



Céline Besse

Contact

Céline Besse

Publications (2)

Deloukas P, Escher S, Dedoussis G, Blakemore A, Waldenberger M, Tsafantakis E, Tomaszewski M, Strauch K, Stanton A, Silveira A, Shields D, Sever P, Sennblad B, Sabater-Lleal M, Kooner J, McCarthy M, Palmer C, Samani N, Franks P, Munroe P, Wareham N, Chambers J, Gieger C, Zeggini E, Jarvelin M, Tobin M, Frayling T, Caulfield M, Hamsten A, Rolandsson O, Renström F, An Hashim N, Lataniotis L, Strawbridge R, Couto Alves A, Müller-Nurasyid M, Yaghootkar H, Zhang W, Southam L, Scott R, Warren H, Varga T, Stirrups K, Masca N, Besse C, Boland A, Braund P, Rayner N, Poulter N, Peters A, Pasko D, Matchan A, Keinänen-Kiukaanniemi S, Karaleftheri M, Jansson J, Gallert H, Franks S, Farmaki A, Dominiczak A, Connell J, Kanoni S. Analysis with the exome array identifies multiple new independent variants in lipid loci. *Hum Mol Genet* 2016; 25:4094–4106.

Franco O, Lorenzo C, Karter A, Ingelsson E, Hansen T, Cupples L, Brown J, Bis J, Becker D, Zengini E, Yanek L, Mathias R, Norris J, Peloso G, Ferrannini E, Deloukas P, Dedoussis G, Bottinger E, Boeing H, Wagenknecht L, Varma R, Vaidya D, Toniolo D, Sheu W, Javad S, Tsafantakis E, Traglia M, Rayner N, Peter A, Pasko D, Palmer N, Ntalla I, Muzny D, Mohlke K, Metcalf G, McLeod O, McKean-Cowdin R, Renström F, Rice K, Sala C, Torres M, Thanopoulou A, Tentolouris N, Stirrups K, Stahl E, Speliotes E, Soranzo N, Smith J, Serafetinidis I, Sennblad B, Matchan A, Goodarzi M, van Duijn C, Tai E, Psaty B, Pedersen O, Chasman D, Borecki I, Laakso M, Zeggini E, Wong T, Wareham N, Waterworth D, Boerwinkle E, Scott R, Meigs J, Rotter J, Dupuis J, Siscovick D, Frayling T, Wilson J, Loos R, Florez J, Kao W, Watkins H, Walker M, Uitterlinden A, Launer L, Langenberg C, Jansson J, Hofman A, Hayward C, Hattersley A, Harris T, Hamsten A, Gudnason V, Gibbs R, Levy D, Oostra B, O'Donnell C, Smith B, Schulze M, Rudan I, Ridker P, Rich S, Province M, Polasek O, Pankow J, Padmanabhan S, O'Rahilly S, Franks P, Maruthur N, Amin N, Meidtner K, Hua Zhao J, Li M, Layton J, Lange L, Jakobsdottir J, Isaacs A, Hara K, Guo X, Garcia M, Morrison A, Nalls M, Peters M, Allin K, Varga T, Taylor K, Strawbridge R, Stoiber M, Southam L, Smith A, Silveira A, Schurmann C, Sabater-Lleal M, Freitag D, Fornage M, Bork-Jensen J, Hidalgo B, Lipovich L, Raghavan S, Hivert M, Dauriz M, Brody J, Yaghootkar H, Wang S, Willems S, Chu A, Fox K, Huffman J, An P, Boland A, Besse C, Abrol R, Stančáková A, Baldrige A, Li L, Ehm M, Grarup N, Rasmussen-Torvik L, Lu Y, Wessel J, Marouli E, Kirkpatrick A, Khor C, Karaleftheri M, Jørgensen T, Jørgensen M, Jensen R, Ikram M, Hoffmann P, Heo J, Hallmans G, Kraja A, Kuusisto J, Lange E, Mamakou V, Malerba G, Linneberg A, Lindgren C, Liu Y, Liu C, Liao J, Leong A, Lee W, Lee I, Hai Y, Gustafsson S, Grove M, Cheng C, Chen Y, Chen Y, Burns S, Bowden D, Bombieri C, Boehnke M, Bihlmeyer N, Barbieri C, Aung T, Correa A, Czajkowski J, Dehghan A, Gottesman O, Goel A, Goddard W, Giulianini F, Gambaro G, Frånberg M, Farmaki A, Escher S, Eiriksdottir G, Ehret G, Aponte J. Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. *Nat Commun* 2015; 6:5897.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch