



## Stefan A Escher

### Contact

Stefan A Escher

## Publications (3)

Deloukas P, Escher S, Dedoussis G, Blakemore A, Waldenberger M, Tsafantakis E, Tomaszewski M, Strauch K, Stanton A, Silveira A, Shields D, Sever P, Sennblad B, Sabater-Lleal M, Kooner J, McCarthy M, Palmer C, Samani N, Franks P, Munroe P, Wareham N, Chambers J, Gieger C, Zeggini E, Jarvelin M, Tobin M, Frayling T, Caulfield M, Hamsten A, Rolandsson O, Renström F, An Hashim N, Lataniotis L, Strawbridge R, Couto Alves A, Müller-Nurasyid M, Yaghootkar H, Zhang W, Southam L, Scott R, Warren H, Varga T, Stirrups K, Masca N, Besse C, Boland A, Braund P, Rayner N, Poulter N, Peters A, Pasko D, Matchan A, Keinänen-Kiukaanniemi S, Karaleftheri M, Jansson J, Gallert H, Franks S, Farmaki A, Dominiczak A, Connell J, Kanoni S. Analysis with the exome array identifies multiple new independent variants in lipid loci. *Hum Mol Genet* 2016; 25:4094–4106.

Franco O, Lorenzo C, Karter A, Ingelsson E, Hansen T, Cupples L, Brown J, Bis J, Becker D, Zengini E, Yanek L, Mathias R, Norris J, Peloso G, Ferrannini E, Deloukas P, Dedoussis G, Bottinger E, Boeing H, Wagenknecht L, Varma R, Vaidya D, Toniolo D, Sheu W, Javad S, Tsafantakis E, Traglia M, Rayner N, Peter A, Pasko D, Palmer N, Ntalla I, Muzny D, Mohlke K, Metcalf G, McLeod O, McKean-Cowdin R, Renström F, Rice K, Sala C, Torres M, Thanopoulou A, Tentolouris N, Stirrups K, Stahl E, Speliotes E, Soranzo N, Smith J, Serafetinidis I, Sennblad B, Matchan A, Goodarzi M, van Duijn C, Tai E, Psaty B, Pedersen O, Chasman D, Borecki I, Laakso M, Zeggini E, Wong T, Wareham N, Waterworth D, Boerwinkle E, Scott R, Meigs J, Rotter J, Dupuis J, Siscovick D, Frayling T, Wilson J, Loos R, Florez J, Kao W, Watkins H, Walker M, Uitterlinden A, Launer L, Langenberg C, Jansson J, Hofman A, Hayward C, Hattersley A, Harris T, Hamsten A, Gudnason V, Gibbs R, Levy D, Oostra B, O'Donnell C, Smith B, Schulze M, Rudan I, Ridker P, Rich S, Province M, Polasek O, Pankow J, Padmanabhan S, O'Rahilly S, Franks P, Maruthur N, Amin N, Meidtner K, Hua Zhao J, Li M, Layton J, Lange L, Jakobsdottir J, Isaacs A, Hara K, Guo X, Garcia M, Morrison A, Nalls M, Peters M, Allin K, Varga T, Taylor K, Strawbridge R, Stoiber M, Southam L, Smith A, Silveira A, Schurmann C, Sabater-Lleal M, Freitag D, Fornage M, Bork-Jensen J, Hidalgo B, Lipovich L, Raghavan S, Hivert M, Dauriz M, Brody J, Yaghootkar H, Wang S, Willems S, Chu A, Fox K, Huffman J, An P, Boland A, Besse C, Abrol R, Stančáková A, Baldrige A, Li L, Ehm M, Grarup N, Rasmussen-Torvik L, Lu Y, Wessel J, Marouli E, Kirkpatrick A, Khor C, Karaleftheri M, Jørgensen T, Jørgensen M, Jensen R, Ikram M, Hoffmann P, Heo J, Hallmans G, Kraja A, Kuusisto J, Lange E, Mamakou V, Malerba G, Linneberg A, Lindgren C, Liu Y, Liu C, Liao J, Leong A, Lee W, Lee I, Hai Y, Gustafsson S, Grove M, Cheng C, Chen Y, Chen Y, Burns S, Bowden D, Bombieri C, Boehnke M, Bihlmeyer N, Barbieri C, Aung T, Correa A, Czajkowski J, Dehghan A, Gottesman O, Goel A, Goddard W, Giulianini F, Gambaro G, Frånberg M, Farmaki A, Escher S, Eiriksdottir G, Ehret G, Aponte J. Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. *Nat Commun* 2015; 6:5897.

Varga T, Renström F, Orho-Melander M, Melander O, Nilsson P, Barroso I, Escher S, Hallmans G, Koivula R, Shungin D, Sonestedt E, Franks P. Genetic determinants of long-term changes in blood lipid concentrations: 10-year follow-up of the GLACIER study. *PLoS Genet* 2014; 10:e1004388.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)