



Suzannah J Bumpstead

Contact

Suzannah J Bumpstead

Publications (2)

Kovacs P, Pankow J, Payne F, Prokopenko I, Psaty B, Renström F, Rice K, Rotter J, Rybin D, Sandholt C, Sayer A, Shrader P, North K, Müller G, Kumari M, Kuusisto J, Laakso M, Lecoeur C, Lévy-Marchal C, Li G, Loos R, Lyssenko V, Marmot M, Marques-Vidal P, Morken M, Schwarz P, Siscovick D, Stančáková A, Vollenweider P, Walker M, Watanabe R, Pedersen O, Meigs J, Ingelsson E, Barroso I, Florez J, Franks P, Dupuis J, Wareham N, Kao W, Groop L, Stumvoll M, Teslovich T, Waeber G, Williams G, Witte D, Wood A, Xie W, Boehnke M, Cooper C, Ferrucci L, Froguel P, Langenberg C, Kivimäki M, Scott R, Marek D, Rasmussen-Torvik L, Stringham H, Tanaka T, Aadahl M, Arking D, Bergmann S, Boerwinkle E, Bonnycastle L, Bornstein S, Brunner E, Lagou V, Kutalik Z, Chu A, Grarup N, Manning A, Hivert M, Shungin D, Tönjes A, Yesupriya A, Barnes D, Bouatia-Naji N, Glazer N, Jackson A, Bumpstead S, Brage S, Carlson O, Gräßler J, Gustafsson S, Hallmans G, Hansen T, Hingorani A, Holloway J, Hu F, Isomaa B, Jameson K, Johansson I, Jonsson A, Goodarzi M, Fox C, Chen H, Chen Y, Chines P, Collins F, Couper D, Dennison E, Dowling N, Egan J, Ekelund U, Erdos M, Forouhi N, Jørgensen T. No interactions between previously associated 2-hour glucose gene variants and physical activity or BMI on 2-hour glucose levels. *Diabetes* 2012; 61:1291-6.

Morris A, Stringham H, Swift A, Tuomi T, Uda M, Vollenweider P, Waeber G, Wallace C, Walters G, Weedon M, Wittman J, Zhang C, Zhang W, Caulfield M, Collins F, Davey Smith G, Yuan X, Song K, Munroe P, Narisu N, Nordström A, Nordström P, Oostra B, Palmer C, Payne F, Peden J, Prokopenko I, Renström F, Ruukonen A, Salomaa V, Sandhu M, Scott L, Scuteri A, Silander K, Day I, Franks P, Hugh Watkins, Waterworth D, Boehnke M, Deloukas P, Groop L, Hunter D, Thorsteinsdottir U, Schlessinger D, Wichmann H, Frayling T, Abecasis G, Hirschhorn J, Loos R, Stefansson K, Mohlke K, Barroso I, Wareham N, van Duijn C, Hattersley A, Hu F, Jarvelin M, Kong A, Kooner J, Laakso M, Lakatta E, Mooser V, Morris A, Peltonen L, Samani N, Spector T, Strachan D, Tanaka T, Tuomilehto J, Uitterlinden A, McCarthy M, Lindgren C, Lyon H, Rivadeneira F, Sanna S, Timpson N, Zillikens M, Zhao J, Almgren P, Bandinelli S, Bennett A, Bergman R, Bonnycastle L, Bumpstead S, Chanock S, Cherkas L, Chines P, Coin L, Luan J, Drong A, Heid I, Randall J, Lamina C, Steinthorsdottir V, Qi L, Speliotes E, Thorleifsson G, Willer C, Herrera B, Jackson A, Lim N, Scheet P, Soranzo N, Amin N, Aulchenko Y, Chambers J, Cooper C, Crawford G, Hofman A, Holle R, Holloway J, Illig T, Isomaa B, Jacobs L, Jameson K, Jousilahti P, Karpe F, Kuusisto J, Laitinen J, Lathrop G, Lawlor D, Mangino M, McArdle W, Meitinger T, Havulinna A, Hamsten A, Doering A, Dominiczak A, Doney A, Ebrahim S, Elliott P, Erdos M, Estrada K, Ferrucci L, Fischer G, Forouhi N, Gieger C, Grallert H, Groves C, Grundy S, Guiducci C, Hadley D, Morken M. Genome-wide association scan meta-analysis identifies three Loci influencing adiposity and fat distribution. *PLoS Genet* 2009; 5:e1000508.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch