



Shah Ebrahim

Contact

Shah Ebrahim

Publications (2)

Scott R, Ohlsson C, Boehnke M, Bandinelli S, van Duijn C, Ebrahim S, Lawlor D, Gudnason V, Harris T, Sørensen T, Mohlke K, Hofman A, Uitterlinden A, Fritsche A, Dedoussis G, Borecki I, Shungin D, Sovio U, Tammelin T, Rönnemaa T, Lakka T, Uusitupa M, Rios M, Ferrucci L, Bouchard C, Meirhaeghe A, Fu M, Walker M, Tuomilehto J, Lehtimäki T, Chasman D, Ridker P, Hansen T, Monda K, Illig T, Jarvelin M, Wareham N, Hu F, Groop L, Orho-Melander M, Ekelund U, Franks P, Khaw K, Power C, Bergmann S, Raitakari O, Isomaa B, Njølstad P, Florez J, Liu S, Ness A, Spector T, Tai E, Froguel P, Boeing H, Laakso M, Marmot M, Loos R, Kilpeläinen T, Kumari M, Stančáková A, Meidtner K, Balkau B, Tan J, Mangino M, Timpson N, Song Y, Zillikens M, Jablonski K, Garcia M, Johansson S, Kutalik Z, He M, Cauchi S, Qi L, Brage S, Sharp S, Sonestedt E, Demerath E, Ahmad T, Mora S, Kaakinen M, Sandholt C, Holzapfel C, Autenrieth C, Hyppönen E, Bragg-Gresham J, Wu Y, Amin N, Cavalcanti-Proença C, Grøntved A, Hallmans G, Jansson J, Kuusisto J, Kähönen M, Lutsey P, Nolan J, Palla L, Pedersen O, Pérusse L, Hakaniemi M, Atalay M, Larrad M, van Vliet-Ostaptchouk J, Onland-Moret N, Zimmermann E, Rivera N, Tanaka T, Stringham H, Silbernagel G, Kanoni S, Feitosa M, Snitker S, Ruiz J, Metter J, Renström F. Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. *PLoS Med* 2011; 8:e1001116.

Morris A, Stringham H, Swift A, Tuomi T, Uda M, Vollenweider P, Waeber G, Wallace C, Walters G, Weedon M, Witteman J, Zhang C, Zhang W, Caulfield M, Collins F, Davey Smith G, Yuan X, Song K, Munroe P, Narisu N, Nordström A, Nordström P, Oostra B, Palmer C, Payne F, Peden J, Prokopenko I, Renström F, Ruokonen A, Salomaa V, Sandhu M, Scott L, Scuteri A, Silander K, Day I, Franks P, Hugh Watkins, Waterworth D, Boehnke M, Deloukas P, Groop L, Hunter D, Thorsteinsdottir U, Schlessinger D, Wichmann H, Frayling T, Abecasis G, Hirschhorn J, Loos R, Stefansson K, Mohlke K, Barroso I, Wareham N, van Duijn C, Hattersley A, Hu F, Jarvelin M, Kong A, Kooper J, Laakso M, Lakatta E, Mooser V, Morris A, Peltonen L, Samani N, Spector T, Strachan D, Tanaka T, Tuomilehto J, Uitterlinden A, McCarthy M, Lindgren C, Lyon H, Rivadeneira F, Sanna S, Timpson N, Zillikens M, Zhao J, Almgren P, Bandinelli S, Bennett A, Bergman R, Bonnycastle L, Bumpstead S, Chanock S, Cherkas L, Chines P, Coin L, Luan J, Drong A, Heid I, Randall J, Lamina C, Steinthorsdottir V, Qi L, Speliotes E, Thorleifsson G, Willer C, Herrera B, Jackson A, Lim N, Scheet P, Soranzo N, Amin N, Aulchenko Y, Chambers J, Cooper C, Crawford G, Hofman A, Holle R, Holloway J, Illig T, Isomaa B, Jacobs L, Jameson K, Jousilahti P, Karpe F, Kuusisto J, Laitinen J, Lathrop G, Lawlor D, Mangino M, McArdle W, Meitinger T, Havulinna A, Hamsten A, Doering A, Dominiczak A, Doney A, Ebrahim S, Elliott P, Erdos M, Estrada K, Ferrucci L, Fischer G, Forouhi N, Gieger C, Grallert H, Groves C, Grundy S, Guiducci C, Hadley D, Morken M. Genome-wide association scan meta-analysis identifies three loci influencing adiposity and fat distribution. *PLoS Genet* 2009; 5:e1000508.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch