



## Shu-Fang Hsu Schmitz

### Contact

Shu-Fang Hsu Schmitz

## Publications (4)

Templeton A, Ruhstaller T, Thürlimann B, Zaman K, von Moos R, Rochlitz C, Winterhalder R, von Rohr L, Müller A, Winkler A, Borner M, Dietrich D, Beyeler M, Hsu Schmitz S, Sun H, Surber C, Ribi K, Swiss Group for Clinical Cancer Research (SAKK) Coordinating Center. Prevention of palmar-plantar erythrodysesthesia with an antiperspirant in breast cancer patients treated with pegylated liposomal doxorubicin (SAKK 92/08). *Breast* 2014; 23:244-9.

Gautschi O, Stahel R, Carbone D, Na K, Hsu Schmitz S, Bubendorf L, Baty F, Brutsche M, Pless M, Zappa F, Roder J, Grigorieva J, Roder H, Peters S, Crowe S, Dingemans A, Smit E. VeriStrat® has a prognostic value for patients with advanced non-small cell lung cancer treated with erlotinib and bevacizumab in the first line: pooled analysis of SAKK19/05 and NTR528. *Lung Cancer* 2012; 79:59-64.

Blum D, Köberle D, Ribi K, Hsu Schmitz S, Uitger U, Klingbiel D, Strasser F. Electronic monitoring of symptoms and syndromes associated with cancer: methods of a randomized controlled trial SAKK 95/06 E-MOSAIC. *BMC Palliat Care* 2012; 11:19.

Betticher D, Stahel R, Weder W, Stupp R, Egli F, Furrer M, Honegger H, Wernli M, Cerny T, Spiliopoulos A, Roth A, Hsu Schmitz S, Tötsch M, Hansen E, Joss C, von Briel C, Schmid R, Pless M, Habicht J, Ris H. Mediastinal lymph node clearance after docetaxel-cisplatin neoadjuvant chemotherapy is prognostic of survival in patients with stage IIIA pN2 non-small-cell lung cancer: a multicenter phase II trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2003; 21:1752-9.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)