



**Eric Eeckhout**

## Contact

Eric Eeckhout

## Publications (3)

Iglesias J, Windecker S, Jüni P, Zwahlen M, Odutayo A, Valgimigli M, Eeckhout E, Losdat S, Stortecky S, Tapponnier M, Kaiser C, Weilenmann D, Moarof I, Kurz D, Roffi M, Heg D, Muller O, Pilgrim T. Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. Lancet 2019; 394:1243-1253.

Iglesias J, Windecker S, Jüni P, Eeckhout E, Valgimigli M, Heg D, Tapponnier M, Kaiser C, Weilenmann D, Vuillomenet A, Kurz D, Roffi M, Zaugg S, Muller O, Pilgrim T. A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BIOTEMI trial. EuroIntervention 2018; 14:692-699.

Fournier S, Iglesias J, Eeckhout E, Windecker S, Masci P, Degrauwe S, Zuffi A, Fesselet R, Noble S, Cook S, Erne P, Radovanovic D, Rickli H, Eberli F, Pilgrim T, Roffi M, Benedetto U, Muller O, on behalf on the AMIS Plus Investigators. Circadian dependence of manual thrombus aspiration benefit in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. Clin Res Cardiol 2017

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)