



Anja M. Palmowski-Wolfe

Contact

Anja M. Palmowski-Wolfe

Publications (16)

Wertli J, Schoetzau A, Palmowski-Wolfe A. The Influence of Age on Eye Movements during Reading in Early Elementary School Children. *Klin Monbl Augenheilkd* 2023; 240:591–598.

Lapkowska A, Palmowski-Wolfe A, Todorova M. Comparing DTL microfiber and Neuroline skin electrode in the Mini Ganzfeld ERG. *BMC Ophthalmol* 2016; 16

Todorova M, Palmowski-Wolfe A, Meyer P. Tendinous muscle insertions (scleromuscular junctions of the recti muscles) in patients with ocular alignment problems. *Klin Monbl Augenheilkd* 2015; 232:500–505.

Ledolter A, Monhart M, Schoetzau A, Todorova M, Palmowski-Wolfe A. Structural and functional changes in glaucoma: comparing the two-flash multifocal electroretinogram to optical coherence tomography and visual fields. *Doc Ophthalmol*. 2015; 130:197–209.

Todorova M, Grieshaber M, Cámarra R, Miny P, Palmowski-Wolfe A. Anterior segment dysgenesis associated with Williams-Beuren syndrome: a case report and review of the literature. *BMC Ophthalmol* 2014; 14:70.

Todorova M, Palmowski-Wolfe A, Schoetzau A, Flammer J, Monhart M. A Comparison between the Pulsed Rising Amplitude Perimetry and the Normal Staircase Strategy in Standard Automated Perimetry. *J Clin Exp Ophthalmol*. 2013; 4:3.

Ledolter A, Kramer S, Todorova M, Schoetzau A, Palmowski-Wolfe A. The effect of filtering on the two-global-flash mfERG: identifying the optimal range of frequency for detecting glaucomatous retinal dysfunction. *Doc Ophthalmol*. 2013; 126:117–23.

Kramer S, Ledolter A, Todorova M, Schoetzau A, Orgül S, Palmowski-Wolfe A. The 2-global flash mfERG in glaucoma: attempting to increase sensitivity by reducing the focal flash luminance and changing filter settings. *Doc Ophthalmol*. 2012; 126:57–67.

Polunina A, Todorova M, Palmowski-Wolfe A. Function and morphology in macular retinoschisis associated with optic disc pit in a child before and after its spontaneous resolution. *Doc Ophthalmol*. 2012; 124:149–55.

Palmowski-Wolfe A, Pape E, Baumann T, Todorova M. Idiopathic intracranial hypertension (IIH) – a possible association with Imatinib. *Eye Reports* 2011; 1:42–44.

Palmowski-Wolfe A, Orgül S, Todorova M. Multifocal Oscillatory Potentials in the ‘Two Global Flash’ mfERG in High and Normal Tension Primary Open-Angle Glaucoma. *J Clinic Experiment Ophthalmol* 2011; 2:6.

Todorova M, Palmowski-Wolfe A. MfERG responses to long-duration white stimuli in glaucoma patients. *Doc Ophthalmol*. 2011; 122:87–97.

Palmowski-Wolfe A, Todorova M, Flammer J, Orgül S, Brigell M. The ‘two global flash’ mfERG in high and low tension primary open-angle glaucoma. *Doc Ophthalmol*. 2007; 114:9–19.

Todorova M, Palmowski-Wolfe A, Orgül S, Flammer J. 30 Hz-flicker mfERG in primary open-angle glaucoma patients. *Doc Ophthalmol*. 2006; 113:11–20.

Todorova M, Palmowski-Wolfe A, Prünte C, Meyer P, Leifert D. Unilaterale nächtliche Blendempfindung und Photopsien. Ophthalmologe 2006; 103:533-6.

Leifert D, Todorova M, Prünte C, Palmowski-Wolfe A. LED-generated multifocal ERG On- and Off-responses in complete congenital stationary night blindness - a case report. Doc Ophthalmol. 2005; 111:1-6.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch