



Stephanie E Combs

Contact

Stephanie E Combs

Publications (7)

Rogers S, Lux S, Maier S, Minasch D, Rezazadeh A, Steffal C, Temming S, Wittig A, Zweifel C, Riesterer O, Lohaus F, Henke G, Hemmatazad H, Baumert B, Blanck O, Böhmer D, Boström J, Engenhardt-Cabillic R, Ermiş E, Exner S, Guckenberger M, Habermehl D, Combs S. Stereotactic radiosurgery and radiotherapy for resected brain metastases: current pattern of care in the Radiosurgery and Stereotactic Radiotherapy Working Group of the German Association for Radiation Oncology (DEGRO). *Strahlenther Onkol* 2022; 198:919–925.

Kroeze S, Schymalla M, Abbasi-Senger N, Buergy D, Geier M, Szuvecs M, Lohaus F, Henke G, Combs S, Stera S, Adebahr S, Sundahl N, Fritz C, Schaule J, Blanck O, Kahl K, Kaul D, Siva S, Gerum S, Claes A, Guckenberger M. Continued versus Interrupted Targeted Therapy during Metastasis-Directed Stereotactic Radiotherapy: A Retrospective Multi-Center Safety and Efficacy Analysis. *Cancers (Basel)* 2021; 13

Schaule J, Lohaus F, Abbasi-Senger N, Henke G, Szuvecs M, Geier M, Sundahl N, Buergy D, Dummer R, Eckert F, Adebahr S, Schymalla M, Kroeze S, Blanck O, Stera S, Kahl K, Roeder F, Combs S, Kaul D, Claes A, Guckenberger M. Correction to: Predicting survival in melanoma patients treated with concurrent targeted- or immunotherapy and stereotactic radiotherapy : Melanoma brain metastases prognostic score. *Radiat Oncol* 2020; 15:280.

Schaule J, Lohaus F, Abbasi-Senger N, Henke G, Szuvecs M, Geier M, Sundahl N, Buergy D, Dummer R, Eckert F, Adebahr S, Schymalla M, Kroeze S, Blanck O, Stera S, Kahl K, Roeder F, Combs S, Kaul D, Claes A, Guckenberger M. Predicting survival in melanoma patients treated with concurrent targeted- or immunotherapy and stereotactic radiotherapy : Melanoma brain metastases prognostic score. *Radiat Oncol* 2020; 15:135.

Wank M, Schilling D, Reindl J, Meyer B, Gempt J, Motov S, Alexander F, Wilkens J, Schlegel J, Schmid T, Combs S. Evaluation of radiation-related invasion in primary patient-derived glioma cells and validation with established cell lines: impact of different radiation qualities with differing LET. *J Neurooncol* 2018; 139:583–590.

Beier D, Proescholdt M, Reinert C, Pietsch T, Jones D, Pfister S, Hattingen E, Seidel C, Dirven L, Luerding R, Reijneveld J, Warmuth-Metz M, Bonsanto M, Bremer M, Combs S, Rieken S, Herrlinger U, Kuntze H, Mayer-Steinacker R, Moskopp D, Schneider T, Beringer A, Schlegel U, Stummer W, Welker H, Weyerbrock A, Paulsen F, Rutkowski S, Weller M, Wick W, Kortmann R, Bogdahn U, Hau P. Multicenter pilot study of radiochemotherapy as first-line treatment for adults with medulloblastoma (NOA-07). *Neuro Oncol* 2018; 20:400–410.

Röper B, von Eisenharth-Rothe R, Kampfer S, Molls M, Toepfer A, Wörtler K, Specht K, Rechl H, Kehl V, Heinrich C, Combs S. Study of Preoperative Radiotherapy for Sarcomas of the Extremities with Intensity-Modulation, Image-Guidance and Small Safety-margins (PREMISS). *BMC cancer* 2015; 15:904.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch