



**C Schindler**

## Contact

C Schindler

## Publications (7)

Curjuric I, Rochat T, Schindler C, Schwartz J, Pons M, Künzli N, Knöpfli B, Gerbase M, Frey M, Brutsche M, Bettschart R, Bridevaux P, Ackermann-Liebrich U, Dratva J, Zemp E, SAPALDIA Team. Determinants of change in airway reactivity over 11 years in the SAPALDIA population study. *Eur Respir J.* 2010; 37:492–500.

Bridevaux P, Rochat T, Tschopp J, Pons M, Ackermann-Liebrich U, Gerbase M, Frey M, Burdet L, Brutsche M, Braendli O, Felber Dietrich D, Curjuric I, Schindler C, Probst-Hensch N, Russi E. Prevalence of airflow obstruction in smokers and never-smokers in Switzerland. *Eur Respir J.* 2010; 36:1259–69.

Deubelbeiss U, Gemperli A, Schindler C, Baty F, Brutsche M. Prevalence of sarcoidosis in Switzerland is associated with environmental factors. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2009

Imboden M, Rochat T, Brutsche M, Schindler C, Downs S, Gerbase M, Berger W, Probst-Hensch N, SAPALDIA Team. Glutathione S-transferase genotype increases risk of progression from bronchial hyperresponsiveness to asthma in adults. *Thorax* 2008; 63:322–8.

Brutsche M, Leuenberger P, Ackermann-Liebrich U, Russi E, Frey M, Schwartz J, Gerbase M, Schindler C, Downs S, SAPALDIA Team. Bronchial hyperresponsiveness and the development of asthma and COPD in asymptomatic individuals: SAPALDIA cohort study. *Thorax* 2006; 61:671–7.

Sistek D, Tschopp J, Schindler C, Brutsche M, Ackermann-Liebrich U, Perruchoud A, Leuenberger P. Clinical diagnosis of current asthma: predictive value of respiratory symptoms in the SAPALDIA study. *Swiss Study on Air Pollution and Lung Diseases in Adults. The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2001; 17:214–9.

Tschopp J, Karrer W, Zellweger J, Brutsche M, Wüthrich B, Perruchoud A, Leuenberger P, Schindler C, Sistek D, Brändli O. Current allergic asthma and rhinitis: diagnostic efficiency of three commonly used atopic markers (IgE, skin prick tests, and Phadiatop). Results from 8329 randomized adults from the SAPALDIA Study. *Swiss Study on Air Pollution and Lung Diseases in Adults. Allergy* 1998; 53:608–13.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)