



**Patrick Terheyden**

**Contact**

Patrick Terheyden

## Publications (5)

Wagner N, Lenders M, Kühl K, Reinhardt L, Fuchß M, Ring N, Stäger R, Zellweger C, Ebel C, Kimeswenger S, Oellinger A, Amaral T, Forschner A, Leiter U, Klumpp B, Hoetzenecker W, Terheyden P, Mangana J, Loquai C, Cozzio A, Garbe C, Meier F, Eigentler T, Flatz L. Baseline metastatic growth rate is an independent prognostic marker in patients with advanced BRAF V600 mutated melanoma receiving targeted therapy. *Eur J Cancer* 2023; 196:113425.

Gaissler A, Bochem J, Spreuer J, Ottmann S, Martens A, Amaral T, Wagner N, Claassen M, Meier F, Terheyden P, Garbe C, Eigentler T, Weide B, Pawelec G, Wistuba-Hamprecht K. Early decrease of blood myeloid-derived suppressor cells during checkpoint inhibition is a favorable biomarker in metastatic melanoma. *J Immunother Cancer* 2023; 11

Wagner N, Schraag A, Klumpp B, Hoetzenecker W, Berking C, Richtig E, Ziemer M, Mangana J, Terheyden P, Loquai C, Nguyen V, Gebhardt C, Meier F, Diem S, Cozzio A, Flatz L, Röcken M, Garbe C, Gassenmaier M, Weide B, Leiter U, Lenders M, Kühl K, Reinhardt L, André F, Dudda M, Ring N, Ebel C, Stäger R, Zellweger C, Lang R, Paar M, Gussek P, Richtig G, Stürmer S, Kimeswenger S, Oellinger A, Forschner A, Eigentler T. Pretreatment metastatic growth rate determines clinical outcome of advanced melanoma patients treated with anti-PD-1 antibodies: a multicenter cohort study. *J Immunother Cancer* 2021; 9

Bochem J, Meier F, Terheyden P, Königsrainer A, Garbe C, Flatz L, Pawelec G, Eigentler T, Löffler M, Weide B, Niessner H, Sinnberg T, Zelba H, Spreuer J, Amaral T, Gaissler A, Pop O, Thiel K, Yurttas C, Soffel D, Forchhammer S, Wistuba-Hamprecht K. Early disappearance of tumor antigen-reactive T cells from peripheral blood correlates with superior clinical outcomes in melanoma under anti-PD-1 therapy. *J Immunother Cancer* 2021; 9

Bochem J, Weide B, Pawelec G, Garbe C, Meier F, Terheyden P, Uslu U, Wagner N, Eigentler T, Soffel D, Spreuer J, Amaral T, Zelba H, Wistuba-Hamprecht K. Peripheral PD-1+CD56+ T-cell frequencies correlate with outcome in stage IV melanoma under PD-1 blockade. *PLoS one* 2019; 14:e0221301.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)