



Thomas Lung

Contact

Thomas Lung

Publications (7)

Weber M, Imperiali M, Salimi Y, Fleisch F, Cusini A, Heer S, Renz H, Paprotny M, Kohler P, Vernazza P, Risch L, Bodmer T, Egli K, Risch M, Thiel S, Grossmann K, Nigg S, Wohlwend N, Lung T, Hillmann D, Ritzler M, Ferrara F, Bigler S, Kahlert C. Characteristics of Three Different Chemiluminescence Assays for Testing for SARS-CoV-2 Antibodies. *Dis Markers* 2021; 2021:8810196.

Schmidt A, Konrad T, Lange K, Lehner A, Jouinot F, Stöckle M, Hauser C, Lung T, Ritzler M, Christinet V, Esson C, Rasi M, Vernazza P. The Swiss STAR trial - an evaluation of target groups for sexually transmitted infection screening in the sub-sample of men. *Swiss Med Wkly* 2020; 150:w20392.

Schaffner A, Bodmer T, Imperiali M, Renz H, Kohler P, Vernazza P, Kahlert C, Twerenbold R, Paprotny M, Conen D, Bigler S, Hillmann D, Lung T, Risch L, Aeschbacher S, Risch C, Weber M, Thiel S, Jüngert K, Pichler M, Grossmann K, Wohlwend N, Risch M. Characterization of a Pan-Immunoglobulin Assay Quantifying Antibodies Directed against the Receptor Binding Domain of the SARS-CoV-2 S1-Subunit of the Spike Protein: A Population-Based Study. *J Clin Med* 2020; 9

Risch M, Imperiali M, Salimi Y, Fleisch F, Cusini A, Renz H, Kohler P, Vernazza P, Kahlert C, Paprotny M, Bodmer T, Egli K, Weber M, Thiel S, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Ferrara F, Bigler S, Risch L. Temporal Course of SARS-CoV-2 Antibody Positivity in Patients with COVID-19 following the First Clinical Presentation. *Biomed Res Int* 2020; 2020:9878453.

Thiel S, Copeland S, Karajan T, Cusini A, Fleisch F, Kahlert C, Vernazza P, Risch M, Ritzler M, Hillmann D, Lung T, Wohlwend N, Risch L, Weber M, Paprotny M. Flattening the curve in 52 days: characterisation of the COVID-19 pandemic in the Principality of Liechtenstein - an observational study. *Swiss Med Wkly* 2020; 150:w20361.

Baron R, Bodmer T, Imperiali M, Heer S, Renz H, Flatz L, Kohler P, Vernazza P, Kahlert C, Paprotny M, Ferrara F, Egli K, Risch L, Weber M, Thiel S, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Bigler S, Risch M. Frequency of serological non-responders and false-negative RT-PCR results in SARS-CoV-2 testing: a population-based study. *Clin Chem Lab Med* 2020; 58:2131-2140.

Kovac M, Egli K, Imperiali M, Heer S, Salimi Y, Renz H, Kohler P, Vernazza P, Kahlert C, Paprotny M, Bodmer T, Ferrara F, Risch L, Thiel S, Weber M, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Bigler S, Risch M. EDTA-Anticoagulated Whole Blood for SARS-CoV-2 Antibody Testing by Electrochemiluminescence Immunoassay (ECLIA) and Enzyme-Linked Immunosorbent Assay (ELISA). *Diagnostics (Basel)* 2020; 10

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch