



**Matthias Paprotny**

**Contact**

Matthias Paprotny

## Publications (8)

Hasan Ali O, Bomze D, Risch L, Brugger S, Paprotny M, Weber M, Thiel S, Kern L, Albrich W, Kohler P, Kahlert C, Vernazza P, Bühler P, Schüpbach R, Gómez-Mejía A, Popa A, Bergthaler A, Penninger J, Flatz L. Erratum to: Severe Coronavirus Disease 2019 (COVID-19) is Associated With Elevated Serum Immunoglobulin (Ig) A and Antiphospholipid IgA Antibodies. *Clin Infect Dis* 2021; 73:1746.

Weber M, Imperiali M, Salimi Y, Fleisch F, Cusini A, Heer S, Renz H, Paprotny M, Kohler P, Vernazza P, Risch L, Bodmer T, Egli K, Risch M, Thiel S, Grossmann K, Nigg S, Wohlwend N, Lung T, Hillmann D, Ritzler M, Ferrara F, Bigler S, Kahlert C. Characteristics of Three Different Chemiluminescence Assays for Testing for SARS-CoV-2 Antibodies. *Dis Markers* 2021; 2021:8810196.

Hasan Ali O, Penninger J, Bergthaler A, Popa A, Gómez-Mejía A, Schüpbach R, Bühler P, Vernazza P, Kahlert C, Kohler P, Albrich W, Kern L, Thiel S, Weber M, Paprotny M, Brugger S, Risch L, Bomze D, Flatz L. Severe Coronavirus Disease 2019 (COVID-19) is Associated With Elevated Serum Immunoglobulin (Ig) A and Antiphospholipid IgA Antibodies. *Clin Infect Dis* 2021; 73:e2869–e2874.

Schaffner A, Bodmer T, Imperiali M, Renz H, Kohler P, Vernazza P, Kahlert C, Twerenbold R, Paprotny M, Conen D, Bigler S, Hillmann D, Lung T, Risch L, Aeschbacher S, Risch C, Weber M, Thiel S, Jüngert K, Pichler M, Grossmann K, Wohlwend N, Risch M. Characterization of a Pan-Immunoglobulin Assay Quantifying Antibodies Directed against the Receptor Binding Domain of the SARS-CoV-2 S1-Subunit of the Spike Protein: A Population-Based Study. *J Clin Med* 2020; 9

Risch M, Imperiali M, Salimi Y, Fleisch F, Cusini A, Renz H, Kohler P, Vernazza P, Kahlert C, Paprotny M, Bodmer T, Egli K, Weber M, Thiel S, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Ferrara F, Bigler S, Risch L. Temporal Course of SARS-CoV-2 Antibody Positivity in Patients with COVID-19 following the First Clinical Presentation. *Biomed Res Int* 2020; 2020:9878453.

Thiel S, Copeland S, Karajan T, Cusini A, Fleisch F, Kahlert C, Vernazza P, Risch M, Ritzler M, Hillmann D, Lung T, Wohlwend N, Risch L, Weber M, Paprotny M. Flattening the curve in 52 days: characterisation of the COVID-19 pandemic in the Principality of Liechtenstein - an observational study. *Swiss Med Wkly* 2020; 150:w20361.

Baron R, Bodmer T, Imperiali M, Heer S, Renz H, Flatz L, Kohler P, Vernazza P, Kahlert C, Paprotny M, Ferrara F, Egli K, Risch L, Weber M, Thiel S, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Bigler S, Risch M. Frequency of serological non-responders and false-negative RT-PCR results in SARS-CoV-2 testing: a population-based study. *Clin Chem Lab Med* 2020; 58:2131-2140.

Kovac M, Egli K, Imperiali M, Heer S, Salimi Y, Renz H, Kohler P, Vernazza P, Kahlert C, Paprotny M, Bodmer T, Ferrara F, Risch L, Thiel S, Weber M, Grossmann K, Wohlwend N, Lung T, Hillmann D, Ritzler M, Bigler S, Risch M. EDTA-Anticoagulated Whole Blood for SARS-CoV-2 Antibody Testing by Electrochemiluminescence Immunoassay (ECLIA) and Enzyme-Linked Immunosorbent Assay (ELISA). *Diagnostics (Basel)* 2020; 10

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)