



**Martine Piccart**

**Contact**

Martine Piccart

## Publications (11)

Nuciforo P, Townend J, Piccart M, Fielding S, Gkolfi P, El-Abed S, de Azambuja E, Werutsky G, Bliss J, Moebus V, Colleoni M, Aspitia A, Gomez H, Gombos A, Coccia-Portugal M, Tseng L, Kunz G, Lerzo G, Sohn J, Semiglazov V, Saura C, Kroep J, Ferro A, Cameron D, Gelber R, Huober J, Di Cosimo S. Ten-year survival of neoadjuvant dual HER2 blockade in patients with HER2-positive breast cancer. *Eur J Cancer* 2022; 181:92-101.

Pizzamiglio S, Cappelletti V, Cinieri S, Piccart M, Daidone M, Pruneri G, Colombo M, Tagliabue E, Verderio P, Huober J, Nuciforo P, Izquierdo M, Ciniselli C, Triulzi T, Gargiuli C, De Cecco L, de Azambuja E, Fumagalli D, Sotiriou C, Harbeck N, Di Cosimo S. Integrated Molecular and Immune Phenotype of HER2-Positive Breast Cancer and Response to Neoadjuvant Therapy: A NeoALTTO Exploratory Analysis. *Clin Cancer Res* 2021; 27:6307-6313.

Di Cosimo S, Daidone M, Piccart M, Izquierdo M, Fumagalli D, Huober J, Saura C, De Santis M, Franzoi M, Cinieri S, Agbor-Tarh D, Porcu L, de Azambuja E. Effect of body mass index on response to neo-adjuvant therapy in HER2-positive breast cancer: an exploratory analysis of the NeoALTTO trial. *Breast Cancer Res* 2020; 22:115.

Di Cosimo S, Puzstai L, Pritchard K, Nuciforo P, Vincent-Salomon A, Symmans F, Apolone G, de Braud F, Iorio M, Verderio P, Untch M, de Azambuja E, Appierto V, Pizzamiglio S, Silvestri M, Baselga J, Piccart M, Huober J, Izquierdo M, de la Pena L, Hilbers F, Daidone M. Early Modulation of Circulating MicroRNAs Levels in HER2-Positive Breast Cancer Patients Treated with Trastuzumab-Based Neoadjuvant Therapy. *Int J Mol Sci* 2020; 21

Di Cosimo S, Gori S, Cinieri S, Torri V, Baselga J, Piccart M, de Braud F, Apolone G, Verderio P, Huober J, Daidone M, Peña L, Triulzi T, Pizzamiglio S, De Cecco L, de Azambuja E, Fumagalli D, Putzai L, Harbeck N, Izquierdo M, Tagliabue E. The 41-gene classifier TRAR predicts response of HER2 positive breast cancer patients in the NeoALTTO study. *Eur J Cancer* 2019; 118:1-9.

Rothé F, Wardley A, Ueno T, Janni W, Huober J, Baselga J, Piccart M, Loi S, Sotiriou C, Dawson S, Chia S, Rosa D, Di Cosimo S, Silva M, Venet D, Campbell C, Bradburry I, Rouas G, de Azambuja E, Maetens M, Fumagalli D, Rodrik-Outmezguine V, Ignatiadis M. Circulating Tumor DNA in HER2-Amplified Breast Cancer: A Translational Research Substudy of the NeoALTTO Phase III Trial. *Clin Cancer Res* 2019; 25:3581-3588.

Di Cosimo S, Verderio P, Apolone G, de Braud F, Piccart M, Baselga J, Huober J, Izquierdo M, de la Pena L, de Azambuja E, Hilbers F, Iorio M, Tiberio P, Pizzamiglio S, Appierto V, Daidone M. Plasma miRNA Levels for Predicting Therapeutic Response to Neoadjuvant Treatment in HER2-positive Breast Cancer: Results from the NeoALTTO Trial. *Clin Cancer Res* 2019; 25:3887-3895.

Hanker A, Castellino S, Joensuu H, Huober J, Brase J, Majaj S, Brohée S, Venet D, Brown D, Baselga J, Piccart M, Sotiriou C, Groseclose M, Becker J, Garrett J, Estrada M, Moore P, Ericsson P, Koch J, Langley E, Singh S, Kim P, Frampton G, Sanford E, Owens P, Arteaga C. Correction: HER2-Overexpressing Breast Cancers Amplify FGFR Signaling upon Acquisition of Resistance to Dual Therapeutic Blockade of HER2. *Clin Cancer Res* 2019; 25:1434.

Ponde N, Maetens M, Harbeck N, Puzstai L, Berghorn M, Im Y, Borrego M, Chen D, Rodeheffer R, Piccart M, Suter T, Bozovic-Spasojevic I, Fumagalli D, Bradbury I, Lambertini M, Ewer M, Campbell C, Ameels H, Zardavas D, Di Cosimo S, Baselga J, Huober J, Izquierdo M, de Azambuja E. Cardiac biomarkers for early detection and prediction of trastuzumab and/or lapatinib-induced cardiotoxicity in patients with HER2-positive early-stage breast cancer: a NeoALTTO sub-study (BIG 1-06). *Breast Cancer Res Treat* 2017; 168:631-638.

Hanker A, Castellino S, Joensuu H, Huober J, Brase J, Majaj S, Brohée S, Venet D, Brown D, Baselga J, Piccart M, Sotiriou C, Groseclose M, Becker J, Garrett J, Estrada M, Moore P, Ericsson P, Koch J, Langley E, Singh S, Kim P, Frampton G, Sanford E, Owens P, Arteaga C. HER2-Overexpressing Breast Cancers Amplify FGFR Signaling upon Acquisition of Resistance to Dual Therapeutic Blockade of HER2. *Clin Cancer Res* 2017; 23:4323-4334.

Fumagalli D, Di Cosimo S, de Azambuja E, de la Pena L, Nuciforo P, Brase J, Huober J, Baselga J, Piccart M, Loi S, Coccia-Portugal M, Chang T, Gomez H, Venet D, Ignatiadis M, Azim H, Maetens M, Rothé F, Salgado R, Bradbury I, Pusztai L, Harbeck N, Sotiriou C. RNA Sequencing to Predict Response to Neoadjuvant Anti-HER2 Therapy: A Secondary Analysis of the NeoALTTO Randomized Clinical Trial. *JAMA Oncol* 2017; 3:227-234.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)