



Thomas W P Friedl

Contact

Thomas W P Friedl

Publications (13)

Friedl T, Tesch H, Mahner S, Brucker S, Heinrich G, Häberle L, Fasching P, Beckmann M, Coleman R, Janni W, Schneeweiss A, Jückstock J, Fehm T, Müller V, Lichtenegger W, Blohmer J, Lorenz R, Forstbauer H, Fink V, Bekes I, Huober J, Rack B. Prognosis of Patients With Early Breast Cancer Receiving 5 Years vs 2 Years of Adjuvant Bisphosphonate Treatment: A Phase 3 Randomized Clinical Trial. *JAMA Oncol* 2021; 7:1149-1157.

De Gregorio A, Schneeweiss A, Tesch H, Mahner S, Brucker S, Blohmer J, Fehm T, Heinrich G, Lato K, Beckmann M, Rack B, Andergassen U, Bekes I, Fink V, Häberle L, Fasching P, Müller V, Schrader I, Lorenz R, Forstbauer H, Friedl T, Bauer E, De Gregorio N, Deniz M, Janni W. Gemcitabine as adjuvant chemotherapy in patients with high-risk early breast cancer—results from the randomized phase III SUCCESS-A trial. *Breast Cancer Res* 2020; 22:111.

Bekes I, Janni W, Lato K, Kiechle M, Huober J, Dannecker C, Forstbauer H, Rack B, Harbeck N, Friedl T, Singer S, Eichler M, Fink V. Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. *Clin Breast Cancer* 2020; 20:439-447.

Schochter F, Friedl T, deGregorio A, Krause S, Huober J, Rack B, Janni W. Are Circulating Tumor Cells (CTCs) Ready for Clinical Use in Breast Cancer? An Overview of Completed and Ongoing Trials Using CTCs for Clinical Treatment Decisions. *Cells* 2019; 8

Cámara R, Singer S, Janni W, Rack B, Widschwendter P, Lato K, Fink V, Deniz M, Friedl T, Schwentner L, Bekes I. Quality of life during and after adjuvant anthracycline-taxane-based chemotherapy with or without Gemcitabine in high-risk early breast cancer: results of the SUCCESS A trial. *Breast Cancer Res Treat* 2019; 175:627-635.

De Gregorio A, Widschwendter P, Albrecht S, De Gregorio N, Friedl T, Huober J, Janni W, Ebner F. Axillary Surgery in Breast Cancer Patients Treated with Breast-Conserving Surgery at German Breast Cancer Centers Within the Last 14 Years - Comparison of a University Center and a Community Hospital. *Geburtshilfe Frauenheilkd* 2018; 78:1138-1145.

Ebner F, Friedl T, De Gregorio A, Lato K, Bekes I, Janni W, De Gregorio N. Seroma in breast surgery: all the surgeons fault?. *Arch Gynecol Obstet* 2018; 298:951-959.

Widschwendter P, Bauer E, De Gregorio N, Bekes I, Janni W, Scholz C, Friedl T. Influence of Prognostic Factors on Lymph Node Involvement in Endometrial Cancer: A Single-Center Experience. *Int J Gynecol Cancer* 2018; 28:1145-1152.

Polasik A, Janni W, Huober J, Müller V, Schneeweiss A, Fasching P, Hartkopf A, Rack B, Friedl T, De Gregorio A, Schochter F, Tzschaschel M, Fehm T. Circulating Tumour Cells, Circulating Tumour DNA and Circulating MicroRNA in Metastatic Breast Carcinoma - What is the Role of Liquid Biopsy in Breast Cancer?. *Geburtshilfe Frauenheilkd* 2017; 77:1291-1298.

De Gregorio A, Janni W, Fasching P, Taran F, Hartkopf A, Jaeger B, Meier-Stiegen F, Pantel K, Schneeweiss A, Mueller V, Riethdorf S, Alunni-Fabbroni M, Trapp E, Rack B, De Gregorio N, Scholz C, Huober J, Friedl T, Fehm T. Discordance in Human Epidermal Growth Factor Receptor 2 (HER2) Phenotype Between Primary Tumor and Circulating Tumor Cells in Women With HER2-Negative Metastatic Breast Cancer. *JCO Precis Oncol* 2017; 1:1-12.

Schwentner L, Janni W, Kiechle M, Härtl K, Weissenbacher T, Friedl T, Huober J, Scholz C, Wischnik A, Forstbauer H, Rack B, Eichler M, Singer S, Harbeck N, Fink V. Short term quality of life with epirubicin-fluorouracil-cyclophosphamid (FEC) and sequential epirubicin/cyclophosphamid-docetaxel (EC-DOC) chemotherapy in patients with primary breast cancer - Results from the prospective multi-center randomized ADEBAR trial. *Breast* 2016; 27:69-77.

Bekes I, Friedl T, Köhler T, Möbus V, Janni W, Wöckel A, Wulff C. Does VEGF facilitate local tumor growth and spread into the abdominal cavity by suppressing endothelial cell adhesion, thus increasing vascular peritoneal permeability followed by ascites production in ovarian cancer?. *Mol Cancer* 2016; 15:13.

Schramm A, Janni W, Wallwiener D, Taran F, Hartkopf A, Meier-Stiegen F, Pantel K, Schneeweiss A, Müller V, Alunni-Fabbroni M, Trapp E, Rack B, Huober J, De Gregorio N, Scholz C, Schochter F, Friedl T, Fehm T. Therapeutic intervention based on circulating tumor cell phenotype in metastatic breast cancer: concept of the DETECT study program. *Arch Gynecol Obstet* 2015; 293:271-81.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch