



Cornelia Liedtke

Contact

Cornelia Liedtke

Publications (5)

Fasching P, Huober J, Liedtke C, Weinshilboum R, Wang L, Ingle J, Müller V, Nekljudova V, Weber K, Rack B, Rübner M, von Minckwitz G, Fehm T, Blohmer J, Costa S, Loibl S, Hu C, Hart S, Shimelis H, Moore R, Schem C, Tesch H, Untch M, Hilfrich J, Rezai M, Gerber B, Couch F. BRCA1/2 Mutations and Bevacizumab in the Neoadjuvant Treatment of Breast Cancer: Response and Prognosis Results in Patients With Triple-Negative Breast Cancer From the GeparQuinto Study. *J Clin Oncol* 2018; 36:2281–2287.

Untch M, Luftner D, Möbus V, Müller V, Rody A, Sinn P, Thill M, Thomssen C, Harbeck N, Kühn T, Janni W, Gerber B, Huober J, Jackisch C, Schneeweiss A, Brucker S, Dall P, Denkert C, Fasching P, Fehm T, Liedtke C. Initial Treatment of Patients with Primary Breast Cancer: Evidence, Controversies, Consensus: Spectrum of Opinion of German Specialists at the 15th International St. Gallen Breast Cancer Conference (Vienna 2017). *Geburtshilfe Frauenheilkd* 2017; 77:633–644.

Hein A, Ekici A, Hanusch C, Huober J, Liedtke C, Mau C, Moisse M, Müller V, Nekljudova V, Peuteman G, Rack B, Rübner M, Van Brussel T, Wang L, Weinshilboum R, Loibl S, Beckmann M, Kunz G, Lambrechts D, von Minckwitz G, Häberle L, Eidtmann H, Tesch H, Untch M, Hilfrich J, Schem C, Rezai M, Gerber B, Dan Costa S, Blohmer J, Schwedler K, Kittel K, Fehm T, Fasching P. Genetic variants in VEGF pathway genes in neoadjuvant breast cancer patients receiving bevacizumab: Results from the randomized phase III GeparQuinto study. *Int J Cancer* 2015; 137:2981–8.

Jackisch C, Blohmer J, Costa S, Decker T, Diel I, Fasching P, Fehm T, Janni W, Lück H, Maass N, Scharl A, Beckmann M, Loibl S, Thomssen C, Harbeck N, Huober J, von Minckwitz G, Gerber B, Kreipe H, Liedtke C, Marschner N, Möbus V, Scheithauer H, Schneeweiss A, Untch M. 14th St. Gallen International Breast Cancer Conference 2015: Evidence, Controversies, Consensus - Primary Therapy of Early Breast Cancer: Opinions Expressed by German Experts. *Breast Care (Basel)* 2015; 10:211–9.

Erber R, Möbus V, Augustin D, Thomssen C, Jänicke F, Kiechle M, Kuhn W, Nitz U, Harbeck N, Liedtke C, Moustafa Z, Gluz O, Brünner N, Kreipe H, Pelz E, Kates R, Bartels A, Huober J, Mohrmann S, Hartmann A. Predictive role of HER2/neu, topoisomerase-II-alpha, and tissue inhibitor of metalloproteinases (TIMP-1) for response to adjuvant taxane-based chemotherapy in patients with intermediate-risk breast cancer: results from the WSG-AGO EC-Doc trial. *Breast Cancer Res Treat* 2015; 150:279–88.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch