



**Henry Gomez**

**Contact**

Henry Gomez

## Publications (4)

Nuciforo P, Townend J, Piccart M, Fielding S, Gkolfi P, El-Abed S, de Azambuja E, Werutsky G, Bliss J, Moebus V, Colleoni M, Aspitia A, Gomez H, Gombos A, Coccia-Portugal M, Tseng L, Kunz G, Lerzo G, Sohn J, Semiglazov V, Saura C, Kroep J, Ferro A, Cameron D, Gelber R, Huober J, Di Cosimo S. Ten-year survival of neoadjuvant dual HER2 blockade in patients with HER2-positive breast cancer. *Eur J Cancer* 2022; 181:92-101.

Vathiotis I, Kim S, Harbeck N, Gomez H, Shafi S, Syrigos K, Fountzilas G, Sotiriou C, Pusztai L, Warren S, Di Cosimo S, Huober J, Nuciforo P, Moutafi M, Divakar P, Aung T, Qing T, Fernandez A, Yaghoobi V, El-Abed S, Wang Y, Guillaume S, Rimm D. Alpha-smooth muscle actin expression in the stroma predicts resistance to trastuzumab in patients with early-stage HER2-positive breast cancer. *Clin Cancer Res* 2021

Venet D, Gomez H, Semiglazov V, de Azambuja E, Huober J, Nuciforo P, Di Cosimo S, Piccart-Gebhart M, Loi S, Rothé F, Saura C, Wang Y, Rediti M, Maetens M, Fumagalli D, Brown D, Majjaj S, Salgado R, Pusztai L, Harbeck N, El-Abed S, Sotiriou C. Copy number aberration analysis to predict response to neoadjuvant anti-HER2 therapy: results from the NeoALTTO phase III clinical trial. *Clin Cancer Res* 2021

Fumagalli D, Di Cosimo S, de Azambuja E, de la Pena L, Nuciforo P, Brase J, Huober J, Baselga J, Piccart M, Loi S, Coccia-Portugal M, Chang T, Gomez H, Venet D, Ignatiadis M, Azim H, Maetens M, Rothé F, Salgado R, Bradbury I, Pusztai L, Harbeck N, Sotiriou C. RNA Sequencing to Predict Response to Neoadjuvant Anti-HER2 Therapy: A Secondary Analysis of the NeoALTTO Randomized Clinical Trial. *JAMA Oncol* 2017; 3:227-234.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)