



E Sander Connolly

Contact

E Sander Connolly

Publications (6)

Suwatcharangkoon S, De Marchis G, Witsch J, Meyers E, Velazquez A, Falo C, Sanchez Schmidt J, Agarwal S, Connolly E, Claassen J, Mayer S. Medical Treatment Failure for Symptomatic Vasospasm After Subarachnoid Hemorrhage Threatens Long-Term Outcome. *Stroke* 2019; 50:1696-1702.

Dangayach N, Grewal H, De Marchis G, Sefcik R, Bruce R, Chhatlani A, Connolly E, Falo M, Agarwal S, Claassen J, Sanchez Schmidt J, Mayer S. Does the obesity paradox predict functional outcome in intracerebral hemorrhage?. *J Neurosurg* 2018; 129:1125-1129.

De Marchis G, Pugin D, Meyers E, Velasquez A, Suwatcharangkoon S, Park S, Falo M, Agarwal S, Mayer S, Sanchez Schmidt J, Connolly E, Claassen J. Seizure burden in subarachnoid hemorrhage associated with functional and cognitive outcome. *Neurology* 2015; 86:253-60.

De Marchis G, Filippi C, Guo X, Pugin D, Gaffney C, Dangayach N, Suwatcharangkoon S, Falo M, Sanchez Schmidt J, Agarwal S, Connolly E, Claassen J, Zhao B, Mayer S. Brain injury visible on early MRI after subarachnoid hemorrhage might predict neurological impairment and functional outcome. *Neurocrit Care* 2015; 22:74-81.

Claassen J, Albers D, Sanchez Schmidt J, De Marchis G, Pugin D, Falo C, Mayer S, Cremers S, Agarwal S, Elkind M, Connolly E, Dukic V, Hripcsak G, Badjatia N. Nonconvulsive seizures in subarachnoid hemorrhage link inflammation and outcome. *Ann Neurol* 2014; 75:771-81.

De Marchis G, Lantigua H, Sanchez Schmidt J, Lord A, Velander A, Fernandez A, Falo M, Agarwal S, Connolly E, Claassen J, Mayer S. Impact of premorbid hypertension on haemorrhage severity and aneurysm rebleeding risk after subarachnoid haemorrhage. *J Neurol Neurosurg Psychiatry* 2013; 85:56-9.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch