



## A Giobbie-Hurder

### Contact

A Giobbie-Hurder

## Publications (4)

Munzone E, Colleoni M, Goldhirsch A, Coates A, Gelber R, Price K, Lelkaitis G, Bibeau F, Macgrogan G, Ejlertsen B, Thürlimann B, Viale G, Mallon E, Gusterson B, Giobbie-Hurder A, International Breast Cancer Study Group and the BIG 1-98 Collaborative Group. Outcomes of special histotypes of breast cancer after adjuvant endocrine therapy with letrozole or tamoxifen in the monotherapy cohort of the BIG 1-98 trial. *Ann Oncol* 2015

Huober J, Thürlimann B, Gelber R, Colleoni M, Coates A, Goldhirsch A, Price K, Wardley A, Smith I, Láng I, Neven P, Forbes J, Bonnefoi H, Ejlertsen B, Wu J, Giobbie-Hurder A, Rabaglio M, Cole B, BIG 1-98 Collaborative and International Breast Cancer Study Groups. Symptoms of endocrine treatment and outcome in the BIG 1-98 study. *Breast Cancer Res Treat* 2013; 143:159-69.

Zaman K, Aebi S, Brauchli P, Genton C, Berthod G, Giobbie-Hurder A, Simcock M, Lüthi J, Pagani O, Schonenberger A, Huober J, Thürlimann B, on behalf of the Swiss Group for Clinical Cancer Research (SAKK). Bone mineral density in breast cancer patients treated with adjuvant letrozole, tamoxifen, or sequences of letrozole and tamoxifen in the BIG 1-98 study (SAKK 21/07). *Ann Oncol* 2011

Viale G, Goldhirsch A, Gelber R, Öhlschlegel C, Karlsson P, Crivellari D, Golouh R, Brown R, Price K, Regan M, Castiglione-Gertsch M, Colleoni M, Mallon E, Sonzogni A, Mastropasqua M, Maiorano E, Gusterson B, Giobbie-Hurder A, Coates A. Adverse prognostic value of peritumoral vascular invasion: is it abrogated by adequate endocrine adjuvant therapy? Results from two International Breast Cancer Study Group randomized trials of chemoendocrine adjuvant therapy for early breast cancer. *Ann Oncol* 2009; 21:245-54.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)