



Beat Schaer

Contact

Beat Schaer

Publications (22)

Kovacs B, Schindler M, Haegeli L, Mayer K, Eriksson U, Herrera-Siklody C, Reichlin T, Steffel J, Saguner A, Kobza R, Dzemali O, Burri H, Buehler A, Reek S, Sticherling C, Schaer B, Linka A, Ammann P, Müller A, Duru F. High Incidence of Inappropriate Alarms in Patients with Wearable Cardioverter-Defibrillators: Findings from the Swiss WCD Registry. *J Clin Med* 2021; 10

Auricchio A, Notarangelo F, Braun-Dullaes R, Regoli F, Caputo M, Özkartal T, Zegard A, Martino A, Sticherling C, Conti M, Honarbakhsh S, Moccetti T, Casu G, Rinaldi C, Brugada P, Haïssaguerre M, Brugada J, Heibuchel H, Pappone C, Curti M, Klersy C, Derval N, Haugaa K, Levinstein M, Michowitz Y, Márquez M, Stokke M, Letsas K, Calo' L, Burri H, Frontera A, Schaer B, Arbelo E, de Asmundis C, Ciconte G, Lambiase P, Belhassen B, Leyva F, Porter B, Saenen J, de Potter T, Geller J, Medeiros-Domingo A, Sarquella Brugada G, Rordorf R, Luani B, Zardini M, Ammann P, Berne P, Zacà V, Conte G. Out-of-hospital cardiac arrest due to idiopathic ventricular fibrillation in patients with normal electrocardiograms: results from a multicentre long-term registry. *Europace* 2019; 21:1670-1677.

Frey S, Sticherling C, Altmann D, Brenner R, Kühne M, Ammann P, Coslovsky M, Osswald S, Schaer B. The Medtronic Sprint Fidelis® lead history revisited-Extended follow-up of passive leads. *Pacing Clin Electrophysiol* 2019

Regoli F, Fromer M, Krasniqi N, Zbinden R, Burri H, Naegli B, Stefano L, Ammann P, Duru F, Schaer B, Graf D, 4P Study Group. Arrhythmic episodes in patients implanted with a cardioverter-defibrillator - results from the Prospective Study on Predictive Quality with Preferencing PainFree ATP therapies (4P). *BMC Cardiovasc Disord* 2019; 19:146.

Knecht S, Sticherling C, Osswald S, Schaer B, Ammann P, Altmann D, Mühl A, Spies F, Reichlin T, Burch F, Kühne M. First clinical experience of a dedicated irrigated-tip radiofrequency ablation catheter for the ablation of cavotricuspid isthmus-dependent atrial flutter. *Clin Res Cardiol* 2017

Frey S, Sticherling C, Kraus R, Ammann P, Kühne M, Osswald S, Schaer B. Very late follow-up of a passive defibrillator lead under recall: do failure rates increase during long-term observation. *Pacing Clin Electrophysiol* 2015; 38:306-10.

Knecht S, Sticherling C, von Felten S, Conen D, Schaer B, Ammann P, Altmann D, Osswald S, Kühne M. Long-term comparison of cryoballoon and radiofrequency ablation of paroxysmal atrial fibrillation: a propensity score matched analysis. *Int J Cardiol* 2014; 176:645-50.

Knecht S, Kühne M, Altmann D, Ammann P, Schaer B, Osswald S, Sticherling C. Anatomical Predictors for Acute and Mid-Term Success of Cryoballoon Ablation of Atrial Fibrillation Using the 28 mm Balloon. *J Cardiovasc Electrophysiol* 2012; 24:132-8.

Kühne M, Knecht S, Altmann D, Kawel N, Ammann P, Schaer B, Osswald S, Sticherling C. Phrenic nerve palsy during ablation of atrial fibrillation using a 28-mm cryoballoon catheter: predictors and prevention. *J Interv Card Electrophysiol* 2012; 36:47-54.

Kühne M, Knecht S, Altmann D, Ammann P, Schaer B, Osswald S, Sticherling C. Validation of a novel spiral mapping catheter for real-time recordings from the pulmonary veins during cryoballoon ablation of atrial fibrillation. *Heart Rhythm* 2012; 10:241-6.

Frey S, Sticherling C, Bucher U, Widmer R, Ammann P, Kühne M, Osswald S, Schaer B. Long-term performance of the Medtronic Sprint Fidelis lead: a matter of lead type?. *Europace* 2012; 14:1620-3.

Kühne M, Blank R, Schaer B, Ammann P, Osswald S, Sticherling C. Effects of physical exercise on cardiac dyssynchrony in patients with impaired left ventricular function. *Europace* 2010

Kühne M, Suter Y, Altmann D, Ammann P, Schaer B, Osswald S, Sticherling C. Cryoballoon versus radiofrequency catheter ablation of paroxysmal atrial fibrillation: biomarkers of myocardial injury, recurrence rates, and pulmonary vein reconnection patterns. *Heart Rhythm* 2010; 7:1770-6.

Kühne M, Ammann P, Schaer B, Sticherling C, Osswald S. A delta wave in a healthy Swiss conscript: one does not always have to burn to learn. *Pacing Clin Electrophysiol* 2010; 33:e93-5.

Kühne M, Schaer B, Ammann P, Suter Y, Osswald S, Sticherling C. Cryoballoon ablation for pulmonary vein isolation in patients with paroxysmal atrial fibrillation. *Swiss Med Wkly* 2010; 140:214-21.

Sticherling C, Kühne M, Schaer B, Altmann D, Osswald S. Remote monitoring of cardiovascular implantable electronic devices: prerequisite or luxury?. *Swiss Med Wkly* 2009; 139:596-601.

Bucher U, Schaer B, Sticherling C, Osswald S. Vorhofflimmern: Welche Patienten müssen oral antikoaguliert werden, welche nicht?. *Schweiz Med Forum* 2009; 9:412-416.

Conen D, Melly L, Kaufmann C, Bilz S, Ammann P, Schaer B, Sticherling C, Müller B, Osswald S. Amiodarone-induced thyrotoxicosis: clinical course and predictors of outcome. *Journal of the American College of Cardiology* 2007; 49:2350-5.

Sticherling C, Schaer B, Coenen M, Kühne M, Ammann P, Osswald S. Cardiac resynchronization therapy in chronic heart failure. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2006; 136:611-7.

Ammann P, Sticherling C, Kalusche D, Eckstein J, Bernheim A, Schaer B, Osswald S. An electrocardiogram-based algorithm to detect loss of left ventricular capture during cardiac resynchronization therapy. *Annals of internal medicine* 2005; 142:968-73.

Bernheim A, Pfisterer M, Buser P, Linka A, Kaiser C, Kiencke S, Eckstein J, Brunner-La Rocca H, Schaer B, Burger P, Sticherling C, Ammann P, Osswald S. Right atrial pacing impairs cardiac function during resynchronization therapy: acute effects of DDD pacing compared to VDD pacing. *Journal of the American College of Cardiology* 2005; 45:1482-7.

Ammann P, Pfisterer M, Buser P, Linka A, Huldi C, Sticherling C, Cron T, Schaer B, Kiencke S, Osswald S. Cardiac resynchronization in severe heart failure and left bundle branch block: a single center experience. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2004; 134:277-82.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch