



Hans Peter Brunner-La Rocca

Contact

Hans Peter Brunner-La Rocca

Publications (10)

Maeder M, Ammann P, Rickli H, Brunner-La Rocca H. Impact of the exercise mode on heart rate recovery after maximal exercise. *European journal of applied physiology* 2009; 105:247-55.

Pfisterer M, Kaiser C, De Servi S, Rickli H, Pedrazzini G, Pachinger O, Kiowski W, Hornig B, Galatius S, Erne P, Eberli F, Brunner-La Rocca H, Bonetti P, Bertel O, BASKET-PROVE Investigators. Drug-eluting or bare-metal stents for large coronary vessel stenting? The BASKET-PROVE (PROspective Validation Examination) trial: study protocol and design. *American heart journal* 2008; 155:609-14.

Maeder M, Wolber T, Ammann P, Myers J, Brunner-La Rocca H, Hack D, Riesen W, Rickli H. Cardiopulmonary exercise testing in mild heart failure: impact of the mode of exercise on established prognostic predictors. *Cardiology* 2008; 110:135-41.

Maeder M, Brunner-La Rocca H, Wolber T, Ammann P, Roelli H, Rohner F, Rickli H. Impact of a lead glass screen on scatter radiation to eyes and hands in interventional cardiologists. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2006; 67:18-23.

Bernheim A, Pfisterer M, Buser P, Linka A, Kaiser C, Kiencke S, Eckstein J, Brunner-La Rocca H, Schaer B, Burger P, Sticherling C, Ammann P, Osswald S. Right atrial pacing impairs cardiac function during resynchronization therapy: acute effects of DDD pacing compared to VDD pacing. *Journal of the American College of Cardiology* 2005; 45:1482-7.

Bernheim A, Fatio R, Kiowski W, Weilenmann D, Rickli H, Brunner-La Rocca H. Atropine often results in complete atrioventricular block or sinus arrest after cardiac transplantation: an unpredictable and dose-independent phenomenon. *Transplantation* 2004; 77:1181-5.

Schalcher C, Rickli H, Brehm M, Weilenmann D, Oechslin E, Kiowski W, Brunner-La Rocca H. Prolonged oxygen uptake kinetics during low-intensity exercise are related to poor prognosis in patients with mild-to-moderate congestive heart failure. *Chest* 2003; 124:580-6.

Rickli H, Kiowski W, Brehm M, Weilenmann D, Schalcher C, Bernheim A, Oechslin E, Brunner-La Rocca H. Combining low-intensity and maximal exercise test results improves prognostic prediction in chronic heart failure. *Journal of the American College of Cardiology* 2003; 42:116-22.

Rickli H, Unterweger M, Süttsch G, Brunner-La Rocca H, Sagmeister M, Ammann P, Amann F. Comparison of costs and safety of a suture-mediated closure device with conventional manual compression after coronary artery interventions. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2002; 57:297-302.

Weilenmann D, Rickli H, Follath F, Kiowski W, Brunner-La Rocca H. Noninvasive evaluation of pulmonary capillary wedge pressure by BP response to the Valsalva maneuver. *Chest* 2002; 122:140-5.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch