



**Gabriela Studer**

**Contact**

Gabriela Studer

## Publications (20)

Riesterer O, Pruschy M, Bender S, Sharma A, Bogowicz M, Tanadini-Lang S, Stieb S, Bertogg K, Weber S, Ikenberg K, Huber G, Schmid S, Bredell M, Veit-Haibach P, Rordorf T, Held U, Glanzmann C, Studer G. Consolidation cetuximab after concurrent triplet radiochemotherapy+cetuximab in patients with advanced head and neck cancer: A randomized phase II study. *Radiother Oncol* 2020; 150:62-69.

de Galiza Barbosa F, Stolzmann P, Huellner M, Huber G, Pruschy M, Studer G, Stieb S, Tanadini-Lang S, Riesterer O, Veit-Haibach P. Evaluation of 18F-FDG PET/CT as an early imaging biomarker for response monitoring after radiochemotherapy using cetuximab in head and neck squamous cell carcinoma. *Head & neck* 2019; 42:163-170.

Elicin O, Giger R, Spielmann T, Prestwich R, Riesterer O, Kaydihan N, Shelan M, Guckenberger M, Ozsahin M, Anschuetz L, Adam L, Henke G, Studer G, Zimmermann F, Caparrotti F, Aebersold D, Oehler C, Ermiş E, Şen M. Influencing Factors on Radiotherapy Outcome in Stage I-II Glottic Larynx Cancer-A Multicenter Study. *Front Oncol* 2019; 9:932.

Plasswilm L, Studer G, Aebersold D, Zwahlen D. [Modern Treatment Concepts in Radiation Oncology]. *Ther Umsch* 2019; 76:209-218.

Ernst J, Ikenberg K, Apel B, Schumann D, Huber G, Studer G, Rordorf T, Riesterer O, Rössle M, Korol D, Bredell M. Expression of CK19 is an independent predictor of negative outcome for patients with squamous cell carcinoma of the tongue. *Oncotarget* 2016; 7:76151-76158.

Brown M, Glanzmann C, Huber G, Bredell M, Rordorf T, Studer G. IMRT/VMAT for malignancies in the head-and-neck region : Outcome in patients aged 80. *Strahlenther Onkol* 2016; 192:526-36.

Laske R, Scholz I, Ikenberg K, Meerwein C, Vital D, Studer G, Rössle M, Huber G. Perineural Invasion in Squamous Cell Carcinoma of the Oral Cavity: Histology, Tumor Stage, and Outcome. *Laryngoscope Investig Otolaryngol* 2016; 1:13-18.

Pietsch C, de Galiza Barbosa F, Hüllner M, Schmid D, Haerle S, Huber G, Studer G, Hany T, Veit-Haibach P. Combined PET/CT-perfusion in patients with head and neck cancers might predict failure after radio-chemotherapy: a proof of concept study. *BMC Med Imaging* 2015; 15:60.

Schariatzadeh R, Pezier T, Studer G, Schmid S, Huber G. Does airway intervention before primary nonsurgical therapy for T3/T4 laryngeal squamous cell carcinoma impact on oncological or functional outcomes?. *Swiss Med Wkly* 2015; 145:w14213.

Studer G, Huber G, Holz E, Glanzmann C. Less may be more: nodal treatment in neck positive head neck cancer patients. *Eur Arch Otorhinolaryngol* 2015; 273:1549-56.

Vital D, Morand G, Huber G, Studer G, Holzmann D. Outcome in squamous cell carcinoma of the nasal vestibule: a single center experience. *Head & neck* 2014; 37:46-51.

Studer G, Linsenmeier C, Riesterer O, Najafi Y, Brown M, Yousefi B, Bredell M, Huber G, Schmid S, Studer S, Zwahlen R, Rordorf T, Glanzmann C. Late term tolerance in head neck cancer patients irradiated in the IMRT era. *Radiat Oncol* 2013; 8:259.

Broglie Däppen M, Soltermann A, Rohrbach D, Haile S, Pawlita M, Studer G, Huber G, Moch H, Stöckli S. Impact of p16, p53, smoking, and alcohol on survival in patients with oropharyngeal squamous cell carcinoma treated with primary intensity-modulated chemoradiation. *Head & neck* 2013; 35:1698-706.

Studer G, Brown M, Bredell M, Graetz K, Huber G, Linsenmeier C, Najafi Y, Riesterer O, Rordorf T, Schmid S, Glanzmann C. Follow up after IMRT in oral cavity cancer: update. *Radiat Oncol* 2012; 7:84.

Studer G, Rordorf T, Glanzmann C. Impact of tumor volume and systemic therapy on outcome in patients undergoing IMRT for large volume head neck cancer. *Radiat Oncol* 2011; 6:120.

Huber G, Züllig L, Soltermann A, Roessle M, Haerle S, Studer G, Jochum W, Moch H, Stöckli S. Down regulation of E-Cadherin (ECAD) - a predictor for occult metastatic disease in sentinel node biopsy of early squamous cell carcinomas of the oral cavity and oropharynx. *BMC cancer* 2011; 11:217:1-8.

Broglie Däppen M, Huber G, Stöckli S, Studer G. Intensitätsmodulierte Radiotherapie beim Oropharynxkarzinom. *Schweiz Med Forum* 2010; Suppl. 54:114-116.

Röösli C, Studer G, Stöckli S. Salvage treatment for recurrent oropharyngeal squamous cell carcinoma. *Head & neck* 2010; 32:989-96.

Röösli C, Tschudi D, Studer G, Braun J, Stöckli S. Outcome of patients after treatment for a squamous cell carcinoma of the oropharynx. *The Laryngoscope* 2009; 119:534-40.

Studer G, Furrer K, Davis B, Stöckli S, Zwahlen R, Luetolf U, Glanzmann C. Postoperative IMRT in head and neck cancer. *Radiat Oncol* 2006; 1:40.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)