



Thomas F Hany

Contact

Thomas F Hany

Publications (9)

Wälti S, Skawran S, Sartoretti T, Schwyzer M, Gennari A, Mader C, Treyer V, Kellenberger C, Burger I, Hany T, Maurer A, Huellner M, Messerli M. A third of the radiotracer dose: two decades of progress in pediatric [F]fluorodeoxyglucose PET/CT and PET/MR imaging. *Eur Radiol* 2023

Pietsch C, de Galiza Barbosa F, Hüllner M, Schmid D, Haerle S, Huber G, Studer G, Hany T, Veit-Haibach P. Combined PET/CT-perfusion in patients with head and neck cancers might predict failure after radio-chemotherapy: a proof of concept study. *BMC Med Imaging* 2015; 15:60.

Kastrinidis N, Kuhn F, Hany T, Ahmad N, Huber G, Haerle S. 18F-FDG-PET/CT for the assessment of the contralateral neck in patients with head and neck squamous cell carcinoma. *Laryngoscope* 2013; 123:1210-5.

Haerle S, Hany T, Ahmad N, Burger I, Huber G, Schmid D. Physiologic [18F]fluorodeoxyglucose uptake of floor of mouth muscles in PET/CT imaging: a problem of body position during FDG uptake?. *Cancer Imaging* 2013; 13:1-7.

Stöckli S, Haerle S, Strobel K, Haile S, Hany T, Schuknecht B. Initial staging of the neck in head and neck squamous cell carcinoma: A comparison of CT, PET/CT, and ultrasound-guided fine-needle aspiration cytology. *Head & neck* 2011; 34:469-76.

Haerle S, Hany T, Strobel K, Sidler D, Stöckli S. Is there an additional value of SPECT/CT over planar lymphoscintigraphy for sentinel node mapping in oral/oropharyngeal squamous cell carcinoma?. *Annals of surgical oncology* 2009; 16:3118-24.

Haerle S, Strobel K, Hany T, Sidler D, Stöckli S. (18)F-FDG-PET/CT versus panendoscopy for the detection of synchronous second primary tumors in patients with head and neck squamous cell carcinoma. *Head & neck* 2009

Strobel K, Haerle S, Stöckli S, Schrank M, Soyka J, Veit-Haibach P, Hany T. Head and neck squamous cell carcinoma (HNSCC)--detection of synchronous primaries with (18)F-FDG-PET/CT. *European journal of nuclear medicine and molecular imaging* 2009; 36:919-27.

Goerres G, Schuknecht B, Schmid D, Stöckli S, Hany T. Positron emission tomography/computed tomography for staging and restaging of head and neck cancer: comparison with positron emission tomography read together with contrast-enhanced computed tomography. *Clinical imaging* 2008; 32:431-7.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch