



Gerhard W Goerres

Contact

Gerhard W Goerres

Publications (9)

Goerres G, Schuknecht B, Schmid D, Stöckli S, Hany T. Positron emission tomography/computed tomography for staging and restaging of head and neck cancer: comparison with positron emission tomography read together with contrast-enhanced computed tomography. *Clinical imaging* 2008; 32:431-7.

Alkadhi H, Kaufmann P, Marincek B, Genoni M, Luescher T, Goerres G, Plass A, Stolzmann P, Gaemperli O, Desbiolles L, Scheffel H, Leschka S. Dual-source computed tomography coronary angiography: influence of obesity, calcium load, and heart rate on diagnostic accuracy. *Eur Heart J* 2008; 29:766-76.

Paul S, Stöckli S, von Schulthess G, Goerres G. FDG PET and PET/CT for the detection of the primary tumour in patients with cervical non-squamous cell carcinoma metastasis of an unknown primary. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery* 2007; 264:189-95.

Wild D, Eyrich G, Ciernik I, Stöckli S, Schuknecht B, Goerres G. In-line (18)F-fluorodeoxyglucose positron emission tomography with computed tomography (PET/CT) in patients with carcinoma of the sinus/nasal area and orbit. *Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery* 2006; 34:9-16.

Goerres G, Schmid D, Bandhauer F, Huguenin P, von Schulthess G, Schmid S, Stöckli S. Positron emission tomography in the early follow-up of advanced head and neck cancer. *Archives of otolaryngology--head & neck surgery* 2004; 130:105-9; discussion 120-1.

Schmid D, Kneifel S, Stöckli S, Padberg B, Merrill G, Goerres G. Increased 18F-FDG uptake mimicking thyroid cancer in a patient with Hashimoto's thyroiditis. *European radiology* 2003; 13:2119-21.

Schmid D, Stöckli S, Bandhauer F, Huguenin P, Schmid S, von Schulthess G, Goerres G. Impact of positron emission tomography on the initial staging and therapy in locoregional advanced squamous cell carcinoma of the head and neck. *The Laryngoscope* 2003; 113:888-91.

Stöckli S, Mosna-Firlejczyk K, Goerres G. Lymph node metastasis of squamous cell carcinoma from an unknown primary: impact of positron emission tomography. *European journal of nuclear medicine and molecular imaging* 2003; 30:411-6.

Goerres G, Stöckli S, von Schulthess G, Steinert H. FDG PET for mucosal malignant melanoma of the head and neck. *The Laryngoscope* 2002; 112:381-5.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch