



Lisa Sze

Contact

Lisa Sze

Units

Endokrinologie | Diabetologie | Osteologie | Stoffwechselerkrankungen

Publications (19)

Neidert M, Zeitlberger A, Leske H, Tschopp O, Sze L, Zwimpfer C, Wiesli P, Bellut D, Bernays R, Rushing E, Schmid C. Association of pre- and postoperative α Klotho levels with long-term remission after pituitary surgery for acromegaly. *Sci Rep* 2022; 12:14765.

Sze L, Tschopp O, Neidert M, Bernays R, Ghirlanda C, Zwimpfer C, Wiesli P, Schmid C. Corrigendum to Soluble delta-like 1 homolog decreases in patients with acromegaly following pituitary surgery: A potential mediator of adipogenesis suppression by growth hormone? *Growth Hormone & IGF Research* 45 (2019) 20-24. *Growth Horm IGF Res* 2019; 51:77.

Sze L, Tschopp O, Neidert M, Bernays R, Ghirlanda C, Zwimpfer C, Wiesli P, Schmid C. Soluble delta-like 1 homolog decreases in patients with acromegaly following pituitary surgery: A potential mediator of adipogenesis suppression by growth hormone?. *Growth Horm IGF Res* 2019; 45:20-24.

Lipowsky C, Sze L, Krull I, Brändle M. Liraglutide as add-on therapy to insulin in type 2 diabetes mellitus: a retrospective, observational study from a daily clinical practice setting in Switzerland. *Diabetes Ther* 2015; 6:41-7.

Sze L, Neidert M, Bernays R, Zwimpfer C, Wiesli P, Haile S, Brändle M, Schmid C. Gender dependence of serum soluble Klotho in acromegaly. *Clin Endocrinol (Oxf)* 2014; 80:869-73.

Sze L. Impact of growth hormone on cystatin C. *Nephron Extra* 2013; 3:118-124.

Sze L, Bernays R, Zwimpfer C, Wiesli P, Brändle M, Schmid C. Impact of Growth Hormone on Cystatin C. *Nephron Extra* 2013; 3:118-124.

Schmid C, Neidert M, Tschopp O, Sze L, Bernays R. Growth hormone and Klotho. *J Endocrinol* 2013; 219:R37-57.

Köhler S, Tschopp O, Sze L, Neidert M, Bernays R, Spanaus K, Wiesli P, Schmid C. Monitoring for potential residual disease activity by serum insulin-like growth factor 1 and soluble Klotho in patients with acromegaly after pituitary surgery: is there an impact of the genomic deletion of exon 3 in the growth hormone receptor (d3-GHR) gene on "safe" GH cut-off values?. *Gen Comp Endocrinol* 2013; 188:282-7.

Neidert M, Schmid C, Rushing E, Leske H, Frei K, Seifert B, Sarnthein J, Zwimpfer C, Sze L, Bernays R. Soluble α -klotho: a novel serum biomarker for the activity of GH-producing pituitary adenomas. *Eur J Endocrinol* 2013; 168:575-83.

Purtell L, Campbell L, Steinbeck K, Loughnan G, Smith A, Sainsbury A, Herzog H, Viardot A, Jenkins A, Sze L. Postprandial cardiac autonomic function in prader-willi syndrome. *Clin Endocrinol (Oxf)* 2012

Aeberli I, Hochuli M, Gerber P, Sze L, Murer S, Tappy L, Spinias G, Berneis K. Moderate amounts of fructose consumption impair insulin sensitivity in healthy young men: a randomized controlled trial. *Diabetes care* 2012; 36:150-6.

Sze L, Bernays R, Zwimpfer C, Wiesli P, Brändle M, Schmid C. Excessively high soluble Klotho in patients with acromegaly. *J Intern Med* 2012; 272:93-7.

Purtell L, Sze L, Loughnan G, Smith E, Herzog H, Sainsbury A, Steinbeck K, Campbell L, Viardot A. In adults with Prader-Willi syndrome, elevated ghrelin levels are more consistent with hyperphagia than high PYY and GLP-1 levels. *Neuropeptides* 2011; 45:301-7.

Sze L, Campbell L, Steinbeck K, Sainsbury A, Herzog H, Smith E, Loughnan G, Jenkins A, Purtell L, Viardot A. Effects of a single dose of exenatide on appetite, gut hormones, and glucose homeostasis in adults with Prader-Willi syndrome. *J Clin Endocrinol Metab* 2011; 96:E1314-9.

Viardot A, Sze L, Purtell L, Sainsbury A, Loughnan G, Smith E, Herzog H, Steinbeck K, Campbell L. Prader-Willi syndrome is associated with activation of the innate immune system independently of central adiposity and insulin resistance. *J Clin Endocrinol Metab* 2010; 95:3392-9.

Sze L, Fretz C, Hildebrandt G, Westphal K, Brändle M. A patient with a "good nose". *Exp Clin Endocrinol Diabetes* 2007; 116:129-31.

Sze L, Schmid C, Bloch K, Bernays R, Brändle M. Effect of transsphenoidal surgery on sleep apnoea in acromegaly. *Eur J Endocrinol* 2007; 156:321-9.

Sze L, Ulrich B, Brändle M. Severe hypernatraemia due to nephrogenic diabetes insipidus - a life-threatening side effect of chronic lithium therapy. *Exp Clin Endocrinol Diabetes* 2006; 114:596-8.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch