



**Matthias E Pfisterer**

**Contact**

Matthias E Pfisterer

## Publications (18)

Davarzani N, Brunner-La Rocca H, Peeters R, Pfisterer M, Zaugg C, Rolny V, Block D, de Boer R, Suter T, Karel J, Smirnov E, Rickenbacher P, Maeder M, Sanders-van Wijk S, TIME-CHF Investigators. Novel concept to guide systolic heart failure medication by repeated biomarker testing—results from TIME-CHF in context of predictive, preventive, and personalized medicine. *EPMA J* 2018; 9:161-173.

Davarzani N, Peeters R, Rickenbacher P, Pfisterer M, Gutmann M, Leibundgut G, Maeder M, Karel J, Sanders-van Wijk S, Brunner-La Rocca H. N-Terminal Pro-B-Type Natriuretic Peptide-Guided Therapy in Chronic Heart Failure Reduces Repeated Hospitalizations—Results From TIME-CHF. *J Card Fail* 2017; 23:382-389.

Uszko-Lencer N, Brunner-La Rocca H, Zugck C, Pfisterer M, Osswald S, Muzzarelli S, Gutmann M, Maeder M, Spruit M, Frankenstein L. Predicting hospitalization and mortality in patients with heart failure: The BARDICHE-index. *Int J Cardiol* 2016; 227:901-907.

Maeder M, Brunner-La Rocca H, Pfisterer M, Julius B, Yoon S, Suter T, Kiencke S, Tobler D, Rickli H, Zurek M. Prognostic Value of the Change in Heart Rate From the Supine to the Upright Position in Patients With Chronic Heart Failure. *J Am Heart Assoc* 2016; 5

Kaufmann B, Rocca H, Pfisterer M, Bernheim A, Nietlispach F, Bucher U, Maeder M, Min S, Goetschalckx K, TIME-CHF Investigators. Improvement in left ventricular ejection fraction and reverse remodeling in elderly heart failure patients on intense NT-proBNP-guided therapy. *Int J Cardiol* 2015; 191:286-93.

Brunner-La Rocca H, Maeder M, Rickenbacher P, Tobler D, Pfisterer M, Krause F, Rolny V, Eurlings L, Knackstedt C, TIME-CHF investigators. Impact of worsening renal function related to medication in heart failure. *Eur J Heart Fail* 2014; 17:159-68.

Jeger R, Kaiser C, Galatius S, Rickli H, Pedrazzini G, Erne P, Eberli F, Bonetti P, Alber H, von Felten S, Sørensen R, Pfisterer M, BASKET and BASKET-PROVE investigators. Tradeoff between bleeding and stent thrombosis in different dual antiplatelet therapy regimes: Importance of case fatality rates and effective treatment durations. *Am Heart J* 2014; 168:698-705.

van Empel V, Maeder M, Kiencke S, Pfisterer M, Muzzarelli S, Min S, Goetschalckx K, Bernheim A, Kaufmann B, Brunner-La Rocca H. Interaction between pulmonary hypertension and diastolic dysfunction in an elderly heart failure population. *J Card Fail* 2013; 20:98-104.

Huijts M, Brunner-La Rocca H, Pfisterer M, Schindler R, Maeder M, Muzzarelli S, Burkard T, Duits A, van Oostenbrugge R, TIME-CHF Investigators. Cognitive impairment in heart failure: results from the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF) randomized trial. *Eur J Heart Fail* 2013; 15:699-707.

Sanders-van Wijk S, Brunner-La Rocca H, Pfisterer M, Peter M, Vuillomenet A, Rickenbacher P, Erne P, Estlinbaum W, Rickli H, van Asselt A, TIME-CHF Investigators. Cost-effectiveness of N-terminal pro-B-type natriuretic-guided therapy in elderly heart failure patients: results from TIME-CHF (Trial of Intensified versus Standard Medical Therapy in Elderly Patients with Congestive Heart Failure). *JACC Heart Fail* 2013; 1:64-71.

Spruit M, Brunner-La Rocca H, Rickli H, Pfisterer M, Kiencke S, Uszko-Lencer N, Jeker U, Ammann P, Knackstedt C, Maeder M, TIME-CHF Investigators. Prognostic value of self-reported versus objectively measured functional capacity in patients with heart failure: results from the TIME-CHF (Trial of Intensified Versus Standard Medical Therapy in Elderly Patients with Congestive Heart Failure). *J Am Coll Cardiol* 2012; 60:2125-6.

Maeder M, Brunner-La Rocca H, Estlinbaum W, Kiencke S, Dieterle T, Weilenmann D, Hack D, Fehr T, Ammann P, Muzzarelli S, Pfisterer M, Rickli H, TIME-CHF Investigators. Incidence, clinical predictors, and prognostic impact of worsening renal function in elderly patients with chronic heart failure on intensive medical therapy. *Am Heart J* 2012; 163:407-14, 414.e1.

Brunner-La Rocca H, Rickli H, Pfisterer M, Osswald S, Pfister O, Leventhal M, Kiowski W, Jeker U, Maeder M, Schindler R, Muzzarelli S, Rickenbacher P, TIME-CHF Investigators. End-of-life preferences of elderly patients with chronic heart failure. *Eur Heart J* 2011; 33:752-9.

Maeder M, Duerring C, Engel R, Boesch C, Pfisterer M, Myers J, Müller-Brand J, Zellweger M. Predictors of impaired heart rate recovery: a myocardial perfusion SPECT study. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology* 2009

Maeder M, Mueller C, Pfisterer M, Buser P, Brunner-La Rocca H. Use of B-type natriuretic peptide outside of the emergency department. *International journal of cardiology* 2008; 127:5-16.

Maeder M, Amsler B, Zellweger M, Nietlispach F, Weilenmann D, Roth J, Roser H, Buser P, Pfisterer M, Kaiser C. Long-term outcomes after intracoronary Beta-irradiation for in-stent restenosis in bare-metal stents. *The Journal of invasive cardiology* 2008; 20:179-84.

Jeger R, Seeberger M, Keller U, Pfisterer M, Filipovic M. Oral hypoglycemics: increased postoperative mortality in coronary risk patients. *Cardiology* 2007; 107:296-301.

Jeger R, Probst C, Arsenic R, Lippuner T, Pfisterer M, Seeberger M, Filipovic M. Long-term prognostic value of the preoperative 12-lead electrocardiogram before major noncardiac surgery in coronary artery disease. *American heart journal* 2006; 151:508-13.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)