



**Piers J Yates**

**Contact**

Piers J Yates

## Publications (6)

Spross C, Farei-Campagna J, Gerhard P, Jost B, Yates P, Lam L. Osteochondral Shearing Fracture of the Humeral Head Associated with Traumatic Anterior Shoulder Dislocation: A Case Report. JBJS Case Connect 2021; 11

Spross C, Yates P. A new stem extractor with specific multigrip pliers for revision hip arthroplasty - a biomechanical investigation. Hip Int 2016; 26:508-512.

Schaefer T, Spross C, Stoffel K, Yates P. Biomechanical properties of a posterior fully threaded positioning screw for cannulated screw fixation of displaced neck of femur fractures. Injury 2015

Giesinger K, Ebnetter L, Day R, Stoffel K, Yates P, Kuster M. Can plate osteosynthesis of periprosthetic femoral fractures cause cement mantle failure around a stable hip stem? A biomechanical analysis. J Arthroplasty 2014; 29:1308-12.

Erhardt J, Khoo P, Stoffel K, Yates P. Periprosthetic fractures around polished collarless cemented stems: the effect of stem design on fracture pattern. Hip Int 2013; 23:459-64.

Kampshoff J, Stoffel K, Yates P, Erhardt J, Kuster M. The treatment of periprosthetic fractures with locking plates: effect of drill and screw type on cement mantles: a biomechanical analysis. Archives of orthopaedic and trauma surgery 2009

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)