



S Loibl

Contact

S Loibl

Publications (30)

Loibl S, Staib P, Link T, Rhiem K, Solbach C, Fasching P, Nekljudova V, Denkert C, Untch M, Jackisch C, Thomalla J, Schneeweiss A, Huober J, Braun M, Rey J, Blohmer J, Furlanetto J, Zahm D, Hanusch C, GBG and AGO-B. Neoadjuvant durvalumab improves survival in early triple-negative breast cancer independent of pathological complete response. *Ann Oncol* 2022

Loibl S, Schmitt W, von Minckwitz G, Thomalla J, Kümmel S, Rautenberg B, Fasching P, Weber K, Rhiem K, Denkert C, Jackisch C, Rezai M, Engels K, Untch M, Burchardi N, Huober J, Sinn B, Blohmer J, Grischke E, Furlanetto J, Tesch H, Hanusch C, Schneeweiss A. Corrigendum to "A randomised phase II study investigating durvalumab in addition to an anthracycline taxane-based neoadjuvant therapy in early triple-negative breast cancer: clinical results and biomarker analysis of GeparNuevo study": [*Annals of Oncology* (2019), volume 30:1279-1288]. *Ann Oncol* 2022; 33:743-744.

Geyer C, Symmans W, Rastogi P, Sohn J, Young R, Wright G, Harkness C, McIntyre K, Yardley D, Dunbar M, Metzger O, Ponce Lorenzo J, Sikov W, Huober J, Rugo H, Wolmark N, O'Shaughnessy J, Maag D, Untch M, Golshan M, Loibl S. Long-term efficacy and safety of addition of carboplatin with or without veliparib to standard neoadjuvant chemotherapy in triple-negative breast cancer: 4-year follow-up data from BrighTNess, a randomized phase 3 trial. *Ann Oncol* 2022

Fasching P, Rhiem K, Schneeweiss A, Engels K, Denkert C, Schmutzler R, Hahnen E, Untch M, Burchardi N, Blohmer J, Loibl S, Doering G, Uleer C, Schmitt W, Link T, Hauke J, Seither F, Jackisch C, Klare P, Schmatloch S, Hanusch C, Huober J, Stefek A, Seiler S, German Breast Group and Arbeitsgemeinschaft Gynäkologische Onkologie Breast. Neoadjuvant paclitaxel/olaparib in comparison to paclitaxel/carboplatinum in patients with HER2-negative breast cancer and homologous recombination deficiency (GeparOLA study). *Ann Oncol* 2020; 32:49-57.

Karn T, Schmitt W, Wu S, van Mackelenbergh M, Müller V, Schem C, Stickeler E, Fasching P, Jackisch C, Untch M, Schneeweiss A, Marmé F, Blohmer J, Denkert C, Weber K, Holtrich U, Hanusch C, Sinn B, Higgs B, Jank P, Sinn H, Huober J, Becker C, Loibl S. Tumor mutational burden and immune infiltration as independent predictors of response to neoadjuvant immune checkpoint inhibition in early TNBC in GeparNuevo. *Ann Oncol* 2020; 31:1216-1222.

Burstein H, Thürlimann B, Winer E, Senn H, Regan M, Piccart-Gebhart M, Denkert C, Colleoni M, Poortmans P, Gnant M, Dubsy P, Loibl S, Curigliano G, Members of the St. Gallen International Consensus Panel on the Primary Therapy of Early Breast Cancer 2019. Estimating the benefits of therapy for early-stage breast cancer: the St. Gallen International Consensus Guidelines for the primary therapy of early breast cancer 2019. *Ann Oncol* 2019; 30:1541-1557.

Curigliano G, Thürlimann B, Senn H, Piccart-Gebhart M, Regan M, Colleoni M, Loibl S, Dubsy P, Gnant M, P Winer E, Burstein H, Panel Members of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2017. Corrections to "De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the Primary Therapy of Early Breast Cancer 2017". *Ann Oncol* 2019; 30:1181.

Burstein H, Thürlimann B, Winer E, Senn H, Regan M, Piccart-Gebhart M, Denkert C, Colleoni M, Poortmans P, Gnant M, Dubsy P, Loibl S, Curigliano G, Members of the St. Gallen International Consensus Panel on the Primary Therapy of Early Breast Cancer 2019. Estimating the benefits of therapy for early-stage breast cancer: the St. Gallen International Consensus Guidelines for the primary therapy of early breast cancer 2019. *Ann Oncol* 2019; 30:1541-1557.

Curigliano G, Thürlimann B, Senn H, Piccart-Gebhart M, Regan M, Colleoni M, Loibl S, Dubsy P, Gnant M, P Winer E, Burstein H, Panel Members of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2017. De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the Primary Therapy of Early Breast Cancer 2017. *Ann Oncol* 2019; 30:1181.

Loibl S, Schmitt W, von Minckwitz G, Thomalla J, Kümmel S, Rautenberg B, Fasching P, Weber K, Rhiem K, Denkert C, Jackisch C, Rezai M, Engels K, Untch M, Burchardi N, Huober J, Sinn B, Blohmer J, Grischke E, Furlanetto J, Tesch H, Hanusch C, Schneeweiss A. A randomised phase II study investigating durvalumab in addition to an anthracycline taxane-based neoadjuvant therapy in early triple-negative breast cancer: clinical results and biomarker analysis of GeparNuevo study. *Ann Oncol* 2019; 30:1279-1288.

Xu B, Osborne K, Orecchia R, Morrow M, Karlsson P, Jiang Z, Jassem J, Khaled H, Huober J, Huang C, Hayes D, Harbeck N, Pagani O, Partridge A, Pritchard K, Whelan T, Watanabe T, Viale G, Tutt A, Toi M, Smith I, Shao Z, Semiglazov V, Sedlmayer F, Rutgers E, Ro J, Goodwin P, Gulluoglu B, André F, Thürlimann B, Senn H, Piccart-Gebhart M, Regan M, Colleoni M, Loibl S, Dubsy P, Gnant M, Winer E, Burstein H, Baselga J, Bergh J, Bonnefoi H, Garber J, Galimberti V, Francis P, Ejlertsen B, Di Leo A, Denkert C, Cuzick J, Ciruelos E, Carey L, Cardoso F, Brucker S, Curigliano G. De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the Primary Therapy of Early Breast Cancer 2017. *Ann Oncol* 2018; 29:2153.

Villegas S, Denkert C, Mehta K, Müller V, Kümmel S, Engels K, Lederer B, Pfitzner B, Schem C, Furlanetto J, Marmé F, Weber K, Huober J, von Minckwitz G, Darb-Esfahani S, Loibl S. Expression of Cyclin D1 protein in residual tumor after neoadjuvant chemotherapy for breast cancer. *Breast Cancer Res Treat* 2017; 168:179-187.

Xu B, Osborne K, Orecchia R, Morrow M, Karlsson P, Jiang Z, Jassem J, Khaled H, Huober J, Huang C, Hayes D, Harbeck N, Pagani O, Partridge A, Pritchard K, Whelan T, Watanabe T, Viale G, Tutt A, Toi M, Smith I, Shao Z, Semiglazov V, Sedlmayer F, Rutgers E, Ro J, Goodwin P, Gulluoglu B, Garber J, Thürlimann B, Senn H, Piccart-Gebhart M, Regan M, Colleoni M, Loibl S, Dubsy P, Gnant M, Winer E, Burstein H, André F, Baselga J, Bergh J, Galimberti V, Francis P, Ejlertsen B, Di Leo A, Denkert C, Cuzick J, Ciruelos E, Carey L, Cardoso F, Brucker S, Bonnefoi H, Curigliano G. Reply to "The St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2017: the point of view of an International Panel of Experts in Radiation Oncology" by Kirova et al. *Ann Oncol* 2017

Xu B, Osborne K, Orecchia R, Morrow M, Karlsson P, Jiang Z, Jassem J, Hussein K, Huober J, Huang C, Hayes D, Harbeck N, Pagani O, Partridge A, Pritchard K, Whelan T, Watanabe T, Viale G, Tutt A, Toi M, Smith I, Shao Z, Semiglazov V, Sedlmayer F, Rutgers E, Ro J, Goodwin P, Gulluoglu B, Garber J, Thürlimann B, Senn H, Piccart-Gebhart M, Regan M, Colleoni M, Loibl S, Dubsy P, Gnant M, P Winer E, Burstein H, André F, Baselga J, Bergh J, Galimberti V, Francis P, Ejlertsen B, Di Leo A, Denkert C, Cuzick J, Ciruelos E, Carey L, Cardoso F, Y Brucker S, Bonnefoi H, Curigliano G. De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the Primary Therapy of Early Breast Cancer 2017. *Ann Oncol* 2017; 28:1700-1712.

Möbus V, Thomssen C, Untch M, Nekljudova V, Loibl S, du Bois A, Bauerfeind I, Müller V, Huober J, Fehm T, Conrad B, Harbeck N, Elling D, Tesch H, Schneeweiss A, Lück H, Jackisch C, von Minckwitz G, German Breast Group (GBG), the AGO Breast Study Group (AGO-B) and NOGGO Study Groups. German Adjuvant Intergroup Node-positive Study (GAIN): a phase III trial comparing two dose-dense regimens (iddEPC versus ddEC-PwX) in high-risk early breast cancer patients. *Ann Oncol* 2017; 28:1803-1810.

von Minckwitz G, Jackisch C, Kümmel S, Fasching P, Schneeweiss A, Paepke S, Untch M, Burchardi N, Mehta K, Loibl S, Hanusch C, Denkert C, Rezai M, Tesch H, Huober J, Gerber B, Zahm D, Hilfrich J, Costa S, Dubsy P, Blohmer J, German Breast Group and Austrian Breast and Colon Cancer Study Group Investigators. Zoledronate for patients with invasive residual disease after anthracyclines-taxane-based chemotherapy for early breast cancer - The Phase III NeoAdjuvant Trial Add-oN (NaTaN) study (GBG 36/ABCSG 29). *Eur J Cancer* 2016; 64:12-21.

Untch M, Blohmer J, Costa S, Decker T, Diel I, Fasching P, Fehm T, Janni W, Lück H, Maass N, Scharl A, Beckmann M, Jackisch C, Thomssen C, Harbeck N, Huober J, von Minckwitz G, Gerber B, Kreipe H, Liedtke C, Marschner N, Möbus V, Scheithauer H, Schneeweiss A, Loibl S. Primary Therapy of Patients with Early Breast Cancer: Evidence, Controversies, Consensus: Opinions of German Specialists to the 14th St. Gallen International Breast Cancer Conference 2015 (Vienna 2015). *Geburtshilfe Frauenheilkd* 2015; 75:556-565.

Lindner J, Tesch H, Karn T, Pommerenke F, Liedtke C, Untch M, Müller V, Rack B, Schem C, Engels K, Huober J, Sinn B, Loibl S, Denkert C, Ataseven B, Fasching P, Pflitzner B, Gerber B, Gade S, Darb-Esfahani S, von Minckwitz G. Expression of secreted protein acidic and rich in cysteine (SPARC) in breast cancer and response to neoadjuvant chemotherapy. *Ann Oncol* 2014; 26:95-100.

Deuker J, Kohls A, Weikel W, Bischoff J, Freese K, Schmidt M, Wiest W, Sütterlin M, Dietrich M, Griebhammer M, Burgmann D, Rack B, Salat C, Sattler D, Tio J, von Abel E, Fischer D, Ober A, Strumberg D, Uleer C, Solomayer E, Runnebaum I, Link H, Tomé O, Ulmer H, Conrad B, Feisel-Schwickardi G, Schumacher C, Steinmetz T, Bauerfeind I, Kremers S, Langanke D, Kullmer U, Christensen B, Burkamp U, Hofmann M, Schuster J, Simon W, Kronawitter U, Clemens M, Janni W, Latos K, Bauer W, Roßmann A, Bauer L, Lampe D, Heyl V, Hoffmann G, Lorenz-Salehi F, Hackmann J, Ruhland F, Stefek A, Köhne C, Meinerz W, Grasshoff S, Decker T, Overkamp F, Thalmann I, Sallmann A, Beck T, Reimer T, Bartzke G, Deryal M, Weigel M, Weder P, Steffens C, Lemster S, Schlag R, Müller T, von Minckwitz G, Nekljudova V, Gerber B, GBG/AGO-B study groups, Gnauert K, Heinrich B, Prätz T, Groh U, Tanzer H, Villena C, Tulusan A, Liedtke B, Blohmer J, Mau C, Potenberg J, Schilling J, Fehm T, Hauschild M, Loibl S, Untch M, Eidtmann H, Rezai M, Fasching P, Tesch H, Eggemann H, Schrader I, Kittel K, Hanusch C, Huober J, Solbach C, Jackisch C, Kunz G, Blohmer J, Just M, Weiss E, Möbus V, Stickeler E, Heinrich G, Wagner H, Abdallah A, Dewitz T, Emons G, Belau A, Rethwisch V, Lantzsich T, Thomssen C, Mattner U, Nugent A, Müller V, Noesselt T, Khandan F, Kühn T, Bückner U, Wolfgarten M, Lorenz R, Doering G, Feidicker S, Krabisch P, Deichert U, Augustin D, Kast K, Nestle-Krämling C, Höß C, Terhaag J, Fasching P, Staib P, Aktas B, Holms F. Survival after neoadjuvant chemotherapy with or without bevacizumab or everolimus for HER2-negative primary breast cancer (GBG 44-GeparQuinto)†. *Ann Oncol* 2014; 25:2363-2372.

von Minckwitz G, Costa S, Jackisch C, Paepke S, Schneeweiss A, Kümmel S, Denkert C, Mehta K, Loibl S, Blohmer J, Hanusch C, Rezai M, Fasching P, Huober J, Tesch H, Bauerfeind I, Hilfrich J, Eidtmann H, Gerber B, Untch M. Survival after adding capecitabine and trastuzumab to neoadjuvant anthracycline-taxane-based chemotherapy for primary breast cancer (GBG 40--GeparQuattro). *Ann Oncol* 2013; 25:81-9.

Gerber B, Jackisch C, Kunz G, Blohmer J, Huober J, Hauschild M, Nekljudova V, Untch M, von Minckwitz G, Solbach C, Kreienberg R, Hanusch C, Loibl S, Eidtmann H, Rezai M, Fasching P, Tesch H, Eggemann H, Schrader I, Kittel K, German Breast Group Investigators. Neoadjuvant bevacizumab and anthracycline-taxane-based chemotherapy in 678 triple-negative primary breast cancers; results from the geparquinto study (GBG 44). *Ann Oncol* 2013; 24:2978-84.

Denkert C, Barinoff J, Jackisch C, Prinzier J, Rüdiger T, Erbstößer E, Blohmer J, Budczies J, Mehta K, Fehm T, Huober J, Loibl S, Müller B, Eidtmann H, Schmitt W, Eiermann W, Gerber B, Tesch H, Hilfrich J, von Minckwitz G. Ki67 levels as predictive and prognostic parameters in pretherapeutic breast cancer core biopsies: a translational investigation in the neoadjuvant GeparTrio trial. *Ann Oncol* 2013; 24:2786-93.

Witzel I, Rack B, Meinhold-Heerlein I, Liedtke C, Karn T, Huober J, Zu Eulenburg C, Issa-Nummer Y, Untch M, Schem C, Mau C, Fasching P, Loibl S, von Minckwitz G, Eidtmann H, Fehm T, Khandan F, Schmatloch S, Hauschild M, Bischoff J, Müller V. Predictive value of HER2 serum levels in patients treated with lapatinib or trastuzumab -- a translational project in the neoadjuvant GeparQuinto trial. *Br J Cancer* 2012; 107:956-60.

Baumann K, Lück H, Vergote I, Schmalfeldt B, Huober J, Sehouli J, Loibl S, du Bois A, Kurzeder C, Burchardi N, Wimberger P, Pfisterer J, Wagner U. Intraperitoneal treatment with the trifunctional bispecific antibody Catumaxomab in patients with platinum-resistant epithelial ovarian cancer: a phase IIa study of the AGO Study Group. *Gynecol Oncol* 2011; 123:27-32.

du Bois A, Huober J, Stopfer P, Pfisterer J, Wimberger P, Loibl S, Reichardt V, Harter P. A phase I open-label dose-escalation study of oral BIBF 1120 combined with standard paclitaxel and carboplatin in patients with advanced gynecological malignancies. *Ann Oncol* 2009; 21:370-5.

Harter P, Loibl S, Meier W, Huober J, Fink D, Schroeder W, Muenstedt K, Schmalfeldt B, Emons G, Burges A, Hasenburg A, Hahmann M, Lueck H, Poelcher M, Wimberger P, Ortman O, Canzler U, Richter B, Wagner U, du Bois A. Surgery for recurrent ovarian cancer: role of peritoneal carcinomatosis: exploratory analysis of the DESKTOP I Trial about risk factors, surgical implications, and prognostic value of peritoneal carcinomatosis. *Annals of surgical oncology* 2009; 16:1324-30.

von Minckwitz G, Kaufmann M, Mehta K, Loibl S, Skacel T, Vescia S, Grasshoff S, Jackisch C, Costa S, Huober J, Hilfrich J, Gerber B, Eidtmann H, Eiermann W, du Bois A, Kümmel S, German Breast Group. Pegfilgrastim +/- ciprofloxacin for primary prophylaxis with TAC (docetaxel/doxorubicin/cyclophosphamide) chemotherapy for breast cancer. Results from the GEPARTRIO study. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2008; 19:292-8.

von Minkwitz G, Thomssen C, Schrauder M, Roller M, Rody A, Niederacher D, Müller M, Martin B, Loibl S, Lenhard M, Momor M, Karn T, Huober J, Harbeck N, Groner B, Eidtmann H, Kaufmann M. Translationale Forschung beim Mammakarzinom- Workshop zur Erarbeitung neuer Forschungsideen im Rahmen des Biedenkopfsymposiums XIII der Banns-Stiftung. *Geburtsh Frauenheilk* 2008; 68:1160-1165.

du Bois A, Arbeitsgemeinschaft Gynäkologische Onkologie Studiengruppe Ovarialkarzinom, Kölbl H, Jackisch C, Stähle A, Burges A, Wimberger P, Huober J, Loibl S, Burchardi N, Pfisterer J, Kommission Uterus. Combination therapy with pegylated liposomal doxorubicin and carboplatin in gynecologic malignancies: a prospective phase II study of the Arbeitsgemeinschaft Gynäkologische Onkologie Studiengruppe Ovarialkarzinom (AGO-OVAR) and Kommission Uterus (AGO-K-Ut). *Gynecologic oncology* 2007; 107:518-25.

Pfisterer J, AGO Ovarian Committee, Bois A, Fink D, Huober J, Gropp M, Loibl S, Burges A, Hasenburg A, Hahmann M, Jackisch C, Richter B, Canzler U, Harter P, AGO Ovarian Cancer Study Group (AGO-OVAR). The role of surgery in recurrent ovarian cancer. *International journal of gynecological cancer : official journal of the International Gynecological Cancer Society* 2005; 15 Suppl 3:195-8.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch