



Shari Gelber

Contact

Shari Gelber

Publications (6)

Wapnir I, Gelber S, Coates A, Gelber R, Rastogi P, Regan M, Wolmark N, Aebi S, International Breast Cancer Study Group, NRG Oncology, GECAM Spanish Breast Cancer Group, BOOG Dutch Breast Cancer Trialists' Group, Geyer C, Mamounas E, Thürlimann B, Price K, Anderson S, Robidoux A, Martín M, Nortier J, Paterson A, Rimawi M, Láng I, Baena-Cañada J, Breast International Group. Efficacy of Chemotherapy for ER-Negative and ER-Positive Isolated Locoregional Recurrence of Breast Cancer: Final Analysis of the CALOR Trial. *J Clin Oncol* 2018; 36:1073-1079.

Colleoni M, Eniu A, Cagossi K, Rauch D, Chirgwin J, Gelber R, Regan M, Coates A, Price K, Viale G, Kralidis E, Tondini C, Gray K, Gelber S, Láng I, Thürlimann B, Gianni L, Abdi E, Gomez H, Linderholm B, Puglisi F, Goldhirsch A. Low-Dose Oral Cyclophosphamide and Methotrexate Maintenance For Hormone Receptor-Negative Early Breast Cancer: International Breast Cancer Study Group Trial 22-00. *J Clin Oncol* 2016

Aebi S, Mamounas E, Geyer C, Price K, Coates A, Gelber R, Rastogi P, Wolmark N, Wapnir I, Murray E, Thürlimann B, Cañada J, Gelber S, Anderson S, Láng I, Robidoux A, Martín M, Nortier J, Paterson A, Rimawi M, CALOR investigators. Chemotherapy for isolated locoregional recurrence of breast cancer (CALOR): a randomised trial. *Lancet Oncol* 2014; 15:156-63.

Paridaens R, Coates A, Crivellari D, Holmberg S, Price K, Thürlimann B, Gelber R, Cole B, Gelber S, Goldhirsch A. Adjuvant! Online estimation of chemotherapy effectiveness when added to ovarian function suppression plus tamoxifen for premenopausal women with estrogen-receptor-positive breast cancer. *Breast Cancer Res Treat* 2010; 123:303-10.

Pagani O, Goldhirsch A, Coates A, Forbes J, Murray E, Fey M, Thürlimann B, Lindtner J, Collins J, Crivellari D, Holmberg S, Gelber R, Price K, Castiglione-Gertsch M, Simoncini E, Gelber S, International Breast Cancer Study Group. Is adjuvant chemotherapy of benefit for postmenopausal women who receive endocrine treatment for highly endocrine-responsive, node-positive breast cancer? International Breast Cancer Study Group Trials VII and 12-93. *Breast Cancer Res Treat* 2009; 116:491-500.

International Breast Cancer Study Group, Coates A, Castiglione-Gertsch M, Price K, Gelber R, Pagani O, Simoncini E, Gelber S, Colleoni M, Goldhirsch A. Effects of a treatment gap during adjuvant chemotherapy in node-positive breast cancer: results of International Breast Cancer Study Group (IBCSG) Trials 13-93 and 14-93. *Ann Oncol* 2007; 18:1177-84.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch