



Zhuoxin Sun

Contact

Zhuoxin Sun

Publications (8)

Rabaglio M, Thürlimann B, Colleoni M, Goldhirsch A, Gelber R, Coates A, Castiglione M, Ruepp B, Wardley A, Bonnefoi H, Láng I, Neven P, Harvey V, Ejlertsen B, Giobbie-Hurder A, Maibach R, Sun Z, Regan M. Cumulative incidence of cardiovascular events under tamoxifen and letrozole alone and in sequence: a report from the BIG 1-98 trial. *Breast Cancer Res Treat* 2020

Colleoni M, Coates A, Gelber R, Castiglione M, Gianni L, Thürlimann B, Forbes J, Karlsson P, Price K, Sun Z, Goldhirsch A. Annual Hazard Rates of Recurrence for Breast Cancer During 24 Years of Follow-Up: Results From the International Breast Cancer Study Group Trials I to V. *J Clin Oncol* 2016

Decensi A, Coates A, Goldhirsch A, Gelber R, Price K, Johansson H, Zaman K, Schönenberger A, Debled M, Campone M, Monnier A, Tondini C, McIntosh C, Thürlimann B, Guerrieri-Gonzaga A, Sun Z, Aebi S. Bone mineral density and circulating biomarkers in the BIG 1-98 trial comparing adjuvant letrozole, tamoxifen and their sequences. *Breast Cancer Res Treat* 2014; 144:321-9.

Chirgwin J, Coates A, Goldhirsch A, Regan M, Bonnefoi H, Ejlertsen B, Thürlimann B, Price K, Smith I, Sun Z, BIG 1-98 Collaborative and International Breast Cancer Study Groups. The advantage of letrozole over tamoxifen in the BIG 1-98 trial is consistent in younger postmenopausal women and in those with chemotherapy-induced menopause. *Breast Cancer Res Treat* 2011; 131:295-306.

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Sun Z, Ribí K, Aldridge J, Bernhard J. Cognitive function in postmenopausal breast cancer patients one year after completing adjuvant endocrine therapy with letrozole and/or tamoxifen in the BIG 1-98 trial. *Breast Cancer Res Treat* 2010

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Stephens A, Sun Z, Ribí K, Bernhard J. Cognitive function in postmenopausal women receiving adjuvant letrozole or tamoxifen for breast cancer in the BIG 1-98 randomized trial. *Breast* 2010; 19:388-95.

Crivellari D, Chirgwin J, Smith I, Rabaglio M, Gladieff L, Del Mastro L, Láng I, Colleoni M, Gelber R, Castiglione-Gertsch M, Paridaens R, Forbes J, Mauriac L, Mouridsen H, Thürlimann B, Price K, Coates A, Sun Z, Goldhirsch A. Letrozole compared with tamoxifen for elderly patients with endocrine-responsive early breast cancer: the BIG 1-98 trial. *JCO* 2008; 26:1972-9.

Mouridsen H, Price K, Smith I, Colleoni M, Gelber R, Paridaens R, Forbes J, Mauriac L, Thürlimann B, Sun Z, Castiglione-Gertsch M, Rabaglio M, Coates A, Keshaviah A, Goldhirsch A. Cardiovascular adverse events during adjuvant endocrine therapy for early breast cancer using letrozole or tamoxifen: safety analysis of BIG 1-98 trial. *JCO* 2007; 25:5715-22.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch